CATALOGUE 2023



PORTA Art Deco model 2, Azura door handle

HIGH END HOME



Table of contents

We have divided our offer into 3 categories- ••• PREMIUM, •• OPTIMUM, • BUDGET -to make it easier for you to choose your desired door.

	01	PAINTED INTERIOR DOORS		
	Г	PORTA VECTOR Premium	12	TOR
				TOP
		PORTA ART DECO – NEW		
		PORTA OSLO – NEW	16	
•••		PORTA FOCUS Premium, PORTA DUO	18	l l
		PORTA DESIRE		TOD
				TOP
	L	PORTA GRANDE		1
_	Γ	PORTA ROYAL, LONDON, VIENNA	24	
•		MINIMAX - NEW MODELS	26	
	_		-	
	იշ	HIDDEN DOOPS		
	74	HIDDEN DOORS		
•••	L	PORTA HIDE	28	TOP
	-			
	03	INTERIOR DOORS 4 ELEMENTS		
	Γ	4 ELEMENTS - AIR	30	
•••		4 ELEMENTS - WATER		
		4 ELEMENTS - FIRE	34	
		4 ELEMENTS - EARTH	36	
	_			
	04	LOFT-STYLE DOORS		
	-		2.0	
	Γ	PORTA GLASS – NEW		
		PORTA LUMIA, Nature LUMIA – NEW	40	
••		PORTA VERTE HOME BLACK – NEW		
	H	PORTA LOFT STEEL – NEW		
	L	I ONIA LOI I SILLE - INEW	44	
	05	FRAME AND PANEL INTERIOR DOORS		
		SYNTHETIC VENEER		
	Г	PORTA CONCEPT, group A	46	
				TOP
		PORTA CONCEPT, group C		COLLECTIONS
•••		PORTA CONCEPT, group H i K	50	
		PORTA BALANCE, PORTA HARMONY	52	
		PORTA INSPIRE		
	\vdash			
		PORTA VERTE PREMIUM, group A i D		
••		PORTA VERTE PREMIUM, group B i C	58	
		PORTA VERTE PREMIUM, group E		ТОР
	Г	PORTA VERTE HOME, group B i D		corrections
		- ·		
		PORTA VERTE HOME, group C		TOP
		PORTA VERTE HOME, group E i M – NEW	66	_
•		PORTA VERTE HOME, group G	68	
		PORTA VERTE HOME, group H		ТОР
		- ·		COLLECTIONS
		PORTA VERTE HOME, group J		1
	L	PORTA VERTE HOME, group L i N	/4	
	06	FLUSH INTERIOR DOORS SYNTHETIC VENEER		
	Г	PORTA RESIST	76	1_
		PORTA FOCUS		ТОР
				COLLECTIONS
•••		PORTA LOFT		1
		PORTA LEVEL		
	L	PORTA NOVA, group 2–5	84	
	Г	PORTA LINE		I
		PORTA CPL		ТОР
				COLLECTIONS
	L	Investment set		1
_		PORTA DECOR		
•		PORTA FIT, PORTA STYL	94	
	_			
	07	INTERIOR DOORS NATURAL VENEER		
	-		06	
		Nature CLASSIC		
		Nature VECTOR, Nature LINE	98	
		Nature LOFT1	00	
		Nature OSLO – NEW 1		
		Nature GRANDE		
•••				
		Nature SPACE1		
		Nature KONCEPT1	80	
		SEVILLA 1	10	
		MADRYT, CORDOBA1		
		. ,		

Villadora RETRO114

FOLDING AND SLIDING DOORS

Folding doors ALFA, BETA11	16
Sliding system PORTA, ALU11	18
Sliding system COMPACT, FRAMELESS12	20
Sliding system BLACK, SLIDE, EFEKT12	22

Pages from 123 to 169 are not available

DOOR FRAMES

MINIMAX	170
PORTA SYSTEM, PORTA SYSTEM GK / GLASS	172
PORTA SYSTEM ELEGANCE,	
PORTA SYSTEM ELEGANCE 90 degrees	174
PORTA SYSTEM with a reversed rebate	176
LEVEL	178
PORTA RENOVA	180

DIMENSIONS, ADDITIONAL INFORMATION

AZURA Collection	192
Handles	19
Hinges, locks, other accessories	20
Technical drawings	20
Door dimentions	21
Durability levels of PORTA finishes	21
Finishes charts	21
Additional information	22

_

Characteristics of our products

MEANING OF THE SYMBOLS THAT DESCRIBES OUR PRODUCTS' FEATURES



The most popular PORTA collections

DESIGN, GLAZING, MIRROR

You can choose a glass panel with different designs and level of transparency.



Design your door



Optional mirror



Natural veneer

CONSTRUCTION

While choosing the type of construction you determine, inter alia, endurance, stability, sound proofness, and thermal insulation of your door.



Frame and panel construction



Burglar resistance

RC 2 class, RC 3 class, C class. Resistance to unpermitted opening



Fire resistance

El 30, El 60 Ability to stop the fire for 30 or 60 minutes



Smoke control

class Sa, S₂₀₀ It defines door's tightness to smoke leakage



Acoustic insulation

Rw 27 dB D₁25, Rw 32 dB D₁30, Rw 37 dB D₁35, Rw 42 dB D₁40 It defines acoustic rating of a door



Strength performance class class 1, class 2, class 3, class 4

The performance levels in resisting various loads, impacts and torsions indicating normal usage for a range of categories of duty



PORTA CONTRACT

Bespoke design, made to measure



AOUA STOP

lower edge protection against humidity in TechnoPORTA technology



DOOR FRAME

A door frame is as important part of a doorset as a door leaf. There are a lot of door frame types and choosing one, please consider that they may come in three options: rebated, non-rebated or with reversed rebate.



non-rebated



rehated



Reversed rebate



Project BIS, Project Premium



Door frame adjustment available



Architraves available in two sizes: 60 mm and 80 mm



Retro module

DOOR LEAF

Door design may have different functional solutions depending on interior needs and functions.



Available sizes for a single door: min. '60', max. '110'



Available sizes for a double door: min. '90', max. '220'



Standard height door leaf 2030



Increased height door leaf 2200



Door leaf thickness depends on chosen construction



Sliding door leaf



Reversible door right-left



Please note ...

■ Before purchasing a door you need to decide on the opening direction



OPENING DIRECTION OF DOORS WITH REVERSED REBATE - SEE PAGE 28, 176

■ CALCULATE THE DOOR PRICE



OUR DOORS ARE ANTI-BULGLARY

(RC 2) class - resistance class to provide basic protection against break-in attempts with use of simple tools e.g. a screwdriver, a wedge, pincers, a hammer.











(RC 3) class - resistance class to provide protection against break-in attempts with use of tools e.g. a crowbar, a cotter pin driver, a mechanical drill.

















RC-resistance class it's the ability of certain product to withstand violent intrusion in protected rooms or areas.



PORTA OSLO see page. 16



PORTA GLASS see page. 38




PORTA ART DECO see page. 14



NATURE OSLO see page. 20



PORTA LUMIA, NATURE LUMIA see page. 42



PORTA LOFT STEEL see page. 44



PORTA VERTE HOME see page. 68

New finishes



Matt lacquered veneer Grey Platinum Matt



Matt lacquered veneer Graphite Matt



Board Casella Oak Natural



Halifax board Halifax Tabak

Are you looking for high doors?

In the collections: 4 ELEMENTS, PORTA VECTOR, PORTA ART DECO, PORTA OSLO, PORTA DESIRE, Nature CLASSIC, Nature LINE, Nature VECTOR, Nature OSLO there is available leaf height "220".



Standard height of the door leaf "200"



Door leaf height "220"

CHOOSE QUALITY, DURABILITY AND BEST DESIGN

You are looking for the doors?

PORTA is an established brand which has led the competitive door manufacturing industry throughout Poland and Europe for over 30 years. We have sold over 19 million products during this time. The experience we have gained provides our clients with excellent design and a durable and quality product.

Utilise the icons to: highlight unique product features, to find the perfect product for you!

Search for the icons on the catalogue pages.

CHOOSE DURABILITY



WOOD TEXTURE

Feel the texture of the wood.
Texture of Gladstone/Halifax
finish resembles real raw wood.



SCRATCH-RESISTANT COATING

The door leaf finish guarantees high resistance to impacts, abrasion and scratches.



SURFACE RESISTANT TO SCRUBBING

Unique quality at an affordable price!
The surface of these doors has been treated with a thicker layer of varnish and UV hardening, providing long term durability.



NATURAL VENEER- ALL NATURE

The veneer finish of the door leaf beautifully and Naturally looks. It is a classic that is always on trend.



STAIN-RESISTANT SURFACE

Smooth surface resistant to dirt, without micropores does not allow dirt to be absorbed and does not collect dust.

MATCH THE INTERIOR



MATCH

Create a harmonious and comprehensive interior design with the right choice of veneer. Match your door with floor and furniture.



IN YOUR FAVORITE COLORUS

Match the door to any interior design. POR-TA offers wide selection of finishes in many colours to match any interior.

DETAILS MATTERS



DURABLE EDGE

Durable door leaf edge finished with ABS lipping.



SAFETY LAMINATED GLASS

Choose a door with laminated safety glass. Thanks to the safety features, it will not fall apart and will take care of your safety.



EVERY DETAIL MATTERS

The possibility of ordering a personalized door, thanks to a variety of door adjuncts and accessories, will add character to your interior.



AQUA STOP

AQUA STOP is a unique coating which protects lower edge of a door leaf against humidity.

DECIDE FOR YOURSELF




MORE LIGHT

PORTA glass doors will work well in rooms that need light, such as a hallway or kitchen



PAINT IN YOUR FAVORITE COLORS

Create your space on your own terms. Personalize the door as you like - paint, wallpaper or decorate with mouldings.



We know the importance of durability, good design and positive feelings from the daily use of our products. The doors we buy are with us for many years, that's why in the collections of painted and UV-hardened doors we have taken care of all the most important aspects of their use.



RECOMMENDED FOR ALLERGISTS AND CHILDREN

Our doors do not contain harmful substances. They are recommended for people who are particularly sensitive, prone to allergies and children.



DURABLE FINISH

High-quality UV Premium Plus Paint used to coat the door is a guarantee of colour constancy for long years.



RENOWNED PAINT PRODUCER

PORTA quality also means the best suppliers. We work with reputable manufacturers of door paints and varnishes.



ULTRA-STRONG FINISHING

Doors with durable, smooth and resistant surface thanks to high quality painting



SATIN SMOOTHNESS

Exceptional satin smoothness of the door surface, achived by using special light-hardened coatings.



EXTREMELY RESISTANT

Extreme durability and smoothness of the coating, thanks to 4 layers of paint.

INTERIOR DOORS

We would like to invite you to be inspired by our diverse range of doors to suit your interior design requirements.


We supply various styles from wooden doors, to give that warm and cosy feel ,or the more sleek, modern and designer styles which are more on trend.

As we offer a wide and versatile range of products we feel confident that you will be able to find your perfect choice.






PORTA VECTOR Premium



 $PORTA\ VECTOR\ Premium\ T, White, gold\ handle\ ELEGANT$



























Premium UV paint ★★★★☆☆



Premium Plus UV paint ★★★★☆





Give free rein to your imagination! Do you have your own door concept? You can order any milling with PORTA CONTRACT



decorative milling close up



automatic threshold seal

NOTE

If you're looking for a glazed door that matches this collection, check PÓRTA FOCUS Premium see p. 18

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles (at an extra charge). The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges, or PRIME hinges; non-rebated: two 3D hinges
- · Lock: key lock, WC lock, or cylinder lock
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA System finished with Premium lacquered veneer or Premium Plus UV paint, see p. 172
- · MINIMAX finished with Premium lacquered veneer or Premium Plus UV paint, see p. 170

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE finished with Premium lacquered veneer or Premium Plus UV paint see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees finished with Premium lacquered veneer or Premium Plus UV paint see p. 174
- · LEVEL finished with Premium lacquered veneer or Premium Plus UV paint

Recommended door frames with reversed rebate:

PORTA SYSTEM with reversed rebate finished with Premium lacquered veneer or Premium Plus UV paint see p. 176

- Norm PN EN 14351-2:2018-12.
- Height, 220': available models A, B, C, E, T, U, V; core hollow chipboard, 3 hinges as standard

- · Double doors are available in any door leaf size combinations. Passive door leaves (side panels) in sizes '30', '40', '50' available only in solid option (without decorative applications)
- · Magnetic lock is not available for a double door
- · Reinforcement for door closer requires third hinge
- · Size '100' requires third hinge
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- reversed rebate extra charge added to door leaf price
- reversed rebate third 3D hinge, silver, white, black (extra charge added to door frame price)
- size '100'
- · hollow chipboard core
- · chipboard core
- height 220
- · ventilation sleeves or ventilation or recuperative undercut
- preparation for shortening (maximum 60 mm)
- · automatic threshold seal
- OFFER prime setgold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black, for non-rebated door leaves
- · black lock and black barrel hinges
- reinforcement for a door closer (third hinge is required)
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges
- · handle with an escutcheon



(see p. 193)

PORTA ART DECO



PORTA ART DECO model 2, White, gold AZURA handle





PORTA ART DECO model 1, White, gold AZURA handle





















Premium UV paint ★★★☆☆



Premium Plus UV paint ★★★★☆





close-up of milling model 1



close-up of milling model 2



close-up of milling



close-up of milling



TECHNICAL INFORMATION

DOOR LEAF DESIGN

The filling is "honeycomb" or chipboard core reinforced with an internal stile (option at extra charge). The whole is covered with HDF board.

ACCESSORIES IN DOOR LEAF PRICE

- · Rebated doors: two or three barrel hinges standard or PRIME;
- non-rebated doors: two 3D hinges

 Lock: standard lock option, with bathroom lock or adapted for cylinder lock
- Round handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM in Premium lacquered veneer and in Premium Plus UV paint p. 172
- MINIMAX in Premium lacquered veneer and in Premium Plus UV paint p.170

Recommended non-rebated door frames:

- · PORTA SYSTEM ELEGANCE in Premium lacquered veneer and in Premium Plus UV paint p.174
- PORTA SYSTEM ELEGANCE 90 degrees in Premium lacquered veneer and in Premium Plus UV paint p. 174
- LEVEL in Premium lacquered veneer and in Premium Plus UV paint p.178

Recommended door frames with reverse rebate:

PORTA SYSTEM with reverse rebate in Premium lacquered veneer and in Premium Plus UV paint p. 176

- Standard PN-EN 14351-2:2018-12.
- Height "220": filling hollow chipboard core; three hinges as a standard.
- Possibility of combining any door leaf dimensions in double-leaf doors. Passive leaf (extension) in sizes "30", "40", "50" without milling.

- · Magnetic lock is not available for a double door
- · With the "reinforcement for door closer" option, a third hinge is required.
- For width "100", a third hinge is required.
- · PRIME or 3D hinges packed with the door frame.

EXTRA CHARGES

- · reversed rebate extra charge for leaf
- reversed rebate third 3D hinge in silver (extra charge to door frame)
- reversed rebate third 3D hinge in white, black (extra charge to door frame)
- **PROMOTION- PRIME package**
- without extra charge
- · preparation for shortening (max. 60 mm)
- size "100"
- oblong pull handle for sliding doors
- sliding leaves hook lock with side handles third 3D hinge in silver, white, black (extra charge for frame)
- third 3D hinge in gold (extra charge for frame)
- ventilation sleeves or ventilation undercut
- drop gasket
- · filling with hollow core chipboard
- filling with solid chipboard
- · door leaf height "220"
- · reinforcement for door closer (third hinge required)
- black lock and black barrel hinges
- · magnetic lock: white, black on non-rebated leaves
- · magnetic lock with stainless steel front
- 3D hinges in gold (extra charge to door frame)
- standard hinge caps
- · handle with escutcheon





(p. 193)

PORTA OSLO



PORTA OSLO 1, White, DIVO FIT Q handle black















PORTA OSLO 1, White, BELLA SLIM handle black







model 2



PORTA OSLO

















AVAILABLE FINISHES

Premium UV paint ★★★☆☆



Premium Plus UV paint ★★★★☆





decorative milling close up model 1, 2



decorative milling close up model 3



decorative milling close up model 1

TECHNICAL INFORMATION

DOOR LEAF CONCTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles (at an extra charge). The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three barrel hinges standard or PRIME; non-rebated: two 3D
- · Lock: key lock, WC lock, or cylinder lock
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM in Premium lacquered veneer and in Premium Plus UV paint p. 172
 MINIMAX in Premium lacquered veneer and in Premium Plus UV paint p. 170

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE in Premium lacquered veneer and in Premium Plus UV paint p. 174
- PORTA SYSTEM ELEGANCE 90 degrees in Premium lacquered veneer and in Premium Plus UV paint p. 174
- LEVEL in Premium lacquered veneer and in Premium Plus UV paint p. 178

Recommended door frames with reverse rebate:

PORTA SYSTEM with reverse rebate in Premium lacquered veneer and in Premium Plus UV paint p. 176

NOTES

- Norm PN EN 14351-2:2018-12.
- Height '220': core hollow chipboard; 3 hinges as a standard.
 Magnetic lock is not available for a double door.

- Reinforcement for a door closer requires third hinge.
- · Size '100' requires third hinge.
- · PRIME or 3D hinges packed with a door frame.

EXTRA CHARGES

- reversed rebate extra charge for leaf
- · reversed rebate third 3D hinge in silver (extra charge to door frame)
- · reversed rebate third 3D hinge in white, black
- (extra charge to door frame)

 PROMOTION- PRIME package
- size "100"
- oblong pull handle for sliding doors
- sliding leaves hook lock with side handles
- third 3D hinge in silver, white, black (extra charge for frame)
- · third 3D hinge in gold (extra charge for frame)
- · ventilation undercut
- · automatic threshold seal
- · filling with hollow core chipboard
- · filling with solid chipboard
- · door leaf height "220"
- reinforcement for door closer (third hinge required)
- black lock and black barrel hinges
- magnetic lock: white, black on non-rebated leaves
 magnetic lock with stainless steel front
- 3D hinges in gold (extra charge to door frame)
- standard hinge caps
- · handle with escutcheon

(p. 204) (p. 193)



without extra charge

PORTA FOCUS Premium PORTA DUO

01



model 4.B

PORTA FOCUS Premium 4.A, White with black glazing, LILA handle, black



PORTA FOCUS Premium 4.A, White with black glazing, ELEGANT handle black



model 4.0



with glazing

model 4.0













AVAILABLE FINISHES FOR PORTA FOCUS Premium

AVAILABLE FINISHES FOR PORTA DUO

Premium UV paint ★★★★☆☆

White

Premium Plus UV paint ★★★★☆ White

Premium Plus UV paint★★★★☆☆

White

AVAILABLE FINISHES - PANEL

Portadecor veneer ★★★☆☆☆



Natural veneer - Oak *****☆☆



Portaperfect 3D veneer ★★★★☆☆









Natural veneer - Select ★★★☆☆







glass - door panel joint non-rebated door leaf



glass - door panel joint rebated door leaf

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION - PORTA FOCUS PREMIUM

Honeycomb or chipboard core (at an extra charge). The construction is skinned with

DOOR LEAF CONSTRUCTION - PORTA DUO

The door leaf consists of: a wide, painted panel and a narrow stile covered with Natural or synthetic veneer. Core - hollow chipboard.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE - PORTA FOCUS PREMIUM

- · Rebated doors: two or three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock: key lock, WC lock, or cylinder lock
- · 8 mm, laminated safety glass

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE - PORTA DUO

- Two 3D hinges
- · Lock with glossy silver or glossy gold faceplate: key lock, WC lock, or cylinder lock
- · Preparation for shortening, model 4.0 maximum 60 mm
- · 8 mm, frosted, tempered glass

DOOR FRAMES

Recommended rebated door frames - PORTA FOCUS PREMIUM:

- PORTA SYSTEM p. 172
- MINIMAX p. 170

Recommended non-rebated door frames - PORTA FOCUS PREMIUM, PORTA DUO

- PORTA SYSTEM ELEGANCE p. 174
- PORTA SYSTEM ELEGANCE 90 degrees p. 174
- LEVEL p. 178

Recommended door frames with reversed rebate - PORTA FOCUS PREMIUM:

PORTA SYSTEM with reversed rebate p. 176

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, 'active' and 'passive' door leaves must be ordered.

- · Magnetic lock is not available for a double door.
- · Black glazing is available for model 4.A
- · Fixed size of glass, model 4.A.
- Ventilation undercut in glazed models is available only for Polish Norm. Ventilation undercut is not available for reversed rebate option.
- With a width of '100', a 3rd hinge is required.
- · PRIME or 3D hinges packed with a door frame.
- 4.B and 4.Dmodels are available only with hollow chipboard core, free of extra charge.
- 4.D and 4.Emodels are not available in double-leaf door option.

EXTRA CHARGES - PORTA FOCUS PREMIUM, PORTA DUO

- · black glazing model 4.A
- size '100'
- 3D third hinge color silver, white, black (extra charge to the price of the door frame)
- third 3D hinge gold (extra charge added to a door frame price)
- ventilation undercut
- magnetic lock: white, black, for non-rebated door leaves
- magnetic lock with stainless steel faceplate · gold 3D hinges (extra charge added to a door frame price)
- handle with an escutcheon

(see p. 193)

without extra charge

EXTRA CHARGES - PORTA FOCUS PREMIUM

- · reversed rebate extra charge added to door leaf price
- · reversed rebate third 3D hinge, silver (extra charge added to doorframe price
- reversed rebate third 3D hinge white, black (extra charge added to doorframe price)
- OFFER prime set
- preparation for shortening (max. 60 mm)
- · oblong pull handle for sliding doors
- · hook lock with side pull handles (sliding doors)
- hollow chipboard core
- · chipboard core

HIGH END HOME

· black lock and black barrel hinges

PORTA DESIRE



PORTA DESIRE 4, White, AZALIA handle black















DURABLE AND SMOOTH LACQUER



PORTA DESIRE 3, White with a black decorative door inlay ELEGANT handle black



model 1

model 3 silver decorative

inlays



model 2

model 4 silver decorative

inlays





model 3 black decorative inlays model 4 black decorative inlays



model 3 gold decorative inlays



model 4 gold decorative inlays

















Premium Plus UV paint ★★★★☆

White



decorative milling model 2



Black decorative inlay, model 3. Silver decorative inlays are also



golden decorative inlay, model 3

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with glued wood rails and stiles (at extra charge). The construction is skinned with HDF.

Satin look, smooth surface is achieved thanks to UV painting technology. Model 3 and 4 with decorative door inlays (inlays colours: silver, gold or black).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock with silver or golden glossy plate: key lock, WC lock, or cylinder lock
- Preparation for shortening (maximum 60 mm)

DOOR FRAMES

Recommended rebated door frames:

- PORTA System finished with Premium Plus UV paint, see p. 172
- MINIMAX finished with Premium lacquered veneer or Premium Plus UV pat, see p. 170

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE finished with Premium Plus UV paint see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees finished with Premium Plus UV paint, see p.174 · LEVEL finished with Premium Plus UV paint, see p. 178

Recommended door frames with reversed rebate:

PORTA SYSTEM with reversed rebate finished with Premium Plus UV paint see p. 176

NOTES

- Norm PN EN 14351-2:2018-12.
- Height, 220': core hollow chipboard; 3 hinges as a standard
- · Double doors are available in any door leaf size combinations.
- · Magnetic lock is not available for a double door
- Size,100' requires third hinge
- · PRIME or 3D hinges packed with a door frame.


EXTRA CHARGES

- size '100'
- · reversed rebate third 3D hinge, silver, white, black (extra charge added to door frame price)
- automatic threshold seal
- height 220
- ventilation undercut
- preparation for shortening group 5 models (maximum 60 mm)
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black for non-rebated door leaves
- · black lock and black barrel hinges
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors chipboard core instead of hollow chipboard core (height 220)
- handle with an escutcheon

(see p. 193)

PORTA GRANDE















PORTA GRANDE A.0, Grey, RUMBA handle black



model G.0



model G.4



model G.4 with black glass



model A.0



model A.1



model A.1 with a mirror



model C.0



model B.0



model B.1



model B.3



model D.0























Premium Plus UV paint ★★★★☆



AVAILABLE FINISHES OF DECORATIVE SLATS

Natural veneer - Oak ★★★☆☆



Portaperfect 3D veneer ★★★★☆☆



Brushed aluminium





glazing of G.4 model - glass panel recessed in comparison to the surface of a door panel



flush panel



Model G.0 - decorative slat (Portaperfect finish or Natural Oak) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.



Model G.0 - decorative slat (brushed aluminium) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Satin look, smooth surface is achieved thanks to UV painting technology.

It is possible to produce model A.1 with a mirror on one or on both sides. If the mirror is only on one side, there is a solid board on another side.

Another option are slats in synthetic or Natural veneer or brushed aluminium which are recessed in comparison to the surface of door leaf panels (model G).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Lock with silver or glossy gold plate: key lock, WC lock, or cylinder lock
- · Frosted, tempered glass
- · Round pull handle (for sliding doors)
- Preparation for shortening (maximum 60 mm)

DOOR FRAMES

Recommended rebated door frames:

- PORTA System finished with Premium Plus UV paint, see p. 172
- MINIMAX finished with Premium Plus UV paint, see p. 170

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE finished with Premium Plus UV paint, see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees finished with Premium Plus UV paint, see p.174
- LEVEL finished with Premium Plus UV paint, see p. 178

Recommended door frames with reversed rebate:

• PORTA SYSTEM with reversed rebate finished with Premium Plus UV paint see p. 176

NOTES


- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- black glass panel group G
- decorative slat in Portaperfect finish model G (white leaf)
- · decorative slat brushed aluminium model G (white leaf)
- · decorative slat in Natural veneer model G (white leaf)
- · ventilation undercut
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- magnetic lock with stainless steel faceplate · magnetic lock: white, black (for non-rebated doors)
- black lock and black barrel hinges
- · mirror on one side
- · mirror on both sides
- reversed rebate third 3D hinge, silver, white, black (extra charge added to door frame price)
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · handle with an escutcheon

(see p. 193)

PORTA ROYAL PREMIUM, **LONDON, WIENNA**





PORTA ROYAL A, White, OFFICE silver handle



PORTA ROYAL A, White, silver ACCENT handle



PORTA ROYAL model A



PORTA ROYAL model P



LONDON P



LONDON O



LONDON B



LONDON C



VIENNA P



VIENNA O



VIENNA B



VIENNA C











AVAILABLE FINISHES - PORTA ROYAL

Premium paint ★★★★☆☆

White

AVAILABLE FINISHES - LONDON, VIENNA

White



ROYAL smooth surface



LONDON, VIENNA wood grains

TECHNICAL INFORMATION

DOOR LEAF CONCTRUCTION

Stabilising infill or hollow chipboard core (PORTA ROYAL - optionally at an extra charge) skinned with embossed HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors (PORTA ROYAL, LONDON, VIENNA): two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated (PORTA ROYAL): two 3D hinges
- · Lock: key lock, WC lock, or cylinder lock
- · Chinchilla 'glass' (LONDON, VIENNA)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM in Portadecor or Premium lacquered veneer (PORTA ROYAL) see p. 172
- MINIMAX in Portadecor or Premium (PORTA ROYAL) lacquered veneer see p. 170
- STFFL see p. 182-187

Recommended non-rebated door frames (PORTA ROYAL):

- PORTA SYSTEM ELEGANCE finished with Premium veneer see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees finished with Premium veneer see p. 174
- LEVEL finished with Premium lacquered veneer see p. 178

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations.
- · We recommend handle and escutcheon 'Royal' see p. 194.
- · Magnetic lock is not available for a double door.
- · Reinforcement for a door closer requires third hinge.
- LONDON, VIENNA: due to various materials use, there might be a slight colour difference between door leaf and a glazing bead/muntin.
- PRIME or 3D hinges packed with a door frame.

EXTRA CHARGES - PORTA ROYAL, LONDON, VIENNA

- preparation for shortening (max. 60 mm)
- oblong pull handle for sliding doors
- · hook lock with side pull handles sliding doors ventilation sleeves or ventilation undercut
- reinforcement for a door closer (third hinge is required)
- magnetic lock with stainless steel faceplate
- PRIME lock with glossy faceplate (silver or gold)
- black lock and black barrel hinges PRIME hinges (applies to dedicated door frames)
- standard hinge caps
- handle with escutcheon

EXTRA CHARGES- PORTA ROYAL

- OFFER prime set without extra charge
- third 3D hinge silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
 automatic threshold seal
- · chipboard core
- magnetic lock: white, black for non-rebated door leaves
- gold 3D hinges (extra charge added to a door frame price)

(p. 204)

(p. 193)

MINIMAX





model D

model 3

model 6

model L

MINIMAX P, White



MINIMAX P, White











Standard paint ***ជប់ជំ

White



glazing bead with a glass panel



'Chinchilla' glass

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two or three standard barrel hinges or PRIME hinges (optionally, at extra charge)
- Lock: key lock, WC lock, or cylinder lock
- · 'Chinchilla' glass or frosted tempered glass (optionally, extra charge)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM in Portadecor veneer see p. 172
- MINIMAX in Portadecor veneer see p. 170
- STEEL see p. 182-187

- Norm PN EN 14351-2:2018-12.
- · Door leaves available in,paint yourself' option are in the same price as MINIMAX white.
- · Hollow chipboard core and chipboard core have preparation for shortening as a standard
- Size '110' is available only with hollow chipboard. Glazing size is the same as for size '100'
 Double doors are available in any door leaf size combinations.
- Passive door leaves (side panels) in sizes '30', '40', '50' available only in solid option (without glazing or decorative mouldings).
- Magnetic lock is not available for a double door.
- Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as a standard- without extra charge.

- Sizes,100' and,110' require third hinge
- · Reinforcement for door closer requires third hinge
- Due to various materials use, there might be a slight colour difference between door leaf and a glazing bead
- · PRIME hinges packed with a door frame.

EXTRA CHARGES

- size '100'. '110'
- hollow chipboard core
- · chipboard core
- inverse glazing
- automatic threshold seal
- ventilation grille, ventilation sleeves or ventilation undercut
- PRIME hinges (apply to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- · magnetic lock with stainless steel face plate
- black lock and black barrel hinges
- preparation for shortening (maximum 60 mm)
- reinforcement for door closer (third hinge is required)
- · stainless steel porthole
- black porthole
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- frosted tempered glass model M
- frosted tempered glass model D
- frosted tempered glass model L
- · handle with an escutcheon

(see p. 193)





PORTA HIDE



PORTA HIDE with wallpaper, model 1.1, handle MAXIMA black



PORTA HIDE, 1.1, White, handle ELEGANT silver



model 1.1









Premium UV paint ★★★☆☆

White

Primer paint for self painting and wallpapering





Non-rebated door leaf (outwards) - right door





Reversed rebate (opening inwards) - left door

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Non-rebated door leaf (opening outwards) or door leaf with reversed rebate (opening inwards). Honeycomb or hollow core (at extra charge) reinforced with rails and stiles. The construction is skinned with HDF.

- Available two types of finish:

 Prime finish ready for painting or wallpapering
- · White Premium UV Paint finish

DOOR FRAMES

Hidden aluminium door frame, ready for painting with wall paint. It's dedicated for 40 mm thick, wooden door leaves.

Can be assembled on concrete wall or plasterboard wall.

Dimensions see page 209, Table 2.

DOORS INCLUDE

- · Door leaf
- · Two 3D hinges • Three 3D hinges for hollow core
- Magnetic lock: key lock, WC lock or cylinder lock
 Hidden aluminium door frame
- Preparation for shortening is available for hollow chipboard core, maximum 60 mm

- Technical Assessment AT-15-6515/2016, ITB Warsaw. door leaf
- Technical Assessment ITB-KOT-2019/1076 edition 1- door frame
- · Dedicated 3D hinge
- Automatic threshold seal is available for a door leaf with hollow chipboard core

EXTRA CHARGES

- ventilation undercut or recuperative undercutautomatic threshold seal
- · hollow core
- · handle with an escutcheon


(see p. 193)





4 Elements A/ AIR









AIR P.3 collection, ORTICA knob in gold



model P.1





model P.3











Portadecor Veneer ★★★☆☆☆



Backing veneer /for self-painting

WE RECOMMEND!-

SKIRTING BOARDS AND WALL SLATS, see p. 206



decorative frame

TECHNICAL INFORMATION

DOOR LEAF DESIGN

Chipboard core reinforced with an inner stile. The entire structure is covered with high density fibreboard. The leaf is available in two finishing options: in backing veneer for painting or veneer in Fjord colour.

ACCESSORIES IN DOOR LEAF PRICE

- non-rebated 3D hinges in the following colours: silver, black or gold (option at extra charge)
- magnetic lock in the following colours: stainless steel or black (option at extra charge)

DOOR FRAMES

Recommended rebated door frames:

PORTA SYSTEM in backing veneer p. 172

Recommended non-rebated door frames:

• PORTA SYSTEM ELEGANCE in backing veneer or Fjord veneer p. 174

NOTES

- Standard PN-EN 14351-2:2018-12

- Preparation for shortening, max. 60 mm
 With height "220" three hinges as standard
 Fjord colour similar to NCS: S 3010-B50G
 The Fjord colour is available only in the PORTA SYSTEM ELEGANCE door frame

EXTRA CHARGES

- · ventilation undercut
- size "100"
- 3D hinges in gold
- · third 3D hinge in silver / black
- third 3D hinge in gold
- leaf height 220 cm
- door frame: Fjord colour
- change of magnetic silver lock to black
- handle with escutcheon

(p. 193)

4 Elements W/ WATER



WATER W.2 collection, height "220", MAXIMA CONNECT black handle with white insert



COLLECTION DESIGNED



FRIENDLY VARNISH



DURABLE COLOUR



EXTREMELY

4x RESISTANT 4 LAYERS OF VARNISH



EASY TO CLEAN



COATING RESISTANT TO SCRUBBING



WATER W.1 collection, height "220", MAXIMA CONNECT black handle with white insert



model W.1



model W.2









Premium Plus UV paint ★★★★☆



milling model W.1



milling model W.2



MAXIMA CONNECT handle



close-up of milling

TECHNICAL INFORMATION

DOOR LEAF DESIGN

Chipboard filling reinforced with an inner stile. The entire structure is covered with high density fibreboard.

ACCESSORIES IN DOOR LEAF PRICE

- non-rebated 3D hinges in the following colours: silver, black, white
 magnetic lock in the following colours: stainless steel or black, white (option at extra charge)

DOOR FRAMES

Recommended non-rebated door frames:

• PORTA SYSTEM ELEGANCE 90 degrees p. 174

NOTES

- Standard PN-EN 14351-2:2018-12
 preparation for shortening, max. 60 mm
 with height "220" three hinges as standard


EXTRA CHARGES

- ventilation undercutsize "100"
- third 3D hinge
- leaf height 220 cm
 change of magnetic silver lock to black or white
- · handle with escutcheon

(p. 193)

4 Elements F/ FIRE

03





COLLECTION DESIGNED AS A SET



INNOVATIVE LOCK FOR PULL HANDLE



WOOD TEXTURE



DURABLE EDGE





model 0.1



model 0.7

FIRE O.1 Collection, Sherman Oak, PORTA SYSTEM ELEGANCE steel door frame, MAXIMA black handle









Gladstone ★★★★★



AVAILABLE FINISHES OF THE DOOR FRAME

Polyester Premium Paint★★★★☆





handle

TECHNICAL INFORMATION

DOOR LEAF DESIGN

Chipboard filling reinforced with an inner stile. The entire structure is covered with high density fibreboard. The leaf sides are covered with ABS tape in black colour.

ACCESSORIES IN DOOR LEAF PRICE

- 3D door hinges in black
- lock for steel door frame in black
- magnetic system in black for version with handle (option at extra charge)
- additional lock in magnetic system for WC option in black (option at extra charge)

DOOR FRAMES

Recommended non-rebated door frames:

• Steel PORTA SYSTEM ELEGANCE p. 182

- Standard PN-EN 14351-2:2018-12
- preparation for shortening, max. 60 mm
- with height "220" three hinges as standard
- height "220" available in model O.1 only
- horizontal grain direction in model O.7
- black steel panels in model 0.7 only
- · in the variant with handle dedicated striker in the steel frame

EXTRA CHARGES

- ventilation undercut
- size "100"
- · leaf height 220 cm · magnetic system with handle:
- · extra charge for leaf
- extra charge for door frame
- FIRE handle
- WC escutcheon with an additional lock
 third 3D hinge
- · handle with escutcheon

(p. 193)

4 Elements E/EARTH





COLLECTION DESIGNED AS A SET



NATURAL VENEER FINISH

Earth Z.1 collection, height "220", Matt Oak, PORTA SYSTEM ELEGANCE 90° door frame in black, AZALIA handle in black





model Z.1



model Z.1

EARTH Z.1 collection, height "220", Matt Oak, door frame PORTA SYSTEM ELEGANCE 90°, AZALIA handle in silver







Natural Oak Mat ★★★☆☆



AVAILABLE FINISHES OF THE DOOR FRAME

Natural veneer - Select ★★★★☆



Natural Oak Mat ★★★☆☆







geometric arrangement of Natural veneer, matt varnish, Azalia handle

TECHNICAL INFORMATION

DOOR LEAF DESIGN

The filling of the door leaf is a stabilizing insert reinforced with an internal stile. The whole is covered with a board covered with high quality Natural veneer. The leaf surface is protected with ecological water varnishes, hardened with UV technology. Hollow core chipboard filling.

ACCESSORIES IN DOOR LEAF PRICE

- non-rebated 3D hinges in the following colours: silver, black
 magnetic lock in the following colours: stainless steel or black (option at extra charge)

Recommended non-rebated door frames:

• PORTA SYSTEM ELEGANCE 90 degrees p.174

NOTES

- Standard PN-EN 14351-2:2018-12
- Preparation for shortening, max. 60 mm
 With height "220" three hinges as standard


EXTRA CHARGES

- · ventilation undercut
- size "100"
- third 3D hinge
- leaf height 220 cm
- change of magnetic silver lock to black
- · handle with escutcheon

(p. 193)

PORTA GLASS











PORTA GLASS, frosted glass



graphite glass matt





frosted glass



transparent glass



frosted glass with painted muntins



transparent glass with painted muntins







black lock



silver lock



black hinge



silver hinge

price of glass pane

=

+

price per set of fittings

+

■ TECHNICAL INFORMATION

DOOR LEAF

Tempered glass panel of 8 mm thickness with prepared holes for mounting the lock and hinges.

ACCESSORIES

- Standard lock (handle only) , bathroom lock or adapted for cylinder lock in silver or black,
- Two hinges in silver or black.
- The muntin is painted on one side on the hinge side (i.e. the door opens to you).
- The frosted glass is on one side on the hinge side (i.e. the door opens to you).

DOOR FRAMES

- PORTA SYSTEM p. 172 STEEL p.182-187

NOTES

- · Lock and hinges packed separately.
- Line width in patterns with painted muntins 30 mm.
- The muntin is painted on one side on the hinge side (i.e. the door opens to you).
- The frosted glass is on one side on the hinge side (i.e. the door opens to you).

EXTRA CHARGES

- size "90"
- K ventilation undercut



PORTA LUMIA, Nature LUMIA

04





SAFE TEMPERED GLASS




WOODEN CONSTRUCTION



INNOVATIVE LOCK FOR PULL HANDLE



MORE





PORTA LUMIA 1, Black, Lumia pull, black







model 1







model









PORTA LUMIA - AVAILABLE FINISHES

Premium lacquered veneer ★★★☆☆

White

SUPER MATT veneer ★★★☆☆



NATURE LUMIA - AVAILABLE FINISHES

Natural veneer - Oak Satin ★★★☆☆

White

Natural veneer - Select ★★★☆☆





door pull



magnetic lock



3D hinge

TECHNICAL INFORMATION

DOOR LEAF CONCTRUCTION

- $\boldsymbol{\cdot}$ Rails and stiles are made of glued, laminated pine.
- The product is available with 6 mm thick clear tempered glass.

ACCESSORIES

- 2x non-rebated 3D hinges
- magnetic lock
- Hardware colorus: white, black, matt silver

DOOR FRAMES

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE p. 174
- PORTA SYSTEM ELEGANCE 90 degrees p. 174

NOTES

- Standard PN EN 14351-2:2018-12

 No possibility of shortening the door leaf by 60 mm
 The lower surface of stiles are protected against humidity thanks to TechnoPORTA-AQUA STOP - PORTA LUMIA.

EXTRA CHARGES

- third 3D hinge silver, white, black (extra charge added to door frame price)
 door pull (white or black)
- strike plate dedicated to frame (extra charge to the frame price)

PORTA VERTE HOME BLACK







AQUA STOP

PORTA VERTE HOME N.3, transparent glass, LUNA handle black



PORTA VERTE HOME N.3, Black Handle LUNA black





















SUPER MATT veneer ★★★☆☆



transparent or matt glass (at extra charge)

TECHNICAL INFORMATION

DOOR LEAF DESIGN

Depending on the design, the door leave consist of horizontal stiles and frosted glass made of tempered glass. Matt glass with a thickness of 4 mm.

ACCESSORIES IN DOOR LEAF PRICE

- · Lock available in the following variants: standard lock option, with bathroom lock or adapted for lock cylinder or without a keyhole
- · Rebated doors: three barrel hinges standard or PRIME (option at extra charge); non-rebated doors: two 3D hinges
- Transparent or frosted tempered glass (at extra charge)
- Preparation for shortening, maximum 30 mmRound handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

PORTA SYSTEM p. 172

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE p. 174
- PORTA SYSTEM ELEGANCE 90 degrees p. 174

NOTES

- Standard PN-EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations.
- Active and passive door leaf should be ordered with double-leaf, non-rebated doors.
- Magnetic lock is not available for a double door.

- · For width "100", a third hinge is required.
- PRIME or 3D hinges packed with the door frame.
- The width (thickness) of the painted lines on model B.5 is 25 mm, one-side pattern.
- The bottom surface of the vertical stiles is protected against moisture with Techno PORTA AQUA STOP technology.


EXTRA CHARGES

- size "100"
- transparent glass model B.5transparent painted glass model B.5
- · transparent glass model L.4 1 pc.
- transparent glass model N.3 1 pc. sliding door leaves - longitudinal handle
- · sliding door leaves hook lock with side handles
- third 3D hinge in silver, white, black (extra charge for frame)
- third 3D hinge in gold (extra charge for frame)
- · ventilation sleeves or undercut
- · black lock and black barrel hinges
- magnetic lock: white, black on non-rebated doors.
 magnetic lock with stainless steel faceplate
- PRIME lock with glossy front (silver or gold)
 black lock and black barrel hinges
- 3D hinges in gold (extra charge for frame)
- · PRIME hinges (for dedicated door frames)
- · standard hinge caps
- handle with escutcheon


(p.204) (p. 193)



STEEL PORTA LOFT



STEEL PORTA LOFT, model 1





MORE LIGHT



STEEL PORTA LOFT, model 1



model 2





Powder Coating ★★★★☆







handle

hinge

TECHNICAL INFORMATION

DOOR LEAF CONCTRUCTION

Steel frame and leaf in structured black color (powder coating). Transparent, safety laminated glass, 6 mm thick.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

The door will be delivered in a set:

- steel door leaf dedicated steel frame, A set of hardware:
- hinges,door pull
- magnet

DOOR FRAME

A door frame dedicated to this product, in a set with a door leaf:


· Steel door frame

NOTES

• Norm PN EN 14351-2:2018-12.

PORTA CONCEPT, group A

05







MATCH YOUR DOOR WITH FLOOR AND FURNITURE



WOODEN CONSTRUCTION



AQUA STOP

PORTA CONCEPT A.9, Natural Oak, handle ELEGANT silver



PORTA CONCEPT A.9, Natural Oak, handle ELEGANT silver



model A.0



model A.2



model A.3



model A.4



model A.6



model A.7



model A.8



model A.9



model A.9 with black glass

Check more models from this collection on a website





















Portadecor veneer ★★★☆☆☆





Portasynchro 3D veneer ★★★☆☆☆

T Of tusyfici	IIO 3D Vein					NEW
Honey	Silver	Scarlet	Dark	Wenge	Norwegian	Andersen
Acacia	Acacia	Oak	Oak	White	Pine	Pine

Premium lacquered veneer ★★★☆☆



Portadur veneer ★★★☆☆



* until stocks last

Portagerfect 3D veneer ***

Havana	California	Scandinavian	Scandinavian	Classic	Southern
Oak	Oak	Oak	Beech	Oak	Oak
Siberian Oak	Natural Oak	Matt Oak	Craft Golden Oak		

Portalamino ★★★★☆☆





frosted glass panel





adjustment of 3D adjustable





Check how to adjust



Special, multilayer wooden construction.

WE RECOMMEND!



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

PORTA SYSTEM see p. 172

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees p. 174
- LEVEL see p. 178

NOTES

- Norm PN EN 14351-2:2018-12.Double doors are available in any door leaf size combinations.

- For a double non-rebated door, active' and , passive' door leaves must be ordered.
- Magnetic lock is not available for a double door · Size,100' requires third hinge
- · Hinges packed with a door frame
- The bottom surface of the vertical stiles is protected against moisture with Techno PORTA AQUA STOP technology.

EXTRA CHARGES

- black glass panel
- size '100'
- · ventilation undercut or ventilation sleeves
- non-rebated leaves: gold 3D hinges (extra charge added to a door frame price)
- non-rebated leaves: third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- hook lock with side pull handles (sliding doors)oblong pull handle for sliding doors
- rebated door leaves: caps for standard hinges
- · handle with an escutcheon

(see p. 193)



PORTA CONCEPT, group C

05







MATCH YOUR DOOR WITH FLOOR AND FURNITURE



WOODEN CONSTRUCTION



AQUA STOP

PORTA CONCEPT C.6, White, handle ELEGANT silver



PORTA CONCEPT C.6, White, handle ELEGANT silver







model C.1



model C.2



model C.3



model C.4



model C.5



model C.6















Portadecor veneer ★★★☆☆☆





Portasynchro 3D veneer ★★★☆☆☆



Premium lacquered veneer ★★★☆☆



Portadur veneer ★★★☆☆



* until stocks last

Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





frosted glass panel



flat panel



adjustment of 3D adjustable barrel hinges



Check how to adjust hinges





WE RECOMMEND!

Special, multilayer wooden construction.



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

PORTA SYSTEM see p. 172

Recommended non-rebated door frames: PORTA SYSTEM ELEGANCE see p. 174 PORTA SYSTEM ELEGANCE 90 degrees see p. 174

- LEVEL see p. 178

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and, passive door leaves must be ordered.
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge · Hinges - packed with a door frame
- The bottom surface of the vertical stiles is protected against moisture with Techno PORTA AQUA STOP technology.

EXTRA CHARGES

- · ventilation undercut or ventilation sleeves
- non-rebated leaves: gold 3D hinges (extra charge added to a door frame price)
- non-rebated leaves: third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
 magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- rebated door leaves: caps for standard hinges

PORTA CONCEPT, group H and K

05







MATCH YOUR DOOR WITH FLOOR AND FURNITURE



WOODEN CONSTRUCTION



AQUA STOP

PORTA CONCEPT K.3, English Oak Hamilton, handle ELEGANT silver



PORTA CONCEPT H.4, English Oak Hamilton



model H.0



model H.1



model H.2



model H.4



model K.0



model K.1



model K.2



model K.3















Portadecor veneer ★★★☆☆☆





Portasynchro 3D veneer ★★★☆☆☆

l or tusyrici	IIO 3D Vell	CCI AAAA	A A		HOTELSHAD DIE	NEW
Honey	Silver	Scarlet	Dark	Wenge	Norwegian	Andersen
Acacia	Acacia	Oak	Oak	White	Pine	Pine

Premium lacquered veneer ★★★☆☆



Portadur veneer ★★★☆☆



Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





H.4 model - frosted glass panel



H.0 model - flat panel



adjustment of 3D adjustable barrel hinges

Check how to adjust hinaes



WE RECOMMEND!

Special, multilayer wooden construction.



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

K.3 model - frosted glass panel.3

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

• PORTA SYSTEM see p. 172

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees see p. 174
- LEVEL see p. 178

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active' and, passive' door leaves must be ordered.
- Magnetic lock is not available for a double door
- · Size,100' requires third hinge · Hinges - packed with a door frame
- The bottom surface of the vertical stiles is protected against moisture with Techno PORTA AQUA STOP technology.

EXTRA CHARGES

- ventilation undercut or ventilation sleeves
- non-rebated leaves: gold 3D hinges (extra charge added to a door frame price)
 non-rebated leaves: third 3D hinge silver, white, black (extra charge added to
- a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · rebated door leaves: caps for standard hinges handle with an escutcheon

P



PORTA BALANCE, **PORTA HARMONY**

05







IN YOUR FAVORITE COLORUS



MATCH YOUR DOOR WITH FLOOR AND FURNITURE



AQUA STOP



PORTA BALANCE D.0, Wenge White, klamka SIMPLE silver



PORTA BALANCE model A.0



PORTA BALANCE model B.0



PORTA BALANCE model B.1



PORTA BALANCE model D.1



PORTA BALANCE model D.2





PORTA HARMONY model A.0



model A.1



PORTA HARMONY model B.0



PORTA HARMONY model B.1

HIGH END HOME



PORTA HARMONY model B.2



PORTA HARMONY model C.0



PORTA HARMONY model C.1

















Portadecor veneer



Portasynchro 3D veneer ★★★☆☆☆











Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆









raised panel

TECHNICAL INFORMATION

DOOR LEAF CONCTRUCTION

Door leaves contain rails and stiles, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Round pull handle (for sliding doors)
- Preparation for shortening, maximum 30 mm

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM p. 172
- MINIMAX p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE p. 174
- PORTA SYSTEM ELEGANCE 90 degrees p. 174
- LEVEL p. 174

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, 'active' and 'passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door.
- · Size '100' requires third hinge.
- PRIME or 3D hinges packed with a door frame.
- The lower surface of stiles are protected against humidity thanks to TechnoPORTA AQUA STOP.

EXTRA CHARGES

- size '100'
- · oblong pull handle for sliding doors
- hook lock with side pull handles for sliding doors
- third 3D hinge- silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- ventilation sleeves or ventilation undercut
- · black lock and black barrel hinges
- · magnetic lock: white, black on non-rebated doors.
- magnetic lock with stainless steel faceplate
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- PRIME hinges (applies to dedicated door frames)
 standard hinge caps
- · handle with escutcheon

(p.204) (p. 193)

PORTA INSPIRE

05







MATCH YOUR DOOR WITH FLOOR AND FURNITURE



WOODEN CONSTRUCTION

PORTA INSPIRE A.0, Scandinavian Oak, retro module, ELEGANT handle black



PORTA INSPIRE A.0, Scandinavian Oak, SIMPLE silver handle



model A.0



model A.1



model A.1 with mirror



model B.0



model B.1



model B.2



model B.3



model C.4 with black glazing



model C.0



model C.1

HIGH END HOME



model C.2



model C.3



model C.4

54



















Portadecor veneer ★★★☆☆☆







Portalamino ★★★★☆☆



Premium lacquered veneer ★★★☆☆



• * finish vailable only for Group C models

WE RECOMEND!

SPECIAL MULTILAYER WOODEN CONSTRUCTION





frosted glass panel, 'frame' - Gro-up A and B models



fancy decorative moulding



adjustment of 3D adjustable barrel hinges



fancy panel - Group C models

TECHNICAL INFORMATION

DOOR LEAF CONCTRUCTION

Door leaves contain rails and stiles, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model. It is possible to produce model A.1 with mirror on one or on both sides. If a mirror is only on one side, there is a solid board on the other side.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock
- Rebated doors: three adjustable barrel hinges 3D, non-rebated: two 3D hinges
- Frosted tempered glass panel 'frame' and frosted glass
- Preparation for shortening maximum 60 mm
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

PORTA SYSTEM p. 172

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE p. 174
- PORTA SYSTEM ELEGANCE 90 degrees p. 174
- LEVEL p. 174

NOTES

- Norm PN EN 14351-2:2018-12.
- For a double non-rebated door, 'active' and 'passive' door leaves must be ordered.
- If a mirror is only on one side, there is a solid board on the other side.

- · Magnetic lock is not available for a double door.
- · Size '100' requires third hinge.
- · Hinges packed with a door frame.
- The lower surface of stiles are protected against humidity thanks to TechnoPORTA AOUA STOP

EXTRA CHARGES

- black glazing Group C
- · mirror on one side
- · mirror on both sides
- size '100'
- · oblong pull handle for sliding doors
- hook lock with side pull handles for sliding doors
- rebated leaves caps for hinges
- non-rebated leaves: third 3D hinge silver, white, black
- (extra charge added to a door frame price) · non-rebated leaves: third 3D hinge - gold
- (extra charge added to a door frame price)
 non-rebated leaves: gold 3D hinges (extra charge added to a door frame price)
 ventilation sleeves or ventilation undercut
- magnetic lock: white, black on non-rebated doors.
- · magnetic lock with stainless steel faceplate
- handle with an escutcheon (p. 193)

(p. 204)

PORTA VERTE PREMIUM, group A and D







MATCH YOUR DOOR WITH FLOOR AND FURNITURE



AQUA STOP

PORTA VERTE PREMIUM A.4, Scarlet Oak, handle ELEGANT silver



PORTA VERTE PREMIUM A.4, Scarlet Oak, handle ELEGANT silver



model A.0



model A.1



model A.2



model A.3



model A.4



model D.0



model D.1



model D.2



model D.3



model D.5



model D.6

HIGH END HOME



model D.8

















Portasynchro 3D veneer ★★★☆☆☆



Pine

Portalamino ★★★★☆☆



Premium lacquered veneer ★★★☆☆



Portaperfect 3D veneer ★★★★☆☆





model A.0 - flat panel



model A.0 - frosted glass panel



model D.0 - flat panel



model D.8 - frosted glass panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 60 mm)
 Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170

STEEL see p. 182-187

- Recommended non-rebated door frames:
- PORTA SYSTEM ELEGANCE see p. 174
 PORTA SYSTEM ELEGANCE 90 degrees, finished with Premium lacquered veneer see p. 174
- LEVEL see p. 178

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and passive door leaves must be ordered.
- · Magnetic lock is not available for a double door
- Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame
- $\bullet\,$ The bottom surface of the vertical stiles is protected against moisture with Techno PORTA AQUA STOP technology.

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- OFFER PRIME set
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock with stainless steel faceplate
- · magnetic lock: white, black (for non-rebated doors)
- black lock and black barrel hinges
 hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

(see p. 193)

PORTA VERTE PREMIUM, group B and C

05









PORTA VERTE PREMIUM C.0, Scandinavian Oak, handle SIMPLE silver













model B.1

model B.2

model B.3







model C.1

HIGH END HOME



model C.2

PORTA VERTE PREMIUM C.0, Scandinavian Oak, handle SIMPLE silver

















Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer



Portalamino ★★★★☆☆





flat panel



frosted glass panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glassPreparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178PORTA SYSTEM ELEGANCE 90 degrees see p.172

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.

For a double non-rebated door,,active' and,passive' door leaves must be ordered.

- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame
 The bottom surface of the vertical stiles is protected against moisture with Techno PORTA AQUA STOP technology.

EXTRA CHARGES

• size '100'

HIGH END HOME

- · ventilation undercut or ventilation sleeves
- OFFER PRIME set
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock with stainless steel faceplate magnetic lock: white, black (for non-rebated doors)
 black lock and black barrel hinges
 hook lock with side pull handles (sliding doors)

- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

(see p. 193)

59

PORTA VERTE PREMIUM, group E

05







PORTA VERTE PREMIUM E.5, White, handel ELEGANT silver



PORTA VERTE PREMIUM E.5, White, handle EUFORIA black







model E.5 with black glass panel















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★☆☆☆

	1200 1 1880	ALL COME	B 10 : 30		131 38801 5	NEW
Honey	Silver	Scarlet	Dark	Wenge	Norwegian	Andersen
Acacia	Acacia	Oak	Oak	White	Pine	Pine

Premium lacquered veneer ★★★☆☆



Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





flat panel



frosted glass panel



black glass panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 6 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
 Preparation for shortening (maximum 60 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees, finished with Premium lacquered veneer see p.174
- LEVEL see p. 178

NOTES

- · Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and passive door leaves must be ordered
- · Magnetic lock is not available for a double door · Size,100' requires third hinge

- PRIME or 3D hinges packed with a door frame
 The bottom surface of the vertical stiles is protected against moisture with Techno PORTA AQUA STOP technology.

EXTRA CHARGES

- black glass panel
- ventilation undercut or ventilation sleeves
- OFFER PRIME set
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price) • third 3D hinge - gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
 black lock and black barrel hinges
- hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

(see p. 193)





PORTA VERTE HOME, group B and D

05







MATCH YOUR DOOR WITH FLOOR AND FURNITURE



AQUA STOP

PORTA VERTE HOME B.5, Wenge White, handle ELEGANT black



PORTA VERTE HOME B.0, Wenge White, handle ELEGANT black



model B.1



model B.2



model B.5



model D.0



model D.2



model D.7



decorative inlays



decorative inlays

Check more models from this collection on a website





















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★☆☆☆

	1812 188	NA CE	6 H 3V			NEW
Honey	Silver	Scarlet	Dark	Wenge	Norwegian	Andersen
Acacia	Acacia	Oak	Oak	White	Pine	Pine

Premium lacquered veneer ★★★☆☆



Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





model B.0 - slim panel



model B.5 - dedicated frosted glass panel with transparent stripes



decorative inlays aluminium colour



frosted tempered glass

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock key lock, WC lock, cylinder lock, handle only
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170 STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees, finished with Premium lacquered veneer see p. 174
- LEVEL see p. 178

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations.
- For a non-rebated double door, active' and , passive' door leaves must be ordered
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge · PRIME or 3D hinges - packed with a door frame
- The lower surface of stiles are protected against humidity thanks to TechnoPORTA AQUA STOP.

EXTRA CHARGES

- size,100'
- oblong pull handle for sliding doors
- hook lock with side pull handles for sliding doors
- third 3D hinge-silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to door frame price)
 ventilation sleeves or ventilation undercut
- black lock and black barrel hinges
- · magnetic lock: white, black on non-rebated doors.
- · magnetic lock with stainless steel faceplate
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price) PRIME hinges (applies to dedicated door frames)
- caps for standard hinges
- · handle with an escutcheon

(see p. 193)



PORTA VERTE HOME, group C

05







MATCH YOUR DOOR WITH FLOOR AND FURNITURE



AQUA STOP

PORTA VERTE HOME C.5, Scarlet Oak, handle ELEGANT silver





model C.0



model C.1



model C.2



model C.3



model C.4



model C.5



model C.0 decorative inlays



model C.5 decorative inlays

Check more models from this collection on a website





















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★☆☆☆

THE RESERVE	1812 1816	No. of the	S 10 30			NEW
Honey	Silver	Scarlet	Dark	Wenge	Norwegian	Andersen
Acacia	Acacia	Oak	Oak	White	Pine	Pine

Premium lacquered veneer ★★★☆☆



Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





decorative inlays aluminium colour



frosted tempered glass

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock, handle only
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
 Preparation for shortening (maximum 30 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
 PORTA SYSTEM ELEGANCE 90 degrees see p. 174
- LEVEL see p. 178

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and passive door leaves must be ordered.
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame
 The bottom surface of the vertical stiles is protected against moisture with Techno PORTA AQUA STOP technology

EXTRA CHARGES

- size '100'
- ventilation undercut or ventilation sleeves
- · PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
 black lock and black barrel hinges
- hook lock with side pull handles (sliding doors)
 oblong pull handle for sliding doors
- standard hinge caps

· handle with escutcheon

(p.204) (p. 193)

PORTA VERTE HOME, grupa E i M

05



PORTA VERTE HOME M.2. Oak Catania. handle ELEGANT black







AQUA STOP



PORTA VERTE HOME M.1,Oak Catania, handle ELEGANT black



model E.0



model E.1



model E.5



model E. blackboard



model M.1



















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆

· or taperic				
Havana	California	Scandinavian	Scandinavian	Classic
Oak	Oak	Oak	Beech	Oak
Siberian	Natural	Southern	Matt Oak	Craft Golden
Oak	Oak	Oak		Oak



an option with a magnetic blackboard for drawing with chalk markers (this option is available for E.0 model for one side, rebated version only)



glazing, model E.5

TECHNICAL INFORMATION

DOOR LEAF CONCTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass, model M is available with transparent glass
- Preparation for shortening, maximum 30 mm
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees see p. 174
- LEVEL see p. 178

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, 'active' and 'passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door.
- · Size '100' requires third hinge.
- · PRIME or 3D hinges packed with a door frame.
- Model E.0 with the blackboard is not available in size '100'.
- The lower surface of stiles are protected against humidity thanks to TechnoPORTA AOUA STOP.

EXTRA CHARGES

- size '100'
- oblong pull handle for sliding doors
- hook lock with side pull handles for sliding doors
- third 3D hinge- silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- ventilation sleeves or ventilation undercut
- · black lock and black barrel hinges
- · magnetic lock: white, black on non-rebated doors.
- magnetic lock with stainless steel faceplate
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
 PRIME hinges (applies to dedicated door frames)
- standard hinge caps
- handle with escutcheon

PORTA VERTE HOME, group G

05







MATCH YOUR DOOR WITH FLOOR AND FURNITURE



NEW

AQUA STOP

PORTA VERTE HOME G.4, Portadecor veneer, White, handle ELEGANT black



PORTA VERTE HOME G.4, White, handle ELEGANT black









model G.4 decorative inlays decorative inlays

model G.4 with black glass



Check more models from this collection

















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆							
Honey	Silver	Scarlet	Dark	Wenge	Norwegian	An	
Acacia	Acacia	Oak	Oak	White	Pine		

Portaperfect 3D veneer ★★★★☆☆

Siberian	Natural	Scandinavian		Classic
Oak	Oak	Beech		Oak
Southern	Havana	Matt	Craft Golden	
Oak	Oak	Oak	Oak	

AVAILABLE FINISHES OF DECORATIVE SLATS

Portaperfect 3D veneer ★★★★☆☆



Brushed aluminium





alazina, model G.4



decorative inlavs - aluminium colour



Model G.0 - decorative slat (Portaperfect finish) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.



Model G.0 - decorative slat (brushed aluminium) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

For models in white finishes you can choose decorative slats in two options: Portaperfect veneer or brushed aluminium (at an extra charge).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock, handle only
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- · Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees see p. 172
- · LEVEL see p. 178

NOTES

- Norm PN FN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and passive door leaves must be ordered.
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge · PRIME or 3D hinges - packed with a door frame

EXTRA CHARGES

- · decorative slat Portaperfect finish (white door leaf)
- · decorative slat, brushed aluminium (white door leaf)
- size '100'
- ventilation undercut or ventilation sleevesblack lock and black barrel hinges
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price) third 3D hinge - silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- HIGH END HOMEndle with an escutcheon

PORTA VERTE HOME, group H

TOP





AQUA STOP



PORTA VERTE HOME H.5, Natural Oak, handle NEXT silver



PORTA VERTE HOME H.5, Natural Oak, handle NEXT silver



model H.0



model H.1



model H.2



model H.3



model H.4



model H.5



model H.5 with black glass panel















Portadecor veneer ★★★☆☆☆





Portaperfect 3D veneer ★★★★☆☆



AVAILABLE FINISHES OF DECORATIVE SLATS

Portaperfect 3D veneer ★★★★☆☆



Brushed aluminium





model H.0 - slim panel



model H.5 - glazing



Model H.0 - decorative slat (Portaperfect finish) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.



Model H.0 - decorative slat (brushed aluminium) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

For models in white finishes you can choose decorative slats in two options: Portaperfect veneer or brushed aluminium (at extra charge).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock, handle only
- Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STFFL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178
- PORTA SYSTEM ELEGANCE 90 degrees see p. 172

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.

For a double non-rebated door,,active' and,passive' door leaves must be ordered

- Magnetic lock is not available for a double door • Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame
 The bottom surface of the vertical stiles is protected against moisture with Techno PORTA AQUA STOP technology

EXTRA CHARGES

- · black glass panel
- decorative slat Portaperfect finish (white door leaf)
- · decorative slat, brushed aluminium (white door leaf)
- size '100'
- ventilation undercut or ventilation sleevesPRIME hinges (for dedicated door frames)

- PRIME lock with glossy faceplate (silver or gold)
 gold 3D hinges (extra charge added to a door frame price)
 third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock with stainless steel faceplate
- · magnetic lock: white, black (for non-rebated doors) · black lock and black barrel hinges
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors · caps for standard hinges
- · handle with an escutcheon

(see p. 193)

PORTA VERTE HOME, group J

05



PORTA VERTE HOME J.6, White, handle EUFORIA black





PORTA VERTE HOME J.6, White, handle EUFORIA black







model J.6 with black glass panel

















Portadecor veneer ★★★☆☆☆



ortasync	hro 3D ven	eer ★★★☆	ተ ተ			
Honey	Silver	Scarlet	Dark	Wenge	Norwegian	Andersen
Acacia	Acacia	Oak	Oak	White	Pine	Pine

Portangefact 2D vanger ***

Siberian	Natural	Scandinavian	Scandinavian	Classic
Oak	Oak	Beech	Oak	Oak
Southern Oak	Havana Oak	Matt Oak	Craft Golden Oak	

AVAILABLE FINISHES OF DECORATIVE SLATS

Portaperfect 3D veneer ★★★★☆☆



Brushed aluminium





model J.6 - slim panel



model J.6 - glazing



Model J.0 - decorative slat (Portaperfect finish) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.



Model J.O - decorative slat (brushed aluminium) is recessed in comparison to the surface of a door leaf panel. Vertical graining is optional at extra charge.

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

For models in white finishes you can choose decorative slats in two options: Portaperfect veneer or brushed aluminium (at extra charge).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, cylinder lock, handle only
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinge
- · Frosted tempered glass
- Preparation for shortening (maximum 30 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- LEVEL see p. 178
- PORTA SYSTEM ELEGANCE 90 degrees see p. 172

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and passive door leaves must be ordered.
- · Magnetic lock is not available for a double door
- Size, 100' requires third hinge
 PRIME or 3D hinges packed with a door frame
 The bottom surface of the vertical stiles is protected against moisture with Techno PORTA AQUA STOP technology

EXTRA CHARGES

- · black glass panel
- decorative slat Portaperfect finish (white door leaf)
- · decorative slat, brushed aluminium (white door leaf)
- size '100'
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
 third 3D hinge gold (extra charge added to a door frame price)
 magnetic lock with stainless steel faceplate

- magnetic lock: white, black (for non-rebated doors)
- black lock and black barrel hinges
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- caps for standard hinges
- · handle with an escutcheon

PORTA VERTE HOME, group L and N







МАТСН YOUR DOOR WITH FLOOR AND FURNITURE



AQUA STOP

PORTA VERTE HOME N.3, Silver Acacia, handle ELEGANT black



PORTA VERTE HOME L.4, Silver acacia, handle NEXT silver matt



model L.0



model L.1



model L.2



model L.3



model N.0



model N.1



model N.2



model N.3

















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆





model L.0 - slim panel



model L.4 - glazing



model N.0 - slim panel



model N.3 - slim panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Door leaves contain rails, slim panels and 4 mm thick, frosted, tempered glass. Combination of those depends on a model.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock: key lock, WC lock, cylinder lock, handle only
- · Rebated doors: three standard barrel hinges or PRIME hinges (at extra charge); non-rebated: two 3D hinges
- Frosted tempered glass
- Preparation for shortening (maximum 30 mm)Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 184-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- · LEVEL see p. 178
- PORTA SYSTEM ELEGANCE 90 degrees see p. 172

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- For a double non-rebated door, active and, passive door leaves must be ordered.
- · Magnetic lock is not available for a double door
- · Size,100' requires third hinge
- PRIME or 3D hinges packed with a door frame
- The bottom surface of the vertical stiles is protected against moisture with Techno PORTA AQUA STOP technology

EXTRA CHARGES

- size '100'
- · ventilation undercut or ventilation sleeves
- · PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- black lock and black barrel hinges
- hook lock with side pull handles (sliding doors)
 oblong pull handle for sliding doors
 caps for standard hinges

- handle with an escutcheon HIGH END HOME

PORTA RESIST



PORTA RESIST 1.1, Halifax Natural, PORTA SYSTEM ELEGANCE steel door frame, handle ELEGANT black

Chosen models with hollow or chipboard core ale classified with 3rd strength performance class.

WE RECOMMEND

'Investment set' additionaly available. It contains 3 part hinges and lock of the highest category of use (at extra charge). The set consists of a door leaf (finished with Portalamio veneer) and dedicated door frame.



MATCH DOORS TO YOUR FLOORS AND FURNITURE



AQUA STOP PROTECTION AGAINST MOISTURE



WOOD TEXTURE



DURABLE EDGE



COATING RESISTANT TO SCRATCHES



COATING RESISTANT TO SCRUBBING



PORTA RESIST 7.1, Halifax Natural, handle SIMPLE black

vertical graining:



model 1.1



model 1.2



model 1.3



model 1.4

horizontal graining:



model 7.1



model 7.2



model 7.3



model 7.4

vertical or horizontal graining:



model B.1*



model E.1*



model H.1*



model 4.B

^{*} graining is in line with the direction of inlays























Gladstone / Halifax ****















Check the possibilities of ordering bespoke door models through PORTA CONTRACT, see page 226

AN INNOVATIVE PRODUCT ON THE MARKET

Texture of Gladstone/Halifax finish resembles real raw wood.

PORTA RESIST - INDICATIONS FOR USE:

- Offices
- · Hotels and guesthouses
- Publlic buildings
- Residential buildings



Gladstone / Halifax texture emphasizes Natural wood rawness





black decorative inlay, silver ones also available



glazing - model 4.A

WE RECOMMEND!

The door leaf is skinned with a highly compressed board with very fine fibres structure. Thanks to its high density, the board guarantees resistance to impacts, attritions and scratches.



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core (at an extra charge) reinforced with rails and stiles. Models 1.4, 1.7 - chipboard core, 4.B - hollow chipboard core. The construction is skinned with HDF. lipping ABS tape on the side edges. Inlays - black or silver, 6 mm wide. 4.A and 4.B models come with 8 mm thick, laminated safety glass, which is an element of the construction.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock: key lock, WC lock, or cylinder lock
- Glazing models of gr. 1 and 7 'chinchilla' glass; frosted tempered glass; transparent glass. Models of gr. 4 - 8 mm thick
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

PORTA SYSTEM ELEGANCE, PORTA SYSTEM ELEGANCE 90 degrees see p. 174

NOTES

- · Norm PN EN 14351-2:2018-12.
- The door leaf is skinned with a Gladstone/Halifax board (with structure), a door frame is finished with matching CPL veneer 0,2 mm
- Ventilation grille, ventilation sleeves and preparation for shortening are not available for group 4.
- Chipboard core have preparation for shortening as a standard.
 Size '100' and '110' is not available for models 1.4, 7.4.
- Size '110' is available only with hollow chipboard. Glazing size is the same as for size, '100'.
- Size '110' is not available for models of gr. 4.
- Fixed size of glass, model 4.A.
- Black glazing is available for model 4.A (optionally at extra charge)
- · Magnetic lock is not available for a double door.

- Double doors are available in any door leaf size combinations.
- · For non-rebated double door, active and , passive door leaves must be ordered. Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as
- a standard (applies to gr. 1 and 7) without extra charge. Reinforcement for a door closer requires third hinge.
- Investment set is available only with hollow or chipboard core
- Investment set is available with a rebated door frame: PORTA SYSTEM, Steel PORTA SYSTEM, Steel adjustable, Corner profile - SMALL and LARGE
- Sizes,100' and,110' reguire third hinge
- PRIME or 3D hinges packed with a door frame
 Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES


- size '100' and '110'
- hollow chipboard core
- black glass panel model 4.A
- inversion of the glass
- chipboard core
- investment set (extra charge added to a door leaf)
- · investment set (extra charge added to a door frame)
- · OFFER PRIME set
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver, white, black(extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- ventilation grille (only group 1 and 7), ventilation sleeves or ventilation undercut
 magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)

- black lock and black barrel hinges
- preparation for shortening (maximum 60 mm) (apart from gr. 4)
- · reinforcement for door closer (third hinge is required)
- stainless steel porthole (model 1.1, 7.1)
- · black porthole
- automatic threshold seal
- · hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
 - caps for standard hinges ndle with an escutcheon

PORTA FOCUS

06







MATCH DOORS TO YOUR FLOORS AND FURNITURE



SAFETY LAMINATED GLASS



DURABLE EDGE



IN YOUR FAVORITE COLORUS



COATING RESISTANT TO SCRATCHES



PORTA FOCUS 4.A, Natural Walnut (matt), handle ELEGANT silver



model 2.0



model 4.A



model 4.A with black glazing



model 4.B













Portadecor veneer



* until stocks last

Portasynchro 3D veneer ★★★☆☆☆



Portanerfect 3D veneer

· or taperite	et DD telle		~ ~		
Havana Oak	California Oak	Scandinavian Oak	Scandinavian Beech	Classic Oak	Southern Oak
Siberian Oak	Natural Oak	Matt Oak	Craft Golden Oak		

CPL HQ 0,2 veneer ★★★★☆



Portalamino ★★★★☆☆



Group

Matt lacquered veneer ★★★★☆☆





glass-door panel joint rebated door



glass - door panel joint non-rebated door



glass-door panel joint rebated door



glass-door panel joint npn-rebated door

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core (at an extra charge) reinforced with rails and stiles. The construction is skinned with HDF. Glazed models come with 8 mm thick, frosted laminated safety panel glass, which is an element of the construction. There is lipping ABS on the side edges of the doors finished with CPL.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- · Lock: key lock, WC lock, or cylinder lock
- Frosted laminated safety glassRound pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172 • MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
 PORTA SYSTEM ELEGANCE 90 degrees p. 176
- · LEVEL see p. 178

NOTES

- Norm PN FN 14351-2:2018-12.
- · Ventillation undercut in glazed models is available only for Polish Norm.
- · Hollow chipboard core and chipboard core have preparation for shortening as a standard.
- Size '110' is vailable only with chipboard core.
- Black glazing is available for model 4.A (optionally at extra charge)

- Double doors are available in any door leaf size combinations. For non-rebated double door, active' and , passive' door leaves must be ordered.
- · 4.B model is available only with hollow chipboard core, free of extra charge. · Size '110' is not available for models of group 4.
- · Fixed size of glass group 2, model 4.A.
- · Magnetic lock is not available for a double door
- · Sizes,100' and,110' require third hinge · PRIME or 3D hinges - packed with a door frame

EXTRA CHARGES

- size '100', '110'
- · black glazing model 4.A
- inverse glazing
- OFFER for door leaves finished with CPL Prime set
- · CPL finish 0,2 GROUP II
- · hollow chipboard core
- · chipboard core
- · ventilation undercut or ventilation sleeves
- PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to door frame price)
 third 3D hinge silver, white, black (extra charge added to door frame price)
 third 3D hinge gold (extra charge added to door frame price)
- · magnetic lock with stainless steel faceplate
- · magnetic lock: white, black (for non-rebated doors)
- black lock and black barrel hinges
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges

HIGH END HOME

· handle with an escutcheon

PORTA LOFT

06





MATCH DOORS TO YOUR FLOORS AND FURNITURE



WOOD TEXTURE



SAFETY LAMINATED GLASS



DURABLE EDGE









PORTA LOFT 1.1, Halifax Natural, handle ELEGANT black



model 7.1



model 1.1



model 4.A black glazing also available



model 4.B



model 7.1



model 1.1



model 4.A



model 4.B



AVAILABLE FINISHES OF DOOR FRAMES

SUPER MATT Veneer ★★★☆☆

CPL HQ 0,2 veneer ★★★★☆

Black

White





AVAILABLE FINISHES

Portaperfect 3D veneer ★★★★☆☆



Gladstone / Halifax ****



Group I	White	Grey Euroinvest	Anthracite HPL/CPL	Whitened Walnut	Natural Oak	Natural Walnut (matt)
Group II	Hikora Natural	Light Concrete	Dark Concrete	Dark structure		

Matt lacquered veneer ★★★★☆☆





glass-door panel joint



3D hinges in door frame colour



3D hinges in door frame colour



lock faceplate

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core (at an extra charge) reinforced with rails and stiles. The construction is skinned with HDF. Glazed models come with 8 mm thick, frosted laminated safety glass panel, which is an element of the construction. **The distinctive** feature of this collection is black or white lipping ABS on the side edges.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two 3D hinges in a door frame colour- Black or White
- · Lock in ABS tape colour Black or White
- 8 mm thick frosted, laminated safety glass

DOOR FRAMES

- PORTA SYSTEM ELEGANCE, black or white
- · Steel PORTA SYSTEM ELEGANCE, black or white
- PORTA SYSTEM ELEGANCE 90 degrees, black or white

- Norm PN EN 14351-2:2018-12.
- · Ventilation undercut in glazed models is available only for Polish Norm.
- · Hollow chipboard core and chipboard core have preparation for shortening as a standard.

- 4.B model is available only with hollow chipboard core, free of extra charge.
- Black glazing is available for model 4.A (optionally at extra charge)
- · Fixed size of glass panel -model 4.A.
- · Size,100' requires third hinge
- · 3D hinges packed with a door frame
- Key lock dedicated striker in the frame

EXTRA CHARGES

- size '100'
- black glazing model 4.A
 CPL finish 0.2 mm GROUP II
- hollow chipboard core
- chiphoard core
- ventilation undercut
- automatic threshold seal
- third 3D hinge (extra charge added to door frame price)
- preparation for shortening (maximum 60 mm), (group 1.1)
- · handle with an escutcheon





PORTA LEVEL

06



PORTA LEVEL C.2, Catania Oak. Dedicated door frame LEVEL with top panel 100 cm, handle AZALIA black

- WE RECOMMEND

Thanks to new attractive finishes and dedicated door frame LEVEL with 20 cm or 100 cm panel, PORTA LEVEL collection gives opportunities for extraordinary interior designs.





PORTA LEVEL C.2 with a decorative inlay, Catania Oak Door frame with the top panel - 20 cm, handle AZALIA black



model C.1 Door frame with top panel 20 cm



model C.2 with a decorative inlay Door frame with the top panel - 20 cm.



model C.3 with a decorative inlay Door frame with the top panel - 20 cm.











Portadecor veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆





Portalamino ★★★★☆☆





NOTE

If you're looking for a flush door that matches this collection, check PORTA DECOR see page 92.

We offer dedicated door frame LEVEL for Level door leaves. The top panel Level is available with two graining directions - horizontal or vertical applies to 6 chosen finishes.



dedicated door frame LEVEL



black decorative inlays



silver decorative inlays

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at
- extra charge); non-rebated: two 3D hinges
 Lock: key lock, WC lock, or cylinder lock

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees see p. 172
- LEVEL see p. 178

NOTES

- · Norm PN EN 14351-2:2018-12.
- Hollow chipboard core and chipboard core have a preparation for shortening as a standard.

- · Double doors are available in any door leaf size combinations.
- · Magnetic lock is not available for a double door Reinforcement for a door closer requires third hinge.
- · Size,100' requires third hinge.
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · hollow chipboard core
- chipboard core
- ventilation sleeves or ventilation undercut
- · PRIME hinges (for dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to door frame price) • third 3D hinge - silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
 magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)

- black lock and black barrel hinges
- automatic threshold seal
- · preparation for shortening (maximum 60 mm)
- reinforcement for door closer (third hinge is required)
- · caps for standard hinges
- · handle with an escutcheon



PORTA NOVA, group 2-5

06



PORTA NOVA 2.1, Silvery Oak, handle SIMPLE silver



PORTA NOVA 5.5, Silvery Oak, handle ACCENT silver



model 2.1





model 3.2



model 4.1



model 2.2 with a mirror



model 3.1

model 4.4



model 5.1



model 5.2



model 5.4



model 5.5





















Portadecor veneer ★★★☆☆☆



* until stocks last

Portasynchro 3D veneer ★★☆☆☆



Portadurveneer ★★★★☆☆



*until stock last

Portaperfect 3D veneer ★★★★☆☆



Portalamio ★★★★☆☆





decorative moulding with a slim panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Chipboard core reinforced with rails and stiles. The construction is skinned with HDF. It is possible to produce model 2.2 with a mirror on one or on both sides. If the mirror is only on one side, there will be slim panel on the other side.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, or cylinder lock
- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- · Glazing 'chinchilla' glass or frosted tempered glass (at an extra charge)
- Preparation for shortening maximum 60 mm (group 2 and 3 only)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees, see p. 176
- LEVEL see p. 178

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and , passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door.

- · Model 2.2 is not available in size,100'
- · Reinforcement for a door closer requires third hinge.
- · Size,100' requires third hinge.
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- frosted glass, model 2.2
- · frosted glass, model 3.2
- frosted glass, models from group 4 and 5 (1 PCs of a glass panel)
- · ventilation sleeves (1 row) or ventilation undercut
- · PRIME hinges (applies to dedicated door frames)
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price) third 3D hinge - silver (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- reinforcement for door closer (third hinge is required)
- automatic threshold seal
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- black lock and black barrel hinges
- hook lock with side pull handles (sliding doors)
- · oblong pull handle for sliding doors
- · caps for standard hinges
- · a mirror on one side
- · a mirror on both sides
- inverse glazing
- · handle with an escutcheon



PORTA LINE

06



PORTA LINE G.1, Dark Concrete, handle CARO silver

Very durable and extremely functional flush door with 3 class of mechanical resistance. The filling of the door is hollow or solid chipboard. Recommended for heavily exploited interiors.

WE RECOMMEND

'Investment set' additionaly available. It contains 3 part hinges and lock of the highest category of use (at extra charge). The set consists of a door leaf and dedicated door frame.



MATCH DOORS TO YOUR FLOORS AND FURNITURE



AQUA STOP



WOOD TEXTURE



DURABLE



COATING RESISTANT TO SCRATCHES





PORTA LINE H.1, Dark Concrete, handle CARO silver



model A.1





model B.1



model C.1



model E.1



model F.1



model G.1



model H.1



















Portadecor veneer ★★★☆☆☆



Portasynchro 3D veneer ★★★☆☆☆

Honey	Silver	Scarlet	Dark	Wenge	Norwegian	Andersen
Acacia	Acacia	Oak	Oak	White	Pine	Pine

Portaperfect 3D veneer ★★★★☆☆



CPL HQ 0,2 veneer ★★★★☆



Portalamino ***



Matt lacquered veneer★★★★☆☆





silver decorative inlays, black and golden are also available

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles. Then construction is skinned with HDF. Door leaves are enriched with silver or black decorative inlays, 6 mm wide. There is lipping ABS on the side edges of the doors finished with CPL

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- Lock: key lock, WC lock, or cylinder lock
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- · PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees see p. 172
- LEVEL see p. 178

NOTES

- Norm PN EN 14351-2:2018-12.
- · Ventilation sleeves are not available for D.1 model
- Sliding option of models F.1 and G.1 decorative inlays placed on pull handle height
- · Preparation for shortening is extra charged in case of ordering honeycomb core
- · Hollow chipboard core and chipboard core have a preparation for shortening as a standard
- Size '110'is available only with chipboard.
 Double doors are available in any door leaf size combinations.
 - For a double non-rebated door, active' and , passive' door leaves must be ordered.
- Magnetic lock is not available for a double door.
- · Reinforcement for a door closer requires third hinge

- Sizes,100' and,110' require third hinge.
- · Investment set is available only with hollow chipboard core or chipboard core
- Investment set is available with a rebated door frame: PORTA SYSTEM, Steel PORTA SYSTEM, Steel adjustable, Corner profile - SMALL and LARGE
- · PRIME or 3D hinges packed with a door frame
- Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES

- · size '100' and '110'
- · hollow chipboard core
- chipboard core
- CPL 0,2 mm finish GROUP II
- investment set (extra charge added to a door leaf)
 investment set (extra charge added to a door frame)
- · ventilation sleeves or ventilation undercut
- · PRIME hinges (applies to dedicated door frames) PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · automatic threshold seal
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- black lock and black barrel hingesOFFER doors with CPL finish- PRIME set
- preparation for shortening (maximum 60 mm)
- reinforcement for door closer (third hinge is required)
- · hook lock with side pull handles (sliding doors)
- · an oblong pull handle for sliding doors
- · caps for standard hinges
- · a handle with an escutcheon



PORTA CPL

06



PORTA CPL 1.1, Natural Hickory, handle MAXIMA black

Very durable and extremely functional flush door with 3 class of mechanical resistance. The filling of the door is hollow or solid chipboard. Recommended for heavily exploited interiors.

WE RECOMMEND _

'Investment set' additionaly available. It contains 3 part hinges and lock of the highest category of use (at extra charge). The set consists of a door leaf and dedicated door frame.



МАТСН DOORS TO YOUR FLOORS AND FURNITURE



AQUA STOP



WOOD TEXTURE



DURABLE EDGE



COATING RESISTANT TO SCRATCHES



COATING RESISTANT TO SCRUBBING



PORTA CPL 1.1, Natural Oak, handle SIMPLE silver



model 1.1



model 1.2





model 1.4



model 1.5





















CPL HQ 0,2 veneer ★★★★☆

HPL, CPL 0.7 veneer ★★★★★

ı dn	White	Grey Euroinvest	Anthracite HPL/CPL	Whitened Walnut	Oak Milano 1	Sand Beech
dnoub	Natural Oak	Natural Walnut (matt)	Walnut Modena 1	Oak Milano 4	Oak Milano 5	Craft Golden Oak
group	Natural Hickory	Light Concrete	Dark Concrete	Dark structure	Black	



Check the possibilities of ordering bespoke door models through PORTA CONTRACT



glazing bead with a glass panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Group 1 - honeycomb, hollow chipboard core or chipboard (at extra charge) reinforced with rails and stiles. Model 1.4 - chipboard core. The construction is skinned with HDF. lipping ABS on the side edges.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, or cylinder lock
- · Rebated doors: two or three standard barrel hinges or PRIME hinges; non-rebated:
- Glazing 'chinchilla' glass or frosted/transparent tempered glass (optionally at an extra charge)
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees see p. 172

NOTES

- Norm PN EN 14351-2:2018-12.
- · Hollow chipboard core and chipboard core have preparation for shortening as a standard.
- Size '110' is available only with hollow chipboard. Glazing size is the same as for size '100'.
- Size '100' and '110' is not available for model 1.4.
- · Double doors are available in any door leaf size combinations.
- Passive door leaf (standard) is available for sizes from '60' to '100'.
- Passive door leaf (side panel) sizes '30', '40', '50' is available only in flat option (without glazing or decorative mouldings). For non-rebated double door 'active' and 'passive' door leaves must be ordered.
- Possibilities of ordering bespoke door models through PORTA CONTRACT.
- · Magnetic lock is not available for a double door.
- Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as a standard- without extra charge.
- Reinforcement for a door closer requires third hinge.
- All of the stainless steel panels are available only for sizes: 80, 90, 100, for doors with hollow chipboard core or chipboard core HIGH FND HOME

- Investment set is available only with hollow or chipboard core
- Investment set is available with a rebated door frame: PORTA SYSTEM, Steel PORTA SYSTEM, Steel adjustable, Corner profile - SMALL and LARGE
- Sizes,100' and,110' require third hinge
- PRIME or 3D hinges packed with a door frame
 Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES

- size '100' and '110
- hollow chipboard core
- chipboard core
- inverse glazing
- stainless steel porthole model 1.1
- black porthole
- CPL finish 0,2 and 0,7 mm GROUP II
- · investment set (extra charge added to a door leaf)
- investment set (extra charge added to a door frame)
- · OFFER PRIME set
- gold 3D hinges (extra charge added to door frame price)
- third 3D hinge silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- ventilation grille (only group 1), ventilation sleeves or ventilation undercut
 magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)
- black lock and black barrel hinges
- preparation for shortening (maximum 60 mm) (group 1)
- reinforcement for door closer (third hinge is required)
- · frosted/transparent glass model 1.2
- frosted/transparent glass model 1.3 and 1.4
- frosted/transparent glass model 1.5
- push panel both sides set (models 1.1, 1.2)
- kick panel both sides set (models 1.1, 1.2, 1.3) • kick panel with a ventilation undercut - both sides set (models 1.1, 1.2, 1.3)
- ventilation kick panel both sides set (models 1.1, 1.2, 1.3)
- · hook lock with side pull handles (sliding doors)
- oblong pull handle for sliding doors
- automatic threshold seal
- · caps for standard hinges
- · handle with an escutcheon



Investment set

06



PORTA CPL 1.1, Black, handle ELEGANT black

- WE RECOMMEND

"Investment set" - available additionally, includes threepart hinges and lock in the highest category of use (optional for extra charge). Set consists of door leaf (in Portalamio veneer) and dedicated door frame.

Very durable and extremely functional flush door with 3 class of mechanical resistance. The filling of the door is hollow or solid chipboard. Recommended for heavily exploited interiors.



MATCH DOORS TO YOUR FLOORS AND FURNITURE



AQUA STOP



WOOD TEXTURE



DURABLE EDGE



COATING RESISTANT TO SCRATCHES





PORTA CPL 1.1, Black, handle EDEL stainless steel

Investment set is available in chosed door models with hollow

- chipboard core: PORTA CPL,

- PORTA CPL,
 PORTA RESIST,
 PORTA LINE (finish: CPL, Portalamio),
 PORTA DECOR (finish Portalamio),
 Nature CLASSIC.

Investment set is available with a rebated door frame: PORTA SYSTEM, Steel PORTA SYSTEM, Steel Adjustable, Corner profile SMALL PLUS and LARGE.



3 part hinges for PORTA SYSTEM door frame - technical placement



3 part hinges for a steel door frame - technical placement



lock of the hightest 3rd category of use according to PN-EN

THE MOST POPULAR MODELS



model 1.1



model 1.2



model 1.5

















AVAILABLE FINISHES PORTA CPL

CPL HQ 0,2 veneer ★★★★☆

HPL, CPL 0,7 veneer ★★★★★





Check the possibilities of ordering bespoke door models through PORTA CONTRACT



automatic threshold seal

NOTE! The door leaf price includes hollow chipboard core and investment set. Set consists of a door leaf and a dedicated door frame



push panel



ventilation kick panel



kick panel



kick panel with ventilation undercut

TECHNICAL INFORMATION PORTA CPL

DOOR LEAF CONSTRUCTION

Hollow chipboard core or chipboard reinforced with rails and stiles. The construction is skinned with HDF. lipping ABS on the side edges.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Lock: key lock, WC lock, or cylinder lock
- · Rebated doors: two or three 3 part hinges
- Glazing -'chinchilla' glass or frosted/transparent tempered glass (optionally at extra charge)
- Preparation for shortening max. 60 mm

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172STEEL see p. 182-187

- Norma PN EN 14351-2:2018-12.
- · Hollow chipboard core and chipboard core have preparation for shortening as
- Glazing size for size '110' is the same as for size '100'.
- · Double doors are available in any door leaf size combinations.
- Passive door leaf (standard) is available for sizes from '60' to '100'.
- Passive door leaf (side panel) sizes '30', '40', '50' is available only in flat option (without glazing or decorative mouldings).
 Door leaf with PORTA SYSTEM of a steel door frame technical placement of
- hinges

- Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as a standard- without extra charge.
- All of the stainless steel panels are available only for sizes: 80, 90, 100, for doors with hollow chipboard core or chipboard core
- · Thanks to TechnoPORTA AQUA STOP technology door leaves finished with CPL HQ have lower edges protected against humidity.

EXTRA CHARGES

- inverse glazing
- investment set (extra charge added to a door frame)
- stainless steel porthole model 1.1
- black porthole
- CPL finish 0,2 and 0,7 mm GROUP II
- ventilation grille, ventilation sleeves or ventilation undercut
- · reinforcement for door closer (third hinge is required)
- · transparent/frosted glazing model 1.2
- transparent/frosted glazing model 1.5
- push panel both sides set (models 1.1, 1.2)
- kick panel both sides set (models 1.1, 1.2, 1.3)
- kick panel with a ventilation undercut both sides set (models 1.1, 1.2, 1.3)
- ventilation kick panel both sides set (models 1.1, 1.2, 1.3)
- size 100 and 110
- · automatic threshold seal
- · changing hollow chipboard core into chipboard core
- handle with an escutcheon



PORTA DECOR

06

PORTA DECOR P, Grey, ELEGANT handle black

Very durable and highly functional rebated doors with 3rd strength performance class. Core - chipboard or hollow chipboard. Recommended in the case of frequent use.

WE RECOMMEND

'Investment set' additionally available. It contains 3 part hinges and lock of thehighest category of use (at extra charge). The set consists of a door leaf

(finished with Portalamio veneer) and dedicated door frame.



MATCH DOORS TO YOUR FLOORS AND FURNITURE



AQUA STOP



DURABLE EDGE



PORTA DECOR P, Grey, EUFORIA handle black



model P



model M



model D



model L















Portadecor veneer ★★★☆☆☆





Portasynchro 3D veneer ★★★☆☆☆









Portaperfect 3D veneer ★★★★☆☆



Portalamino ★★★★☆☆





glazing bead with a glass panel



'Chinchilla' glass panel



ABS lipping on side edges

TECHNICAL INFORMATION

DOOR LEAF CONCTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles (at an extra charge) The construction is reinforced with rails and stiles and skinned with HDF.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally atextra charge); non-rebated: two 3D hinges
- · Lock: key lock, WC lock, or cylinder lock
- 'Chinchilla' glass or frosted tempered glass (optionally at an extra charge).
- Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM p. 172
- MINIMAX p. 170
- · STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE p. 174
- PORTA SYSTEM ELEGANCE 90 degrees p. 174
- LEVEL p. 178

- · Norm PN EN 14351-2:2018-12.
- Hollow chipboard core has preparation for shortening as a standard.
- Size '110' is available only with hollow chipboard. Glazing size is the same as for size
- Double doors are available in any door leaf size combinations. Passive door leaf (side panel) - sizes '30', '40', '50' is available only in flat option (without glazing or decorative mouldings). For non-rebated double door 'active' and 'passive' door leaves must be ordered
- · Magnetic lock is not available for a double door.
- Size '80' and '90' in investment norm (clear opening width 800, 900 mm) available as a standard- without extra charge.
- Reinforcement for a door closer requires 3rd hinge
- · Sizes '100' and '110' require third hinge
- Investment set is available only with hollow or chipboard core.

- · Investment set is available with a rebated door frame: PORTA SYSTEM, Steel PORTA SYSTEM, Steel adjustable, Corner profile - SMALL and LARGE.
- PRIME or 3D hinges packed with a door frame.
 The bottom surface of the vertical stiles is protected against moisture with Techno PORTA AQUA STOP technology.

EXTRA CHARGES

- ABS lipping in line with finishes: White, Gray, Whitened Walunt without extra charge
- Black ABS lipping for any door leaf finish
- stainless steel porthole
- black porthole
- oblong pull handle for sliding doors
- hook lock with side pull handles sliding doors
- inverse glazing without extra charge
- investment set (extra charge added to a door leaf) investment set (extra charge added to a door frame)
- ventillation undercut, sleeves or ventilation grille preparation for shortening (max. 60 mm)
- size '100', '110'
- frosted, tempered glass model M frosted, tempered glass- model D
- frosted, tempered glass model L
- third 3D hinge-silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- automatic threshold seal
- chipboard core
- · hollow chipnboard core
- reinforcement for a door closer -third hinge is required
- black lock and black barrel hinges
- magnetic lock; white, black, for non-rebated door leaves
- magnetic lock with stainless steel faceplate
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- PRIME hinges (applies to dedicated door frames)
- · standard hinge caps
- · handle with escutcheon

PORTA FIT, PORTA STYL





MATCH DOORS TO YOUR FLOORS AND FURNITURE



DURABLE

PORTA FIT I.1, Matt Oak, handle EUFORIA black



PORTA FIT I.1, Matt Oak, ACCENT silver handle



model F.2



model F.6



model C.0



model C.1



model C.3





PORTA FIT model G.3



PORTA FIT model G.5



PORTA FIT model H.0



PORTA FIT model H.4



PORTA FIT model I.0



PORTA FIT model I.1



PORTA STYL model 1



PORTA STYL model 2



PORTA STYL model 3













Portadecor veneer ★★★☆☆☆



* until stocks last

Portasynchro 3D veneer ★★☆☆☆

Honey	Silver	Scarlet	Dark	Wenge	Norwegian	Anderse
Acacia	Acacia	Oak	Oak	White	Pine	Pine

Portaperfect 3D veneer ★★★★☆☆

Havana	California	Scandinavian	Scandinavian	Classic
Oak	Oak	Oak	Beech	Oak
Siberian	Natural	Matt	Craft Golden	
Oak	Oak	Oak	Oak	

CPL HQ 0,2 veneer ★★★★☆





glazing bead with a glass panel NOTE: in case od CPL veneer the bead is rounded



glazing bead with a raised panel NOTE: in case od CPL veneer the bead is rounded



glazed model

Check more models from this collection on the website



PLEASE NOTE

If you are looking for a solid door to match this collection, check also PORTA DECOR collection p. 93 and PORTA CPL p. 89.

TECHNICAL INFORMATION

DOOR LEAF CONCTRUCTION

- · Honeycomb or chipboard core reinforced with rails and stiles.
- (optionally at extra charge). The construction is skinned with HDF. There is lipping ABS on the side edges of the
- · doors finished with CPL.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally atextra charge); non-rebated: two 3D hinges
- Lock: key lock, WC lock, or cylinder lock
- Glazing 'chinchilla' glass or frosted/transparent tempered glass
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- · PORTA SYSTEM p. 172
- MINIMAX p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE p. 174
- LEVEL p. 178

NOTES

- Norm PN EN 14351-2:2018-12.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, 'active' and 'passive' door leaves must be ordered.
- · Magnetic lock is not available for a double door
- Reinforcement for a door closer requires third hinge.
- Sizes '100' and '110' require third hinge

- · PRIME or 3D hinges packed with a door frame.
- Chipboard core have preparation for shortening as a standard.
- · Size '110' is available only with hollow chipboard. Glazing size is the same as for size 100' - applies to PORTA STYL
- Ventilation grille, 2 rows of ventilation sleeves are not available for H model regards PORTA FIT

EXTRA CHARGES

- · inverse glazing
- Natural CPL 0,2 mm GROUP II
- · ventilation grille, ventilation sleeves or ventilation undercut
- · OFFER doors with CPL finish PRIME set
- · preparation for shortening (maximum 60 mm)
- · size '100', '110'
- oblong pull handle for sliding doors
- hook lock with side pull handles for sliding doors
 third 3D hinge silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- automatic threshold seal
- · hollow chipboard core
- chipboard core
- · reinforcement for door closer third hinge is required
- black lock and black barrel hinges
- magnetic lock: white, black for non-rebated door leaves
- magnetic lock with stainless steel faceplate
- PRIME lock with glossy faceplate (silver or gold)
- gold 3D hinges (extra charge added to a door frame price)
- PRIME lock with glossy faceplate (silver or gold)
- standard hinge caps
- · handle with escutcheon

(p. 204) (p. 193)



without extra charge

without extra charge



Nature CLASSIC



Nature CLASSIC 3.1, Oak 1, grain - stripes, handle AZALIA black

Chosen models with hollow or chipboard core ale classified with 3rd strength performance class.

WE RECOMMEND

'Investment set' additionally available. It contains 3 part hinges and lock of the highest category of use (at extra charge). The set consists of a door leaf (finished with Portalamio veneer) and dedicated door frame.



NATURAL VENEER FINISH



Nature CLASSIC 3.1, Oak 1, grain -, flower', handle CUBE brushed matte chrome



model 1.1







model 1.2



model 1.3



model 1.4



model 3.1



model 7.1



model 7.2



model 7.3



model 7.4

























Customize colours to meet your individual needs. Send an enquiry through PORTA CONTRACT

Natural veneer - Oak ★★★☆☆



Natural veneer - Ash ★★★☆☆



Ash veneer is available for models of group 1 and 3. Grain -.flower

Natural veneer - Walnut ★★★☆☆



Walnut veneer is available for models of group 1 and 3. Grain -,flower'.

Due to the characteristic of Natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.



horizontal graining group 7

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Core-stabilizing infill reinforced with rails and stiles. The construction is skinned with a slim particle board which is finished with high quality Natural veneer. The door leaf surface is protected by ecological water-based varnishes. Select, Natural Oak, Ash, Walnut and Satin (apart from white) veneers are hardened under UV lamp (semi-matt). Hollow chipboard core available at an extra charge.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- · Glass panel 'chinchilla' or frosted tempered glass
- · Preparation for shortening (maximum 60 mm) Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- · PORTA SYSTEM p. 172 · MINIMAX p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees see p. 174

Recommended door frames with a reversed rebate:

PORTA SYSTEM with a reversed rebate see p.178

NOTES

- · Norm PN EN 14351-2:2018-12..
- · Height 220 available for models 1.1 and 1.7; core: hollow chipboard, 3 hinges as a standard
- Size '100' is not available for model 1.3
- · Unvarnished door leaves are available in a standard product price
- Model 3.1 is not available with Natural Satin veneer
- Ventilation sleeves- silver or gold. 1 row.
- · Double doors are available in any door leaf size combinations. For a double non-re bated door,,active' and,passive' door leaves must be ordered

- · Magnetic lock is not available for a double door.
- · Investment set is available only with hollow or chipboard core
- Investment set is available with a rebated door frame: PORTA SYSTEM, Steel PORTA SYSTEM, Steel adjustable, Corner profile - SMALL and LARGE
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100
- · door leaf height 220 cm
- ventilation undercut or ventilation sleeves 1 row, 2 rows available only for models: 1.1, 1.2, 1.3
- stainless steel porthole (only 1.1 and 1.7 models)
- black porthole
- · investment set (extra charge added to a door leaf)
- · investment set (extra charge added to a door frame)
- · reversed rebate extra charge to a door leaf price
- reversed rebate third 3D hinge, white, black (extra charge to a door frame price)
- reversed rebate third 3D hinge, silver (extra charge to a door frame price) • gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
 black lock and black barrel hinges
- hook lock with side pull handles (sliding doors)
- · an oblong pull handle for sliding doors
- · mirror on one side
- mirror on both sides
- · hollow chipboard core
- · chipboard core
- 'Satin white oak' finish
- 'Select black" finish · a handle with an escutcheon





Nature VECTOR, Nature LINE





NATURAL VENEER FINISH



EVERY DETAIL MATTERS

Nature VECTOR J. Oak 1. handle ELEGANT black

NATURE VECTOR models



Nature VECTOR J, Oak 1, ELEGANT silver door handle



model B



model E



model J



model U



model V

Nature LINE models



model F.1



model A.1



model B.1



model C.2



model E.2



model G.1



model H.1

















NATURE LINE

NATURE VECTOR - AVAILABLE FINISHES

Natural Oak Satin Veneer ★★★☆☆

White Oak

Natural veneer - Oak ★★★☆☆





Give free rein to your imagination! Do you have your own door concept?

You can order any milling with PORTA CONTRACT.

Due to the characteristic of Natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.

NATURE LINE - AVAILABLE FINISHES







Natural veneer - Oak ★★★☆☆



Natural Satin Oak Veneer ★★★☆☆





decorative milling close up - visible texture of Natural oak



silver decorative inlay



TECHNICAL INFORMATION

DOOR LEAF CONCTRUCTION

Core - stabilising infill reinforced with rails and stiles. The construction is skinned witha slim particle board which is finished with high quality Natural veneer. The door leaf surface is protected by ecological water-based varnishes. Hollow chipboard core available at an extra charge. NATURE LINE door leaves are enriched with aluminium decorative inlays, 6 mm wide.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard brel hinges or PRIME hinges: non-rebated: two 3D
- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Round pull handle (for sliding doors)
- Preparation for shortening, maximum 60 mm

DOOR FRAMES

Recommended rebated door frames:

- · PORTA SYSTEM p. 172
- MINIMAX p. 170 STFFL see p. 182-187

Recommended non-rebated door frames: • PORTA SYSTEM ELEGANCE see p. 174

- PORTA SYSTEM ELEGANCE 90 degrees see p. 174
- Recommended door frames with a reversed rebate:
- PORTA SYSTEM with a reversed rebate see p.178

NOTES

- Norm PN EN 14351-2:2018-12.
- · Height '220': core hollow chipboard; 3 hinges as a standard.
- Reinforcement for a door closer requires third hinge.
- PRIME or 3D hinges packed with a door frame.
- Magnetic lock is not available for a double door.

- · Double doors are available in any door leaf size combinations.
- NATURE VECTOR passive door leaf (panel) available in sizes: '30', '40', '50' without a decorative milling.
- · NATURE VECTOR model E comes with horizontal wood graining, other models with vertical

EXTRA CHARGES - NATURE LINE, NATURE VECTOR

- · sliding door an oblong pull handle
- an oblong pull handle for sliding doors
- ventilation undercut
- third 3D hinge- silver, white, black (extra charge added to a door frame price)
- · third 3D hinge gold (extra charge added to a door frame price)
- · hollow chipboard core
- · door leaf height '220'
- reinforcement for door closer third hinge is required
- black lock and black barrel hinges
- magnetic lock: white, black for non-rebated doors
 magnetic lock with stainless steel faceplate
- · gold 3D hinges (extra charge added to a door frame price)

EXTRA CHARGES - NATURE LINE

- · reversed rebate extra charge added to door leaf price
- · reversed rebate third 3D hinge , white or black (extra charge added to door frame price)
- · reversed rebate third 3D hinge, silver colour (extra charge added to door frame price)
- Black Natural Select finish
- · White Oak -Satin finish

HIGH END HOME

door leaf with reversed rebate



Nature LOFT

07





NATURAL VENEER FINISH



Nature LOFT 1.1, Oak 1,,striped' wood grain, handle CUBE black



Nature LOFT 1.1, Oak 1,,flower' wood grain, handle CUBE black



1.1, Oak 1 -,flower' wood grain



1.1, Oak 1 -,striped' wood grain



1.1, Ash



1.1, Walnut



AVAILABLE FINISHES OF DOOR FRAMES

Natural Select Veneer ★★★☆☆





AVAILABLE FINISHES

Natural veneer - Oak ★★★☆☆



WOOD TEXTURE -, flower' and .striped

Natural veneer - Ash ★★★☆☆



WOOD TEXTURE -.flower'

Natural veneer - Walnut ★★★☆☆



WOOD TEXTURE -, flower

Due to the characteristic of Natural veneers, differences in colour and graining, might appear on a door leaf. These diff erences cannot be grounds for complaints.



3D hinges in door frame colour



lock faceplate

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb or hollow chipboard core reinforced with rails and stiles (optionally at extra charge). The construction is skinned with a particle board finished with Natural veneer. Side edges finished with Natural Select Veneer. **The distinctive features of this collec**tion are black lipping on the side edges and black accessories.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Two 3D hinges Black
- · Lock in ABS tape colour Black

DOOR FRAMES

- PORTA SYSTEM ELEGANCE, black see p. 174
 PORTA SYSTEM ELEGANCE 90 degrees, black see p. 174

NOTES

- Norm PN EN 14351-2:2018-12.
- Hollow chipboard core and chipboard core have preparation for shortening as a standard.
- Size,100' requires third hinge
- 3D hinges packed with a door frame.

EXTRA CHARGES

- size '100'
- · hollow chipboard core
- ventilation undercut
- third 3D hinge (extra charge added to door frame price)





Nature OSLO

07







NATURAL VENEER FINISH



EVERY DETAIL MATTERS



Nature OSLO 1, Oak 1, LEA LUX handle black



model 1



model 2



model 3



model 1



model 2



model 3



















Natural Oak Satin Veneer ★★★☆☆

White Oak

Natural veneer - OAK ★★★☆☆



Due to the characteristic of Natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.



decorative milling close up visible texture of Natural Oak



TECHNICAL INFORMATION

DOOR LEAF CONCTRUCTION

 $\label{lem:core-stabilising} \textbf{Core-stabilising infi} \ \textbf{II} \ \textbf{reinforced with rails and stiles}. \textbf{The construction is skinned with}$ a slim particle board which is finished with high quality Natural veneer. The door leaf surface is protected by ecological water-based varnishes. Hollow chipboard core available at an extra charge.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three barrel hinges standard or PRIME; non-rebated: two 3D hinaes
- · Lock: key lock, WC lock, or cylinder lock
- · Round pull handle (for sliding doors)
- · Preparation for shortening, maximum 60 mm

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM p. 172
- MINIMAX p. 170

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees see p. 174

Recommended door frames with a reversed rebate:

• PORTA SYSTEM with a reversed rebate see p.178

NOTES

- Norm PN EN 14351-2:2018-12.
- Height '220': core hollow chipboard; 3 hinges as a standard.
- · Magnetic lock is not available for a double door.
- Reinforcement for a door closer requires third hinge.
- Size '100' requires third hinge.
- PRIME or 3D hinges packed with a door frame.

EXTRA CHARGES

- reversed rebate extra charge added to door leaf price
- reversed rebate third 3D hinge, silver (extra charge added to a door frame price
- reversed rebate third 3D hinge: white, black (extra charge added to a door frame price
- · oblong pull handle for sliding doors
- hook lock with side pull handles for sliding doors
 - (extra charge added to a door frame price) third 3D hinge- silver, white, black
 - third 3D hinge gold (extra charge added to door frame price)
- · ventilation undercut
- · hollow chipboard core
- height,220'
- reinforcement for a door closer (third hinge is required)
- · black lock and black barrel hinges
- magnetic lock: white, black, for non-rebated door leaves
- · magnetic lock with stainless steel faceplate
- gold 3D hinges (extra charge added to a door frame price)



Nature GRANDE

07





Nature GRANDE B.3, Black, handle OFFICE gold



Nature GRANDE A.0, Black, handle OFFICE gold



model A.0





model B.0



model B.1



model B.3

model D.0



model C.0



model C.1

HIGH END HOME



model D.1

















Natural veneer - Select ★★★☆☆



Natural veneer - Oak ★★★☆☆



Due to the characteristic of Natural veneers, differences in colour and graining, might appear on a door leaf.
These differences cannot be grounds for complaints.

Natural Satin Oak Veneer ★★★☆☆









flat panel



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Frame and panel construction. A door leaf is finished with Natural veneer. Surface is protected by ecological water-based varnishes. Select, Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt)

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- · Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Frosted tempered glass
- · Preparation for shortening (maximum 60 mm)
- · Round pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees see p. 174

Recommended door frames with reversed rebate:

PORTA SYSTEM with reversed rebate see p. 176

NOTES

- Norm PN EN 14351-2:2018-12.
- · Double doors are available in any door leaf size combinations.
- · Magnetic lock is not available for a double door.
- · PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- · ventilation undercut
- reversed rebate extra charge to a door leaf price
- reversed rebate third 3D hinge, white, black (extra charge added to door frame price)
 reversed rebate third 3D hinge, silver (extra charge added to door frame price)
- gold 3D hinges (extra charge added to a door frame price)
 third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- black lock and black barrel hinges
- · hook lock with side pull handles (sliding doors)
- · an oblong pull handle for sliding doors
- · White Oak -Satin finish
- Black Natural Select finish
- · a handle with an escutcheon





Nature SPACE

07





Nature SPACE G.1 with black glazing, Brown Oak, handle DIVO FIT Q black



Nature SPACE G.1, Brown Oak, handle DIVO FIT Q black



model F.1



model G.1 black glazing also available



model H.1














Natural veneer - Select *****☆☆







Due to the characteristic of Natural veneers, differences in colour and graining, might appear on a door leaf.
These differences cannot be grounds for complaints.

Natural Satin Oak Veneer ★★★☆☆





door with black glazing



door with frosted glazing



door with frosted glazing

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Glued softwood. Door leaves contain rails and stiles finished with Natural veneer. Thanks to applied technology, door leaf is very resistant to deformation. Surface is protected by ecological water-based varnishes. Select, Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- · Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- · Frosted tempered glass, 8 mm thick

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- · MINIMAX see p. 170
- STEEL see p. 182-187

Recommended non-rebated door frames: • PORTA SYSTEM ELEGANCE see p. 174

- PORTA SYSTEM ELEGANCE 90 degrees see p. 174

NOTES

- Norm PN EN 14351-2:2018-12.
- Ventilation sleeves- silver or gold. 1 row (model F.1, G.1)
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and , passive' door leaves must be ordered
- Magnetic lock is not available for a double door.
 PRIME or 3D hinges packed with a door frame
- Model G.1 is available with black glazing (optionally at extra charge)

EXTRA CHARGES

- size '100'
- black glazing model G.1

- ventilation sleeves (model F.1, G.1)
 magnetic lock with stainless steel faceplate
 magnetic lock: white, black (for non-rebated doors)
- black lock and black barrel hinges
- hook lock with side pull handles (sliding doors)
- an oblong pull handle for sliding doors
- gold 3D hinges (extra charge added to a door frame price)
 - third 3D hinge silver, white, black(extra charge added to a door frame price)
 - third 3D hinge gold (extra charge added to a door frame price)
 - 'Satin white oak' finish
 - · a handle with an escutcheon






Nature CONCEPT

07









Nature CONCEPT C.6, Oak, handle NEXT silver matt



model A.0



model A.3



model A.9



model C.0



model C.2



model C.4



model C.6



model K.0



model K.1



model K.2



model K.3





Check more models of this collection
















AVAILABLE FINISHES

Natural veneer - Select ★★★☆☆







Due to the characteristic of Natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.

Natural Satin Oak Veneer ★★★☆☆





flat panel - model A.0



frosted glass panel - model A.9

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Glued laminated with MDF. The construction is finished with Natural veneer. Thanks to applied technology, door leaf is very resistant to deformations. Surface is protected by ecological water-based varnishes. Select, Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: two or three standard barrel hinges or PRIME hinges (optionally at extra charge); non-rebated: two 3D hinges
- · Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- · Frosted tempered glass
- Preparation for shortening, maximum 60 mm
- Oblong pull handle (for sliding doors)

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
 PORTA SYSTEM ELEGANCE 90 degrees see p. 174

NOTES

- Norm PN EN 14351-2:2018-12...
- · Ventilation sleeves- silver or gold. 1 row.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and , passive' door leaves must be ordered
- · Magnetic lock is not available for a double door.
- PRIME or 3D hinges packed with a door frame

EXTRA CHARGES

- size '100'
- ventilation sleeves or ventilation undercut
 hook lock with side pull handles (sliding doors)
- an oblong pull handle for sliding doors
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to door frame price)
- third 3D hinge gold (extra charge added to door frame price)
- · magnetic lock with stainless steel faceplate
- magnetic lock: white, black (for non-rebated doors)
- · black lock and black barrel hinges
- · 'Satin white oak' finish
- · a handle with an escutcheon

(see p. 193)



SEVILLA

07







NATURAL VENEER FINISH



EVERY DETAIL MATTERS



SEVILLA solid, White Oak, handle AZALIA silver



SEVILLA solid



SEVILLA with glazing



side panel I



side panel J















AVAILABLE FINISHES

Natural veneer - Oak ****☆☆☆



Natural Satin Oak Veneer ★★★☆☆



Due to the characteristic of Natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.



SEVILLA raised panel profile



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Glued softwood with MDF. The construction is finished with Natural veneer. Thanks to applied technology, door leaf is very resistant to deformations. Surface is protected by ecological water-based varnishes. Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt).

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Glass panels -'chinchilla' or frosted tempered glass preparation for shortening, maximum 60 mm. A door leaf with a ventilation slit - shortening up to 40 mm
- Round pull handle (for sliding doors)
- A seal fitting the glass panel

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees see p. 174

- Norm PN EN 14351-2:2018-12.
- · Unvarnished door leaves are available at standard product price
- · Ventilation sleeves silver or gold. 1 row.
- · Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and , passive' door leaves must be ordered
- · Magnetic lock is not available for a double door
- · Side panels in size '40'
- · PRIME or 3D hinges- packed with a door frame

EXTRA CHARGES

- size '100'
- ventilation sleeves, ventilation undercut or ventilation slit
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- · magnetic lock with a stainless steel faceplate
- · magnetic lock black or whit, for rebated doors black lock and black barrel hinges
- hook lock with side pull handles (sliding doors)
- · an oblong pull handle for sliding doors
- IX an astragal for double doors
- White Oak -Satin finish a mirror on one side
- · a handle with an escutcheon


(see p. 193)





MADRID, CORDOBA







NATURAL VENEER FINISH



EVERY DETAIL MATTERS



CORDOBA solid, Tabacco, handle AZALIA silver



solid



MADRID



MADRID small glazing



muntin

CORDOBA CORDOBA small glazing muntin



MADRID large muntin



CORDOBA large muntin



CORDOBA

solid

side panel A



side panel K

HIGH END HOME

















AVAILABLE FINISHES

Natural veneer - Oak ****☆☆☆



Natural Satin Oak Veneer ★★★☆☆

Oak White	Tabacco	Mocca	Nero
Light	Oak	Brown	
Oak	Winchester	Oak	

Due to the characteristic of Natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.



CORDOBA minimalist rails and stiles chamfered with 20°



MADRID decorative profiled stile



MADRYT decorative coved panel



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Glued softwood with MDF. The construction is fi nished with Natural veneer. Thanks to applied technology, door leaf is very resistant to deformations. Surface is protected by ecological water-based varnishes. Natural Oak and Satin (apart from white) veneers are hardened under UV lamp (semi-matt). Rails and stiles of Cordoba are chamfered with 20°.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Rebated doors: three standard barrel hinges or PRIME hinges; non-rebated: two 3D hinges
- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- · Glass panels 'chinchilla' or frosted tempered glass preparation for shortening, maximum 60 mm. A door leaf with a ventilation slit - shortening up to 40 mm
- Round pull handle (for sliding doors)
- · A seal fitting the glass panel

DOOR FRAMES

Recommended rebated door frames:

- PORTA SYSTEM see p. 172
- MINIMAX see p. 170

Recommended non-rebated door frames:

- PORTA SYSTEM ELEGANCE see p. 174
- PORTA SYSTEM ELEGANCE 90 degrees see p. 174

NOTES

- Norm PN EN 14351-2:2018-12.
- · Unvarnished door leaves are available at standard product price
- · Ventilation sleeves- silver or gold. 1 row.
- Double doors are available in any door leaf size combinations. For a double non-rebated door, active' and ,passive' door leaves must be ordered

 Magnetic lock is not available for a double door
- Side panels in size '40'
- PRIME or 3D hinges- packed with a door frame

- · ventilation sleeves, ventilation undercut or ventilation slit
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- magnetic lock with a stainless steel faceplate
 magnetic lock black or white, for rebated doors
- black lock and black barrel hinges
 hook lock with side pull handles (sliding doors)
- · an oblong pull handle for sliding doors
- an astragal for double doors
 White Oak Satin finish
- · a handle with an escutcheon



Villadora RETRO





NATURAL VENEER FINISH



EVERY DETAIL MATTERS

Villadora RETRO, Residence 0, RETRO Module, White Oak, silver ACCENT handle



Villadora RETRO Residence 0, Oak White



Capital 0





Residence 0



Residence 2



Delarte 0



Delarte 1



Delarte 2



Delarte 3



Empire 0



Empire 1



ADJUSTMENT RANGES

75 ÷ 95 mm

95 ÷ 115 mm

120 ÷ 140 mm

140 ÷ 160 mm

160 ÷ 180 mm

200 ÷ 220 mm

220 ÷ 240 mm 240 ÷ 260 mm 260 ÷ 280 mm

280 ÷ 300 mm

Α

R

c

D

Ε

G

Н

K









AVAILABLE FINISHES

Natural Satin Oak Veneer ★★★☆☆



Due to the characteristic of Natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.

CROSS-SECTION OF VILLADORA RETRO DOOR FRAME



door frame profile - wide architrave 80 mm



the Retro Module (crown + decorative pilasters)

Moduł RETRO (set)



decorative plasters vertical (set)

decorative moulding with a raised panel

TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Frame and panel construction. Rails and stiles made of high quality softwood and wood-based materials, finished with Natural Oak veneer. Specially selected satin tempered glass. Decorative mouldings/beads made of solid oak. The door leaf surface is protected by ecological water-based varnishes.

ACCESSORIES INCLUDED IN THE DOOR LEAF PRICE

- Lock with glossy faceplate (silver or gold): key lock, WC lock, or cylinder lock
- Plain satin glass
- Preparation for shortening (maximum 60 mm)

NOTES

- Norm PN EN 14351-2:2018-12.
- Doors are equipped with 3 PCs of golden hinges hinges packed with a frame Option of purchasing caps for hinges in a few colours: glossy golden, old gold, glossy silver- see extra charges
- Double doors are available in any door leaf size combinations.
- Magnetic lock is not available for a double door

EXTRA CHARGES

- · ventilation sleeves 1 row
- magnetic lock
- · ventilation undercut, ventilation slit
- caps for Villadora hinges
- · handle with an escutcheon

DOOR FRAME CONSTRUCTION

The door frame consists of:

- main beams: a horizontal one and two vertical ones made of wood-based materials and equipped with the necessary hardware and accessories,
- band slats.

Villadora Retro frame is manufactured and delivered to the customer as a set of elements intended for assembly on site.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Three sets of adjustable barrel hinges (3D)
- A rubber seal set circumferentially

DOOR FRAME SIZE, SEE PAGE, 209, TABLE 1

Adjustment ranges (A-K):,60′,,70′,80′,,90′,,100′ and,120′ ÷ ′200′.

NOTES

- National Technical Assessment ITB-KOT-2018/0358 issue 1.
- Door frame should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels).

(see p. 193)


Folding doors

ALFA, BETA, White

ALFA



HOW TO OPEN THE DOOR* (top view)



A REBATED DOOR LEAF


The complete set consists of:

- track system two-part door leaf
- PORTA SYSTEM door frame (modified)





BETA



A NON-REBATED DOOR LEAF

The complete set consists of:

- track system two-part door leaf
- PORTA SYSTEM door frame (modified)





*NOTE: Due to fittings specifics there is a slight narrowing of clear opening width when the door is open. (about 10 cm).











AVAILABLE FINISHES

Standard paint ★★★☆☆☆



Portadecor veneer ★★☆☆☆



* until stocks last

Portasynchro 3D veneer ★★★☆☆☆



Portaperfect 3D veneer ★★★★☆☆



CPL HQ 0,2 veneer ★★★★☆



Matt lacquered veneer ★★★★☆☆





how to open / fold ALFA door leaves



TECHNICAL INFORMATION

DOOR LEAF CONSTRUCTION

Honeycomb core or hollow chipboard core (at an extra charge) reinforced with plywood rails and stiles. Alfa – a two-part door, unsymmetrically divided, with a standard lock in a door leaf and a tongue strike in a door frame.

Beta – a two part door, symmetrically divided without a lock.

ACCESSORIES INCLUDED IN THE PRICE

- Track (BETA)
- Seal
- Three silver hidden hinges
- Lock: key lock, WC lock, cylinder lock (ALFA)
- Tongue strike (ALFA)
- Round pull handle (BETA)

DOOR FRAMES

• Modified PORTA SYSTEM, adjustment range from B to K see p. 172.

- National Technical Assessment ITB-KOT-2017/0184 issue 1
- Size '100' is not available for BETA.
- Dimensions see Table 8, page 213..

EXTRA CHARGES

- size '100' (ALFA only)
- · hollow chipboard core
- door leaf: CPL 0,2 mm finish GROUP II
- door frame: CPL 0,2 mm finish GROUP II
- ventilation sleeves, ventilation undercut
 price of ALFA track (extra charge to the set)
- BETA track is included in door frame price
- · a handle with an escutcheon

(see p. 193)



Sliding systems





Sliding system PORTA, PORTA CONCEPT, A.9, Grey

ON WALL-MOUNTED SLIDING SYSTEMS

PORTA



The complete set consists of:

- on wall-mounted sliding system (track)
 a door leaf (sliding version)
 a door frame to suit on wall
- sliding system (tunnel version)

ALU



The set consists of:

- on wall-mounted sliding system (track)
 a door leaf (sliding version)
 a door frame to suit on wall sliding system (tunnel version)



AVAILABLE FINISHES



Finishes charts see page 219 –225.

NOTE! Any sliding version door leaf is compatible with System PORTA and ALU.

TECHNICAL INFORMATION

System PORTA

CONSTRUCTION OF PORTA SLIDING SYSTEM

On Wall Sliding system consists of: a rail bar with trolleys, rail cover & door stop. Rail cover and a door stop are made of chipboard and MDF. If you decide to choose Natural veneer for your Door, this will be finished with semi-matt varnish.

ACCESSORIES INCLUDED IN THE PRICE

- A rail with trolleys
- A lock strike
- Self-adhesive brush seal
- Guide element which stabilizes the door leaf. Floor-mounted.

DOOR FRAMES

- PORTA SYSTEM door frame, 'tunnel' option see p. 172.
- Dimensions see page 213,.. Table 8.

NOTES

- National Technical Assessment ITB-KOT-2017/0184 edition 1
- Set is reversible (left/right). Opening direction can be changed by installing door stop (jamb) on right or left side of PORTA System tunnel.

EXTRA CHARGES

- CPL 0,2 mm finishes GROUP II
- Natural veneer finish White Oak Satin
- · Natural veneer finish Satin Black

System ALU

CONSTRUCTION OF ALU SLIDING SYSTEM

Offered system consists of: a rail and a construction profile supporting the door leaf. Both elements are made of nicely looking aluminium.

ACCESSORIES INCLUDED IN THE PRICE

• Guide element which stabilizes the door leaf. Floor-mounted.

DOOR FRAMES

• PORTA SYSTEM frame 'tunnel', see dimensions see page 212., Table 7.

NOTES

- Set is reversible (left/right).
- In order to assemble the track system, a door leaf and a tunnel' door frame correctly, door leaf must be one size bigger. E.g. track system and tunnel' size '70' goes with door leaf '80', track system and tunnel' '80' goes with a door leaf '90', '150' -> 2x' 80', '170' --> 2x' '90' etc
- Hook lock is not available.



Sliding systems



Sliding system COMPACT, PORTA CONCEPT A.9, Scandinavian Oak

POCKET DOOR SYSTEM

COMPACT



hook lock COMPACT sliding




metal cassette (pocket), COM-PACT sliding system


HOW TO OPEN THE DOOR (top view)

Discreet framework for installation in a plasterboard wall gives an opportunity to have a door in interiors, where a traditional hinged door would spoil design concept or would be even impossible to install.

Pocket door system COMPACT ('tunnel' frame, metal cassette (pocket) dedicated for a wall 125 mm thick)



COMPACT 'tunnel' frames are dedicated for wall thicknesses 100 mm and 150 mm



NOTE! PORTA Compact tunnel frame is dedicated to work together with PORTA pockets and pockets of leading European producers. Before installing Compacttunnel frame along with a pocket not produced by PORTA, it is required to checkSo/Ho dimensions.

POCKET DOOR SYSTEM

FRAMELESS




dedicated pull handles (roung ot

door leaf with hook lock

HOW TO OPEN THE DOOR (top view)

Minimalist solution. Sliding door leaves conceal in the wall. The system does not requirethe use of door frame or architraves. The cassette (pocket) is dedicated to be installed in plasterboard walls.

Slidning system decidated for a wall 100 mm thick.



Sliding system dedicated for a wall 125 mm thick.





SLIDING SYSTEM 'COMPACT' - AVAILABLE FINISHES



Finishes charts, see page 219-225

Portaperfect 3D ★★★★★

CPL HQ

Gladstone/Halifax

Premium Plus UV paint

Matt lacquered veneer



Possibility of orderidng 'tunnel' in Natural veneer through PORTA CONTRACT.

TECHNICAL INFORMATION

COMPACT system

COMPACT SYSTEM CONSTRUCTION

Offered system for a 125 mm thick wall, consists of: a 'tunnel frame' made of chipboardand MDF; galvanized steel cassette with a running track, which are a pocket construction inside the wall.

ACCESSORIES IN THE COMPACT SYSTEM PRICE

- Pocket is dedicated for a wall -125 mm thick
- · Rail with trolleys and a floor-mounted element which guides the door leaf
- Hook lock strike (optionally, at an extra charge)
- Anti-dust brush seal. Pressed in. (tunnels dedicated for a wall 125 mm and 150 mm thick).
- 'Tunnel' for a wall 125 mm thick

DOOR FRAMES

- Door frames -'tunnel' option. Available for wall thicknesses: 100 mm, 125 mm and 150 mm
- 'Tunnel' door frame dedicated for a wall thickness 125 mm is compatible with thePORTA pocket.
- All of above mentioned 'tunnel frames' are compatible with pockets of leading European producers (H0 /S0 dimensions must be checked)
- COMPACT, dimensions see table 8, page 213...

NOTES

- · Pockect system is dedicated for 125 mm thick plasterboard walls.
- It is possible to order additional extensions for symmetrical and unsymmetrical tunnel frames' (bespoke order).
- Tunnel 100 mm is available with door leaves without glazing beads/decorativemoul dings.

EXTRA CHARGES

- CPL 0,2 mm veneer GROUP II
- · cooridnation kit for a double door (open/close)

FRAMELESS system

FRAMELESS SYSTEM CONSTRUCTION

The sliding system is made of aluminium profiles adapted for installation in plasterboard or solid brick walls. Can be used with 40 mm thick door leaves.

The system includes complete accessories and features enabling precise installation of the system adjustment of the leaf (adjustment of the depth of the leaf hiding in the system, adjustment of the leaf position in reltion to the frame - at the height +/- 2,5mm) and a removable door stop enables replacing the leaf, a set of gaskets, guides, bearing rollers

ACCESSORIES INCLUDED IN THE PRICE

- Metall casette (pocket)
- Hook lock strike (optionally, at an extra charge)

DOOR LEAF CONCTRUCTION

Plasterboard or hollow chipboard core (optionally at extra charge). The construction is skinned with HDF. Available two types of finish:

Prime finish ready for painting or wall papering. Edges have lipping that allows painting.

Door leaves finished with UV premium paint.

NOTES

- Norm PN EN 14351-2:2018-12 door leaf.
- National Technical Assessment ITB-KOT-2020/1281 issue.1 sliding system.
- System prepared for plasterboard walls with a thickness of 100 mm or 125 mm.
- Dimensions see Table 8, p 213...

- Round or square pull
- Hook lock with pulls
- Hollow chipboard core



Sliding systems



Sliding system BLACK, type REA

BLACK



EFEKT



REA type



LUNA type





opened doors



model 1



model 2





model 3





model 4



model 5

PORTA EFEKT is a CONCEALED system of sliding doors with soft-closers ensuring comfort of use. The PORTA

- two tracks hidden in the door leaf,
 a bearing upper trolley with an intuitive installation and adjustment system enabling adaptation to wall unevenness,
- bearing lower trolleys, ensuring quiet and trouble-free exploitation even on floorswith grouts.

 Correctly chosen size of the door leaf allows for smooth regulation of the opening degree: partially open to open, maintaining the full light passage.



AVAILABLE FINISHES

System BLACK

Premium UV paint ★★★☆☆



Premium Plus UV paint ★★★★☆

White

System SLIDE

Portaperfect 3D veneer ★★★★☆☆



Gladstone / Halifax ★★★★★

Sand Oak	NEW Halifax Tabak	Halifax Natural
Brown Oak	Casella Oak Natural	NEW Sherman Oak
Oak	Natural	Oak

System EFEKT

Portaperfect 3D veneer ★★★★☆



Gladstone / Halifax ★★★★★



Premium UV paint ★★★☆☆



Matt lacquered veneer ★★★本介介







pull Black 1

TECHNICAL INFORMATION

BLACK system

DOOR LEAF CONCTRUCTION

Honeycomb or hollow chipboard core (optionally at extra charge). The construction is skinned with HDF

ACCESSORIES INCLUDED IN THE SET PRICE

Track 2000 mm

NOTES

- · Norm PN EN 14351-2:2018-12.
- Set is reversible (left/right).
- Set is dedicated to be mounted on wall opening one size smaller than standard. See details see p. 213.
- Hook lock is not available.
- · For a double door leaf set the following parts must be ordered: two sliding systems,two door leaves and a bracket.
- In case of using spacers there is a possibility to move the door leaf away from the wall - 10 mm. Possibility of having BLACK system with other sliding door leaf from PORTA's offer-
- Black system, type LUNA can be ordered with any door leaf in sliding version.
- Black system, type REA can be applied only with door leaves with hollow chipboard

EXTRA CHARGES

- · Bracket for double door solutions
- Set of two soft-closers · Set of 5 spacers
- Black 1 pull
- an oblong pull
- hollow chipboard core

SLIDE system

DOOR LEAF CONCTRUCTION

Hollow chipboard core. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE SET PRICE

- Track 2000 mm
- · Set of two soft-closers

NOTES

- Norm PN EN 14351-2:2018-12.
- Set is dedicated to be mounted on wall opening one size smaller than standard. See details see table 8, p. 213..
- Hook lock is not available.

EXTRA CHARGES

· an oblong pull

EFEKT system

DOOR LEAF CONCTRUCTION

Hollow chipboard core. The construction is skinned with HDF.

ACCESSORIES INCLUDED IN THE PRICE

Tracks

NOTES

- Norm PN EN 14351-2:2018-12
- · Hook lock is not available.
- · Load capacity of the system: 80 kg.
- he gap between door leaf and a wall: 10 mm. During installation, this dimensioncan be increased by using a spacer for top trolley (spacer is not a part of the set). The second option is to order a door leaf fitted to needed gap size (Contract Department).
- The set is dedicated to be mounted on wall opening three sizes smaller than standard -> E.g. wall opening '60' requires door leaf '90'
- Dimensions see Table 8, p. 213..

- · an oblong pull
- size '100' and '110'

DOOR FRAMES

INVISIBLE JOINTS

Steel door frames have welded and ground joints. Next they are painted with our Premium polyester paint. Thanks to this process, joint lines are invisible and very durable at the same time.

HIGH DURABILITY

High-precision manufacturing and fi rst-rate materials guarantee long-term quality.

Their high resistance to mechanical damages and corrosion make them great, long-lasting products.

Steel door frame is a good choice, especially for rooms with increased humidity, e.g. kitchens or bathrooms

HUMIDITY RESISTANCE

Our steel door frames are made out of galvanized steel sheet and additionally secured with passivation layer. Then, a layer of polyester powder paint is applied on the surface. This all together results in increasing corrosion resistance for many years and in protecting frames against water, e.g during fl oor cleaning.





MINIMAX


12

FIXED DOOR FRAME, REBATED

Door frames recommended for interiors where adjustments to a wall is not required. Door frames of 100 mm profile are compatible with any door leaf.

Door frames of 60 mm profile are compatible with door leaves finished with Portadecor and Portasynchro 3D veneers.

AVAILABLE FINISHES



Portaperfect 3D

Portalamio

CPL HQ 0,2 mm

Gladstone/Halifax

Matt lacquered veneer

Finishes charts see page 219 -225.



DOOR FRAME - CROSS SECTION



60 mm, basic option without architraves



60 mm, synthetic veneer (with architraves)



100 mm synthetic veneer (architraves joined at 90° angle) or Natural veneers (architraves joined at 45° angle)



100 mm, synthetic or Natural veneer (with rounded architraves)







Door frames, architraves and quaterrounds are also available in a synthetic veneer for self-painting.

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- · Door frame head and two jambs, made of MDF, with hardware and accessories
- · Architraves (at additional charge)
- Quater round (at additional charge)
- Door frame is produced and delivered as a set of elements to assemble on site. MINIMAX door frame for door leaves in Premium Plus UV paint is in the same finish.

ACCESSORIES- IN THE PRICE OF MINIMAX 60 MM

(available only in Portadecor and Portasynchro 3D finishes)

- Two or three standard barrel hinges or PRIME hinges (optionally at extra charge)
- · Door stops
- · Dowel pins, hole plugs
- · Humidity protecting plugs for bottom part of a door frame

ACCESSORIES- IN THE PRICE OF MINIMAX 100 MM

Synthetics veneers:

- Two or three standard barrel hinges or PRIME hinges (optionally at extra charge)
- · A rubber seal set circumferentially
- · Humidity protecting plugs for bottom part of a door frame

Natural veneers:

- Three standard barrel hinges or PRIME hinges
- A rubber seal set circumferentially
- Humidity protecting plugs for bottom part of a door frame

DOOR FRAME SIZE, SEE PAGE 209 TABLE 1

Profile width 60 mm and 100 mm

Available sizes '60', '70', '80', '90' and '100', and any combination of these sizes for double leaf doors.

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- 100 mm door frame is also available in a tunnel option (without a rebate, a seal, hinges or a strike plate)
- · Door frames and architraves are available in unpainted option (for self-fi nishing).
- · Size,100' requires third hinge

- · door frame: CPL 0,2 mm finish GROUP II
- · door frame: Natural veneer: Walnut
- · door frame: Natural veneer, White Oak, Satin
- · architraves: Natural veneer, White Oak, Satin
- · quaterround: Natural veneer, White Oak, Satin
- PRIME hinges



PORTA SYSTEM, **PORTA SYSTEM GK / GLASS**

PORTA SYSTEM

Adjustable door frame with architraves - 60 or 80 mm. PORTA System is easy to install and it is compatible with all of internal door leaves. Thanks to the availability of the Retro Module you can achieve completely new and very different door styling.

Adjustable door frame for glass door leaves, produced in Polish Norm. Only such a set guarantees high performance and satisfaction with your purchase.

AVAILABLE FINISHES



Finishes charts see page 219 – 225.





DOOR FRAME - CROSS SECTION



PORTA SYSTEM + Adjusting Panel®



PORTA SYSTEM + the Retro Module (crown + decorative pilasters)

ADJUSTMENT RANGE



PORTA SYSTEM

minimum




maximum



door frame with a wider tongue optional at an extra charge

ADJUSTNG PANEL WIDTH















ADJUSTMENT RANGES

Α	75 ÷ 95
B	95 ÷ 115
C	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F	180 ÷ 200
G	200 ÷ 220
H	220 ÷ 240
J K	240 ÷ 260 260 ÷ 280 280 ÷ 300
L	300 ÷ 320
M	320 ÷ 340
N*	340 ÷ 360

^{*} Zakres N niedostępny w wykończeniu Farba Akrylowa UV i Okleiny Naturalne



TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- A door frame head and two jambs, made of wood-based material. It comes with hardware and accessories
- Architraves (60, 80 mm).

The door frame is produced and delivered as a set of elements to be assembled on site. PORTA SYSTEM door frame forfor door leaves in Premium Plus UV paint is in the same

ACCESSORIES INCLUDED IN THE DOOR FRAME PRIC

PORTA SYSTEM

Synthetic veneers:

Two or three standard barrel hinges or PRIME hinges (optionally at extra charge) A rubber seal set circumferentially

Natural veneers:

- · Two or three standard barrel hinges or PRIME hinges
- · A rubber seal set circumferentially

PORTA SYSTEM GK /GLASS

- · A strike plate (small)
- A rubber seal set circumferentially
 Hinge receivers, 2 PCs for size '60'-'90', 3 PCs for size '100'

NOTE! Hinges are not included in a door frame set.

DOOR FRAME SIZE, SEE PAGE 209, TABLE 1

PORTA SYSTEM

• Wall thicknesses (A-K) '60', '70', '80', '90', '100', '110', and '120'-'200' and single leaf '60'-'90' with a side panel '40' *

PORTA SYSTEM GK /GLASS

Wall thicknesses (A-K) '60', '70', '80', '90', '100'

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- The door frame is also available in a tunnel option (without a rebate, a seal, hinges or a strike plate)
- Module RETRO is not available in following finishes: CPL HQ, Premium lacquered veneer and Gladstone/Halifax.
- Size,100' requires third hinge
- PORTA SYSTEM TRANSOMS- information available on Porta.com.pl/do-pobrania.
- Height, 220': finishes Premium lacquered veneer, Premium Plus UV paint, Natural veneer, three hinges as a standard
- Range M finished with Premium Plus UV paint and with Natural veneers consists of beam for L range and architrave with long tongue

EXTRA CHARGES

- · door frame: CPL 0,2 mm finish GROUP II
- · door frame: Natural veneer: Walnut
- · door frame: Natural veneer: Black
- door frame: Natural veneer, White Oak, Satin
- · adjusting panel: Natural veneer, White Oak, Satin
- crown: Natural veneer, White Oak, Satin
- · decorative pilasters: Natural veneer, White Oak, Satin
- PRIME hinges
- investment set
- · reinforcement for a door closer
- · electric strike: fail safe or fail secure

(see 204)



PORTA SYSTEM ELEGANCE, **PORTA SYSTEM ELEGANCE 90 degrees**

ADJUSTABLE DOOR FRAME WITH 80 MM ARCHITRAVES. NON-REBATED.

Internal door frame which is compatible with non-rebated door leaves. Easy to install. Possibility of joining architraves at 45 degrees (PORTA SYSTEM ELEGANCE) and 90 degrees (PORTA SYSTEM ELEGANCE 90 degrees).

AVAII ABI F FINISHES



Finishes charts see page 219 – 225.

DOOR FRAME - CROSS SECTION



door frame profile - wide architrave 80 mm



minimum



maximum

ARCHITRAVES JOINING PORTA SYSTEM ELEGANCE 90 degrees



Illustrative drawings

Flush surface. Door

frame finished with

synthetic veneer.



Main beam recessed. Door frame finished with

Premium Plus UV paint



Flush surface. Door frame

finished with Natural

veneer.





How to install PORTA SYSTEM ELEGANCE





NOTE: if the hinge socket does not fit into the wall opening, please make forging as in the picture p. 207









PORTA SYSTEM ELEGANCE ADJUSTMENT RANGES

PORTA SYSTEM ELEGANCE 90 DEGREES ADJUSTMENT RANGES

B	95 ÷ 115	B	95 ÷ 115	
C	120 ÷ 140	C	120 ÷ 140	
D	140 ÷ 160	D	140 ÷ 160	
E	160 ÷ 180	E	160 ÷ 180	
F	180 ÷ 200	F	180 ÷ 200	
G	200 ÷ 220	G	200 ÷ 220	
H	220 ÷ 240	H	220 ÷ 240	
J K	240 ÷ 260 260 ÷ 280 280 ÷ 300	I J K	240 ÷ 260 260 ÷ 280 280 ÷ 300	



3D hinge (closed door)



3D hinge (opened door)

KEY FEATURES OF THE NEW SIMONSWERK 3D HINGE: -

- CONVENIENT 3DADJUSTMENT
- 200.000 TEST CYCLES IN CONTINUOUS OPERATION
- LOAD CAPACITY 60 KG (2 HINGES),
- ALL VISIBLE ELEMENTS ARE FINISHED WITH POLYESTER COATING

WE RECOMMEND!

SKIRTINGS BOARD see page 205

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- A door frame head and two jambs, made of wood-based material. It comes with hardware and accessories
- · Architraves 80 mm
- Architrave edge radius, arris', for Natural veneers Standard, Select, Satin.
- · Architrave edge radius 1,5 mm for synthetic finishes: Portadecor, Portasynchro 3D, Portadurand Portaperfect 3D. 3mm radius for CPL HQ 0,2 mm.
- PS ELEGANCE is produced and delivered as a set of elements to assemble on site.
- PS ELEGANCE door frame for door leaves in Premium Plus UV paint is in the same

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Two sets of adjustable 3D hinges
- · A rubber seal set circumferentially

DOOR FRAME SIZE, SEE PAGE 209, TABLE 1

• Ten adjustment ranges from 95 mm to 300 mm; '60', '70', '80', '90', '100', and '120'-'200'

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- PORTA SYSTEM ELEGANCE 90 degrees is available in following finishes: Premium lacquered veneer, Premium Plus UV paint, Natural veneer
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)

- The door frame is also available in a ,tunnel' option (without a rebate, a seal, hinges or a strike plate)
- · Height 220 cm is available in following finishes: Premium lacquered veneer, Premium Plus UV paint,, Natural veneer. Three hinges as a standard.
- · Range M finished with Premium Plus UV paint and with Natural veneers consists of beam for L range and architrave with long tongue

- door frame: CPL 0,2 mm finish GROUP II (applies to PS ELEGANCE)
- · door frame: Natural veneer: Walnut
- · door frame: Natural veneer: Black
- · door frame: Natural veneer, White Oak, Satin
- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black(extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)
- reinforcement for a door closer (applies to PS ELEGANCE)
- · door frame 220 Premium Plus UV paint
- · door frame 220 Natural veneer
- · door frame 220 Premium lacquered veneer
- architraves 100 mm (apply to height 220 cm, PS ELEGANCE finished with Natural veneer)



PORTA SYSTEM with reversed rebate


NON-REBATED ADJUSTABLE DOOR FRAME WITH 80 MM ARCHITRAVES AND REVERSED REBATE

Complement to non-rebated collections. Closed door with PORTA SYSTEM ELEGANCE frame and PORTA SYSTEM frame with reversed rebate look the same and allow you to open the door in different directions: PORTA SYSTEM ELEGANCE outwards, and PORTA SYSTEM with reversed rebate inwards.

AVAILABLE FINISHES



Finishes charts see page 219 – 225..











ADJUSTMENT RANGES

B	95 ÷ 115
C	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F	180 ÷ 200
G	200 ÷ 220
H	220 ÷ 240
I	240 ÷ 260
J	260 ÷ 280
K	280 ÷ 300



Door frame corner from hinges side



Door frame corner from hinges side

KEY FEATURES OF THE NEW SIMONSWERK 3D HINGE:

- **CONVENIENT 3DADJUSTMENT**
- 200.000 TEST CYCLES IN CONTINUOUS OPERATION LOAD CAPACITY 60 KG (2 HINGES),
- ALL VISIBLE ELEMENTS ARE FINISHED WITH POLYESTER COATING

WE RECOMMEND!

SKIRTINGS BOARDS FINISHED WITH Premium Plus UV paint see page 219

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

The door frame consists of:

- · A door frame head and two jambs, made of wood-based material. It comes with hardware, accessories and architraves 80 mm on both sides
- Architrave edge radius, arris', for Natural veneers Standard, Select, Satin.
- Architrave edge radius 1,5 mm for Premium lacquered veneer and Premium Plus UV
- The door frame is produced and delivered as a set of elements to assemble on site.

APPLICATION

Door leaves dedicated for PORTA SYSTEM door frames with reversed rebate:

- painted collections: PORTA VECTOR Premium, PORTA DESIRE, PORTA FOCUS Pre mium, PORTA GRANDE,
- collections finished with Natural veneers: Nature CLASSIC, Nature GRANDE, Nature LINE.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Two sets of adjustable 3D hinges
- · A rubber seal set circumferentially

DOOR FRAME SIZE

• Ten adjustment ranges from 95 mm to 300 mm; '60', '70', '80', '90', '100'

NOTES

- Technical Assessment ITB KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- Height, 220' 3 hinges in standard

- · door frame,220': Premium lacquered veneer
- door frame,220': Premium Plus UV paintdoor frame,220": Natural veneer
- · door frame: Natural veneer Walnut
- · door frame: Natural veneer Black · door frame: Natural veneer Satin white
- execution of a chosen door leaf in the reversed rebate system (extra charge is added to door leaf price)

LEVEL

UNIQUE AND INNOVATIVE ADJUSTABLE DOOR FRAME

Adjustable foor frame with 80 mm architraves. Non-rebated with an upper panel - 20 or 100 cm high.

AVAILABLE FINISHES



Finishes charts see page 219 –225.









ADJUSTMENT RANGES

B	95 ÷ 115
C	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F	180 ÷ 200
G	200 ÷ 220
H	220 ÷ 240
I	240 ÷ 260
J	260 ÷ 280
K	280 ÷ 300

UPPER PANELS

200 mm (2x)

1000 mm (2x)

200 and 1000 mm (1/1)



upper panels





Installation of LEVEL door frame, see video: www.porta.com.pl/dm/montazosclevel.wmv



Door frame for a double-leaf door and/or finished with CPL HQ - order through PORTA CONTRACT

KEY FEATURES OF THE NEW SIMONSWERK 3D HINGE: -

- CONVENIENT 3DADJUSTMENT
- 200.000 TEST CYCLES IN CONTINUOUS OPERATION
 LOAD CAPACITY 60 KG (2 HINGES),
- ALL VISIBLE ELEMENTS ARE FINISHED WITH POLYESTER COATING

WE RECOMMEND! -

SKIRTINGS BOARDS see page 219

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- A door frame head and two jambs, made of wood-based material. It comes with hardware and accessories
- · Architraves 80 mm
- Two vertical panels (order separately)
- Vertical grain direction for a LEVEL panel. For chosen finishes horizontal grain direction available (see p. 82)
- Architrave edge radius 1,5 mm. LEVEL door frame is produced and delivered as a set of elements to be assembled on site. LEVEL door frame for door leaves in Premium Plus UV paint is in the same finish.

ACCESSORIES INCLUDED IN THE DOOR FRAME PRICE

- Two sets of adjustable 3D hinges
- · A rubber seal set circumferentially

DOOR FRAME SIZE, SEE PAGE 209, TABLE 1

Ten adjustment ranges from 95 mm to 300 mm; '60', '70', '80', '90', '100'

NOTES

- Technical Assessment ITB-KOT-2018/0358, issue 1
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- Door frame is also available in a ,tunnel' option (without a rebate, a seal, hinges or a strike plate)

- gold 3D hinges (extra charge added to a door frame price)
- third 3D hinge silver, white, black (extra charge added to a door frame price)
- third 3D hinge gold (extra charge added to a door frame price)

GIVE YOUR APARTMENT UNIQUE CHARACTER

This solution gives you the possibility to change doors without dismantling the old door frame.

AVAILABLE FINISHES



Finishes charts see page 219 – 225.



DOOR FRAME - CROSS SECTION





ADJUSTMENT RANGE



minimum



maximum





ADJUSTMENT RANGES

5	55 ÷ 75
A	75 ÷ 95
B	95 ÷ 115
C	120 ÷ 140
D	140 ÷ 160
E	160 ÷ 180
F	180 ÷ 200
G	200 ÷ 220
H	220 ÷ 240
l	240 ÷ 260
J	260 ÷ 280

PORTA RENOVA' OFFER INCLUDES:

- PORTA RENOVA door frame, adjustment range from'A' to 'J' + size '5' 55-75 mm
- 'tunnel' option, adjustment range from 'A' to 'J'
- head and jambs with a tongue (broadening PORTA RENOVA adjustment) from 'A' to 'J'

TECHNICAL INFORMATION

DOOR FRAME CONSTRUCTION

A door frame consists of:

- · A door frame head and two jambs, made of wood-based materials
- Architraves
- Architrave edge radius 'arris', for Natural veneers Standard, Select, Satin.
- PORTA RENOVA is produced and delivered as a set of elements to assemble on site.

ACCESSORIES INCLUDED IN DOOR FRAME PRICE

· Two or three standard barrel hinges

DOOR FRAME SIZE, SEE PAGE 209, TABLE 1

• For adjustment ranges ('5' + A-J) '60', '70', '80', '90', '100', '110'.

- RENOVA door frame is available with Individual Approval Documentation
- Door frames should be installed on finished walls (e.g. wall papers) and on a finished floor (e.g. floor panels)
- Door frame is also available in a tunnel option (without a rebate, a seal, hinges or a
- Additional broadening (head and jambs)
- The door frame is compatible with standard door leaves. If client chooses a handle with an escutcheon wider than 44 mm, they have to order a door leaf with a 60 mm lock.
- · All crooks and unevenness of a wall and old door frame have to be taken into consideration during wall opening measurement.

 Due to the complexity of the installation, it is recommended to use the services of an

Authorised Assembly Group.



ACCESSORIES, DIMENSIONS & ADDITIONAL INFORMATION

At PORTA, we also offer a wide selection of door handles and accessories.

These have been designed by our experts to complement your PORTA Door.





AZURA Collection

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.





AZURA GOLD



AZURA SILVER



Handles

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.





silver



golden matt







Handle Key lock escutcheon, Euro cylinder escutcheon WC escutcheon

MODERN PLUS



silver



silver mat

silver matt



golden matt



Handle Key lock escutcheon, Euro cylinder escutcheon WC escutcheon

NEXT









Handle Key lock escutcheon, Euro cylinder escutcheon WC escutcheon

OFFICE

silver











Key lock escutcheon, Euro cylinder escutcheon WC escutcheon









CARO



silver mat









Handle

Key lock escutcheon, Euro cylinder escutcheon



Handles

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.





Handle Key lock escutcheon, Euro cylinder escutcheon WC escutcheon

brushed silver antique gold

ELEGANT





silver



white



black

black



Handle Key lock escutcheon, Euro cylinder escutcheon WC escutcheon

SIMPLE

WE RECOMMEND A Modern thin escutcheon is a class of its own.







Handle Key lock escutcheon, Euro cylinder escutcheon

WC escutcheon

GAMET.

UNICO





white



structured black

silver

structured anthracite

Handle Key lock escutcheon, Euro cylinder escutcheon

WC escutcheon













Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.

TOPAZ



stainless steel

Handle Key lock escutcheon, Euro cylinder escutcheon WC escutcheon



EUFORIA Q



Handle Key lock escutcheon, Euro cylinder escutcheon WC escutcheon

EUFORIA

The door handle and the WC knob feature an antimicrobial coating containing active silver ions.



black



BARCELONA



Handle Key lock escutcheon, Euro cylinder escutcheon





nickel



black



RUMBA

WC escutcheon





Handle Key lock escutcheon, Euro cylinder escutcheon



nickel



black



SUPRA Q

WC escutcheon



black

Handle





195







black

Handle Key lock escutcheon, Euro cylinder escutcheon WC escutcheon







LUNA SLIM

WE RECOMMEND A Modern thin escutcheon is a class of its own.



gold



chrome









Handle Key lock escutcheon, Euro cylinder escutcheon







black





Handle









brushed nickel matt

brushed chrome matt

black

BELLA SLIM

Key lock escutcheon, Euro cylinder escutcheon WC escutcheon

WE RECOMMEND A Modern thin escutcheon is a class of its own.





gold



black



brushed chrome matt

Handle Key lock escutcheon, Euro cylinder escutcheon WC escutcheon





NEW



Key lock escutcheon, Euro cylinder escutcheon WC escutcheon





Metal-Bud





chrome

brushed chrome



black



Handle

Key lock escutcheon, Euro cylinder escutcheon WC escutcheon







black with white insert

Handle

Key lock escutcheon, Euro cylinder escutcheon WC escutcheon





chrome







Handle Key lock escutcheon, Euro cylinder escutcheon



WC escutcheon

LEA



gold

















gold matt

black



Key lock escutcheon, Euro cylinder escutcheon

WC escutcheon

Handles

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.



BRAVA



chrome

brushed chrome



black





Handle Key lock escutcheon, Euro cylinder escutcheon



WC escutcheon



Handle Key lock escutcheon, Euro cylinder escutcheon WC escutcheon







DIVO FIT

WE RECOMMEND A Modern thin escutcheon is a class of its own.



Handle Key lock escutcheon, Euro cylinder escutcheon WC escutcheon







DIVO FIT Q

WE RECOMMEND A Modern thin escutcheon is a class of its own.













Euro cylinder escutcheon WC escutcheon

Key lock escutcheon,



LEA LUX











Key lock escutcheon, Euro cylinder escutcheon WC escutcheon



APRILE

AZALIA



LILA



ORTICA







■ LUCIA PROF SMART2LOCK

handle with an automatic bolting mechanism



stainless steel



blocked position of the handle



unblocked position of the handle

Object handles



OVAL / class 4



Handle





Key lock escutcheon Euro cylinder escutcheon



WC escutcheon

KVADRAT / class 4



Handle



Key lock escutcheon



Rozeta Euro cylinder escutcheon



WC escutcheon

stainless steel

stainless steel



stainless steel

UNO 3S / class 3



Handle

WE RECOMMEND A Modern thin escutcheon is a class of its own.



Key lock escutcheon



Rozeta Euro cylinder escutcheon



WC escutcheon

DUE 3S / class 3



Handle

WE RECOMMEND A Modern thin escutcheon is a class of its own.





Key lock escutcheon



Rozeta Euro cylinder escutcheon



WC escutcheon

/ class 3

stainless steel



Handle stainless steel

Euro cylinder escutcheon WC escutcheon

MINI PLUS



Handles

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.

MIRO

this product is dedicated only for AGAT doors

Handle (72)

standard

escutcheon











Metal-Bud

PORTA AGAT (I ST EUROPEAN CLASS)

Handle (72)

standard

with a knob

escutcheon for upper lock









silver



black

PORTA AGAT PLUS (I ST EUROPEAN CLASS)

Handle (72)

standard

with a knob

escutcheon for upper lock









PORTA OPAL (II ND EUROPEAN CLASS)

Handle (72)

standard

with a knob

escutcheon for upper lock











titanium

PORTA OPAL PLUS (II ND EUROPEAN CLASS)

Handle (72)

standard

with a knob

escutcheon for upper lock







PORTA GRANIT (III RD EUROPEAN CLASS, FORMERLY CLASS 'C')

Handle (72)

standard

with a knob

escutcheon for upper lock





titanium













Handles

Due to printing technology, the colour of presented products in the catalogue may slightly differ from the actual product.

PORTA GRANIT PLUS (III RD EUROPEAN CLASS)

Handle (72)

standard

with a knob

escutcheon for upper lock







in in

inox



titanium

ROYAL (III RD EUROPEAN CLASS)

Handle (72)

standard

with a knob

escutcheon for upper lock







inox



black



Handle (92)

standard

with a knob

escutcheon for upper lock









inox



titanium



black

PULLS

for external doors

stainless steel



stainless steel

inox and titanium




inox



titanium



150 cm



RECTANGULAR STRAIGHT CURVED ROUND

ROUND STRAIGHT

Additional accessories

DOOR HANDLE PLATES



rectangular plate

oval plate



round plate



STAINLESS STEEL PORTHOLE

- Porthole is available only with door leaves with hollow chipboard core for following solid models: MINIMAX, PORTA DECOR, PORTA CPL, ENDURO, NatureCLASSIC, PORTA RESIST
- Diameter: 350 mm
- Available glass panels: transparent or laminated satin glass panel class 2, 6 mm thick

ENTRANCE DOOR HARDWARE





Two euro cylinders, class,B' · silver, golden

THRESHOLD



Stainless steel threshold, compatible with PORTA door frames:

- · standard (90 mm)
- · widened (120 mm)

for double door leaves

- standard (90 mm)
- · widened (120 mm)

DOOR CLOSER



DOOR CLOSER

· available finishes: silver and brown

ADDITIONAL HARDWARE



Hook lock, key or WC with side and front pulls. For sliding doors.

· Available in following colours: golden, matt gold, silver, matt silver



Round pull handle for sliding

- · doors- for the price of a door leaf.
- · colours: silver and gold

■ ELECTRIC STRIKES



Electric strike for steel door frame Angular, LARGE and Adjustable:

- obverse
- reverse



Electric strike for the PORTA SYSTEM door frame:

- obverse
- reverse

PREPARATION FOR SHORTENING



Rectangular and longitudinal door pulls for

sliding doors.

colours: gold, matte gold, silver, matte silver, black



Preparation for shortening the door leaf

· maximum 60 mm

Additional accessories

LOCKS



Magnetic lock with stainless steel face plate

· for rebated and non-rebated doors

Adjustable strike plate for non-rebated doors. We suggest choosing matt silver hinges.



PRIME lock with gold or silver face plate.

· models finished with synthetic veneer lock latch - matt galvanized



Lock with black face plate. (not available in the patent version)

HINGES









3D hinges. Door part, frame part.

- golden
- · silver, white, black



PRIME barrel hinges. Door part, frame part. • golden, matt gold, silver, matt



Standard barrel hinges. Door part, frame part.

silver



Standard barrel hinges. Door part, frame part.

black



Check how to adjust



Adjustable barrel hinges 3D. Door part, door frame part.

· silver

HINGES CAPS



Standard hinges caps for internal doors (a set for one hinge)

golden, matt silver, gloss chrome, white, black

titanium



Villadora hinges caps (a set for one hinge)

· golden gloss, old gold, silver gloss

■ EURO CYLINDER FOR **INTERIOR DOORS**



Euro cylinder for interior doors size: 30/30, 26/35

black

inox

204

NEU

Additional accessories

■ BLUESMART ELECTRONIC HANDLE

Communication is effected by means of identification cards, blueSmart keys or authorised key rings. Electronic handle is available for internal, acoustic and fire-rated doors – internal use. Escutcheons are available in two colours – white (RAL 9003) and black (RAL 9005).

Other options and detailed information - check DOWNLOADS tab at www.PORTAdoors.com





Electronic handle

Two or one side cylinder

User's passive key

white (RAL 9003)

black (RAL 9005)

SMART ELECTRONIC LOCK



A wireless cylinder drive, allowing you to remotely control access to, for example, your home or flat from anywhere in the world. As an administrator, you can create an unlimited number of remote keys for family members, guests or employees. Allows you to set permanent or temporary access.

SALTO DANALOCK v3



Use with EXTREME RC3 doors (for 30/40G or 30G/40 cylinders). The use of electronic lock (escutcheon) does not affect the door classification.

SET

electronic lock (escutcheon)

adapter - necessary for the installation of the electronic lock on the cylinder

WiFi bridge

set of WILKA cylinders - 1 with knob, 1 with safety coupling

Silver

A SET FOR CLEANING, REFRESHING AND REGENERATING OF DOOR SURFACES



NEW

PORTA DOOR CARE

Regular use of the preparations ensures that the doors are kept clean and in perfect condition, guaranteeing the highest level of satisfaction. It is recommended to use regularly every 2-3 weeks, in case of intensive dirt more often, and in the meantime wipe the door with a soft and dry cloth, without using additional cleaning agents.

THE SET COMPRISES:

PORTA Door Cleaner – a preparation for door surfaces cleaning.

A preparation for thorough cleaning of all types of door surface. It does not change gloss. It removes traces after grease, stickers, waxes, pens, pencils, markers, shoepaste, nicotine, etc. Antistatic agent.

PORTA Door Refresher – a preparation for refreshing and regenerating of door surface.

A preparation for refreshing and regenerating of all types of Natural wood, veneer, board and varnished modern and stylized door surfaces. It removes grey stains after water and alcohol. It enlivens colour and restores original appearance of door surface. Do not use for high gloss, waxed or oiled door surfaces.

It does not contain wax or silicone.

Architraves and ventilation

ARCHITRAVES







Portadecor, Portasynchro 3D

Portaperfect 3D


Portadur, CPL HQ, Portalamio

Premium lacquered veneer, Gladstone/Halifax

Premium Plus UV paint

Natural veneer

SKIRTING BOARDS



FINIHSES -

Portadecor: white, unvarnished, Premium lacquered veneer white and grey, Portaperfect 3D: Natu-ral Oak, CPL HQ: black

WALL SLATES



FINIHSES -

Unvarnished (veneer for self-painting)

■ VENTILATION SLEEVES



Ventilation sleeves

Ventilation sleeves

• II rows (various colours)

· I row (various colours)











Sale of steel ventilation sleeves, retail (per item)

- Available colours:
- square sleeves: gold, matte gold, silver, matte silver
- round sleeves: silver, matte silver



Ventilation undercut



Ventilation grille with a mounting frame (different

- This ventilation grille meets the building law regulations
- regarding bathroom ventilation.




HIGH END HOME


Technical drawings

POLISH NORM (PN)

OPTIONS OF INSTALLATION - MINIMAX DOOR FRAMES




installation on a concrete wall with mounting foam and anchors



installation on a concrete wall with expanding foam



installation on a plasterboard wall with expanding foam



installation on a plasterboard wall with screws

OPTIONS OF INSTALLATION - CORNER PROFILE DOOR FRAMES



Corner profile door frame - SMALL PLUS



installation without anchoring elements



Corner profile door frame - LAR-GE, installation with dowel pins




Corner profile door frame - LARGE, installation on a plasterboard wall


OPTIONS OF INSTALLATION - ADJUSTABLE DOOR FRAME, ADJUSTABLE PS WITH, SHARP EDGES'

adjustment

range



wall thickness



wall thickness

adjustment

EXAMPLES OF INSTALLATION - HIDE DOORS




reversed rebate (inward opening)




non-rebated (outward opening)

RETRO MODULE (WITH PORTA SYSTEM DOOR FRAME)



PREPARATION OF THE OPENING FOR INSTALLATION OF THE NON-REBATED DOOR FRAME



Door dimensions

PORTA SYSTEM LEVEL DOOR MINIMAX **PORTA SYSTEM** DOOR FRAME WITH REVERSED **DOOR FRAME** DOOR FRAME **ELEGANCE DOOR** FRAME REBATE **FRAME** 보위소 ř PORTA HIDE PORTA SLIDING ■ STEEL DOOR FRAME ■ NON-REBATED STEEL DOOR FRAME SYSTEM Os So S_7 윈뷔층 ð 되用모 ò Ħ 운 FRAMELESS SLIDING SYSTEM ■ COMPACT SLIDING SYSTEM 0

DIMENSIONS KEY

- total door leaf width (including rebates) S_s
- total door leaf height (including rebate) Нς
- D_s door leaf thickness
- width of a wall opening prepared for installation So
- height of a wall opening prepared for installation, measured from finished Ho
- opening width (for Alfa and Beta this dimension is decreased by the door leaf O_s
- opening height (measured from finished floor level)
- S_B door frame width without architraves

Refer to architrave 60/80 mm in dimension tables (S_.).

- door frame height, without architraves
- total door frame width with architraves Sz

 $H_{\rm B}$

- H_z total height of door frame, including architraves
- width of sliding door masking system M_s
- thickness of a rail cover (sliding systems) Mg
- B_{G} thickness of a door stop (jamb) (sliding systems)
- acceptable width and height tolerance (wall opening)
- \mathbf{S}_{c} wall opening width for a metal cassette (pocket door system)
- wall opening height for a metal cassette (pocket door system), (measured H_c
 - from finished floor level)

ŏ₽

POLISH NORM (PN)

INTERNAL DOORS WITH WOODEN DOOR FRAMES


TABLE 1

Table with dimension for internal double doors you can find on: www.porta.com.pl/do-pobrania

In order to obtain dimension So for double leaf doors it is necessary:

- a) for rebated door leaves with PORTA SYSTEM frame: to the So, dimension given in Table 1 for single door leaf, add the Ss dimension of the second (rebated) leaf or of the side panel (rebated)
- b) for rebated door leaves with other frames: to the door leaf dimension So given in Table 1 for the single door leaf (rebated) door leaf, add the Ss dimension of the second (rebated) door leaf or side panel, and reduce the resulting value additionally by 10 mm.
- · c) for non-rebated leaves: to the So dimension given in Table 1 for the single (non-rebated) door leaf, add the Ss dimension of the second (non-rebated) door leaf or the side panel (non-rebated) door leaf, increased by 16 mm.





DOOR FRAME TYPE	SIZE	S _s	H_s	D _s	S _o	H _o	O _s	O _w	S _B	H _B	S _z (6)	S _z (8)	H_z	$\mathbf{T}_{\mathrm{s w}}$
	60	644			710		602		690		800	-		
Minimax 60 mm,	70	744	1		810	1	702	1	790	1	900	-		
Minimax 100 mm,	80	844	2030	40	910	2075	802	2016	890	2060	1000	-	2115	+20/+10
MDF in Natural veneer	90	944			1010		902		990		1100	-		
	100	1044			1110		1002		1090		1200	-		
	60	644			680		602		646		746	786		
	70	744			780		702		746		846	886		
PORTA SYSTEM	80	844	2030	40	880	2060	802	2016	846	2038	946	986	architrave (6) / (8)	+20/+10
PORTASTSTEIN	90	944	2030	40	980	2000	902	2010	946	2030	1046	1086	2088 / 2108	+207+10
	100	1044			1080		1002		1046		1146	1186		
	110	1144			1180		1102		1146		1246	1286		
	60	618			690		602		646]	-	786	_	
DODTA CVCTEM ELECANICE	70	718			790	2000 (702		746]	-	886	2108/	
PORTA SYSTEM ELEGANCE LEVEL	80	818	2017	40	890	2060 / 2070	802	2016	846	2038 / 2046	-	986	top panel (20) / (100)	+10/+10
	90	918			990		902		946	ļ	-	1086	2228/3028	
	100	1018			1090		1002		1046		-	1186		
	60	618			690		602		646		-	786	_	
PORTA SYSYTEM ELEGANCE	70	718			790		702		746]	-	886		
90 degrees	80	818	2017	40	890	2060	802	2016	846	2038	-	986	2108	+10/+10
_	90	918			990		902		946		-	1086	_	
	100	1018			1090		1002		1046		-	1186		
	60	639			720		626		691	ļ	-	831	_	
PORTA SYSTEM	70	739			820		726		791		-	931	_	
with reversed rebate*	80	839	2027	40	920	2080	826	2028	891	2061	-	1031	2130	±10/±5
	90	939			1020		926		991		-	1131		
	100	1039			1120		1026		1091		-	1231		
	60	644			596		558		584		746	-	_	
	70	744			696		658		684		846	-		
RENOVA**	80	844	2030	40	796	2016	758	1994	784	2007	946	-	2088	+15/-6
	90	944			896		858		884		1046	-		
	100	1044			996		958		984	ļ	1146	-		
	110	1144			1096		1058		1084		1246	-		
	60	644	1		680	1	602		646	1	-	789		
	70	744			780		702		746		-	889	4	
Villadora RETRO	80	844	2030	40	880	2060	802	2016	846	2038	-	989	2110	+20/+10
	90	944	1		980	1	902		946	1	-	1089		
	100	1044			1080		1002		1046		-	1189	1	

■ EXTENDING OF REGULATION RANGE OF THE ADJUSTABLE FRAME PORTA SYSTEM WITH A TUNNEL PORTA SYSTEM WITH COMBINING FEATHER

DOOR FRAME TYPE	Regulation range [mm]								
D+D	288-308	G+F	388-408	I+I	488-508	K+L	588-608	N+N	688-688
E+D	308-328	G+G	408-428	J+I	508-528	L+L	608-628		
E+E	328-348	H+G	428-448	J+J	528-548	L+M	628-648		
F+E	348-368	H+H	448-468	K+J	548-568	M+M	648-668		
F+F	368-388	I+H	468-488	K+K	568-588	M+N	668-688		

NOTE: S₂ and H₂ dimensions of door frame in Natural veneers are given with tolerance -1 mm/ + 3 mm. *Dimension S₂ and H₂ measured on the wider side of the door leaf. They are the same as dimensions of doors with PSE

S, /H, width/height of clear opening of old steel frame. Ts/w - tolerance +15 mm depends on a construction of the old door frame * Villadora RETRO - size "110" not available, architraves width 6 cm

DODTA LIDE DOODS

PORTA HIDE D	OOKS								
DOOR FRAME TYPE	SIZE	S _s	H_s	s _o	H_o	O_s	O _w	S _B	H _B
	70	718		800		703		787	
PORTA HIDE non-rebated (opening outward)	80	818	2017	900	2070	803	2017	887	2059
(opening outward)	90	918		1000		903		987	
	70	718		800		703		787	
PORTA HIDE with reversed rebate (inward opening)	80	818	2027	900	2080	803	2027	887	2069
resute (iiiiaia opeiiiig)	90	918		1000	1			987	

TABLE 2

POLISH NORM (PN)

■ INTERNAL DOORS WITH STEEL DOOR FRAMES

TABLE 3

DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	\mathbf{H}_{s}	D_s	S _o	H _o	\mathbf{O}_{s}	O_{w}	$S_{_{\rm B}}$	$H_{\scriptscriptstyle B}$	$\mathbf{S}_{\mathbf{z}}$	$\mathbf{H}_{\mathbf{z}}$	T _{s/w}
	60	644			649		596		629		706		
	70	744			749	1	696		729	1	806		
Corner profile door frame - SMALL PLUS	80*	844	2030	40	849	2043	796	2016	829	2033	906	2071	±10/±5
- SWALL PLOS	90*	944			949	1	896		929	1	1006		
	100	1044			1049]	996]	1029	1	1106		
	60	644			675		596		656		706		
	70	744			775	1	696		756	1	806		
Corner profile door frame - LARGE for concrete walls and stainless	80*	844	2030	40	875	2055	796	2016	856	2046	906	2071	±10/±5
steel LARGE folding	90*	944	2030	40	975	2055	896	2016	956	2040	1006	20/1	±10/±3
Steel E title Folding	100	1044			1075		996		1056		1106		
	110	1144			1175		1096		1156		1206		
	60	644			685		596		680		706		
	70	744			785		696		780		806		
Corner profile door frame	80*	844	2030	40	885	2055	796	2016	880	2046	906	2071	+10/+5
- LARGE, plasterboard walls	90*	944	2030	40	985	2033	896	2010	980	2040	1006	20/1	+107+3
	100	1044			1085		996		1080		1106		
	110	1144			1185		1096		1180		1206		
	60	644			690		596		670		716		
	70	744			790		696	1	770		816		
Adjustable steel door frame	80*	844	2030	40	890	2063	796	2016	870	2053	916	2076	-10 /-5
rajustasie steel aooi name	90*	944	2030		990	2003	896	2010	970	2000	1016	2070	107 3
	100	1044			1090		996		1070		1116		
	110	1144			1190		1096		1170		1216		
	60	644			700		596		679		736		
	70	744			800		696		779		836		
Adjustable PS with, sharp edges'	80*	844	2030	40	900	2070	796	2016	879	2058	936	2086	-10/-5
	90*	944			1000		896		979		1036		
	100	1044			1100		996		1079		1136		
	60	644			675		596		646		736		
Starl DODTA SYSTEM	70 80*	744	2020	40	775	2055	696	2016	746	2041	836	2006	.10/.5
Steel PORTA SYSTEM		844 944	2030	40	875	2055	796	2016	846	2041	936	2086	±10/±5
	90* 100	_			975 1075	ł	896 996		946 1046	ł	1036		
	60	1044 618			676		596 596		646		1136 736		
	70				776	{	696	ł	746	ł	836		
Steel	80	718 818	2017	40	876	2056	796	2016	846	2041	936	2086	±10/±5
PORTA SYSTEM ELEGANCE**	90	918	2017	40	976	2050	896	2010	946	2041	1036	2080	±10/±5
	100	1018			1076	ł	996	{	1046	ł	1136		
	60	618			676		596		656		736		
	70	718			776	1	696	1	756	1	836		
Corner profile non-rebated	80	818			876	ł	796	1	856	1	936		
- LARGE for concrete walls**	90	918	2017	40	976	2056	896	2016	956	2046	1036	2086	±10/±5
	100	1018			1076	1	996		1056	1	1136		
	110	1118			1176	Í	1096	İ	1156	1	1236		
	60	618			681		596		656		736		
	70	718			781	1	696	1	756	1	836		
	80	818			881		796	1	856	1	936		l l
Corner profile non-rebated - LARGE for plasterboard walls**	90	918	2017	40	981	2056	896	2016	956	2046	1036	2086	+10/+5
- LANGE for plasterboard walls**	100	1018			1081	1	996	1	1056	1	1136		
	110	1118			1181	ĺ	1096	1	1156	1	1236		
	60	618			690		596		670		736		
	70	718			790	1	696	1	770	1	836		
Adjustable, non-rebated	80	818	2017	40	890	2062	796	2016	870	2052	936	2006	10/5
steel door frame	90	918	2017	40	990	2063	896	2016	970	2053	1036	2086	-10/-5
	100	1018			1090	ĺ	996	1	1070	1	1136		
	110	1118			1190	1	1096	1	1170	1	1236		

PORTA LOFT STEEL

DOOR FRAME TYPE	SIZE	\mathbf{S}_{o}	H_{o}	$S_{\rm Z}/S_{\rm B}$	$H_{\rm Z}/H_{\scriptscriptstyle B}$
PORTA LOFT Steel	80	874	2053	864	2048
FORTA LOFT Steel	90	974	2055	964	2048

*NOTE! Investment norm (clear opening width 800,900 mm) is available as a standard without an extra charge - add 8 mm to 50 dimension. Please, remember to order suitable size of door leaves which are dedicated for the set.

**If the back of the hinge does not fit in a wall opening, a little wall chasing has to be made.

POLISH NORM (PN)

TECHNICAL DOORS	TABLE 4
-----------------	---------

I TECHNICAL DOC														IABLE 4
DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	H_s	D_s	S_0	H _o	O_s	$O_{\rm w}$	$S_{_{\rm B}}$	H _B	S _z (6)	S _z (8)	H_z	$T_{\rm s/w}$
	60	644			680		602		646		746	786		
Rw=27 dB	70	744			780		702		746		846	886	architrave	
with PORTA SYSTEM door frame	80	844	2030	40	880	2060	802	2016	846	2038	946	986	(6) / (8)	+20/+10
WILLIFOR IA 3131EM GOOF Harrie	90	944			980		902		946		1046	1086	2088/2108	
	100	1044			1080		1002		1046		1146	1186		
	60	644			680		602		650		746	786		
Rw=32 dB	70	744			780	1	702		750		846	886	architrave	
with PORTA SYSTEM door frame	80	844	2030	44	880	2060	802	2016	850	2040	946	986	(6) / (8)	+20/+10
Will Otta STSTEM GOOT Hanc	90	952			988	1	910		958		1054	1094	2088/2108	
	100	1044			1080		1002		1050		1146	1186		
PORTA SILENCE Rw=37 dB	80	844			880	4	802		850		946	986	4	
adjustable rebated	90	968	2030	49/50	1004	2060	926	2016	974	2040	1070	1110	2088/2108	+20/+10
	100	1044			1080	1	1002		1050		1146	1186	1	
PORTA SILENCE Rw=37 dB	80	818	2047	40 / 50	880		801	2046	849	2010		985		00 / 40
adjustable non-rebated	90 100	968 1018	2017	49/50	1030 1080	2060	951 1001	2016	999 1049	2040	-	1135 1185	-/2108	+20/+10
	80	844			950	<u> </u>	802		922		1024	1064	 	
PORTA SILENCE Rw=37 dB	90	968	2030	49/50	1074	2090	926	2017	1046	2077	1148	1188	2128/2148	±10/±5
fixed rebated	100	1044	2030	457 50	1150	2000	1002	2017	1122	20//	1224	1264	2120/2190	1107 13
	80	818			950	1	801		921		-	1063	1	
PORTA SILENCE Rw=37 dB	90	968	2017	49 / 50	1100	2090	951	2017	1071	2077	-	1213	-/2148	±10/±5
fixed non-rebated	100	1018		,	1150		1001		1121		-	1263	,	
	80	844			876		796		856		906	-	1	
PORTA SILENCE Rw=37dB rebated with a steel door frame	90	968	2030	49 / 50	1000	2055	920	2013	980	2043	1030	-	2068	±10/±5
repated with a steel door frame	100	1044			1076		996		1056		1106	-	1	
PORTA SILENCE Rw=37dB	80	818			875		795		855		905	-	1	
non-rebated with a steel door	90	968	2017	49 / 50	1026	2055	945	2013	1005	2043	1055	-	2068	+10/+5
frame	100	1018			1075		995		1055		1105		<u> </u>	
Rw=42 dB	80	868			915		802		872		968	1008	architrave	
with reinforced PORTA SYSTEM	90	968	2047	68 / 69	1015	2080	902	2020	972	2056	1068	1108	(6) / (8)	+20/+10
door frame	100	1068			1115		1002		1072		1168	1208	2104/2124	
Rw=42 dB	80	868			975	4	802		946		1048	1088	architrave	
with MDF door frame	90	968	2047	68/69	1075	2105	902	2021	1046	2093	1148	1188	(6) / (8)	±10/±5
	100	1068			1175	1	1002		1146		1248	1288	2144/2164	
Rw=42 dB	80	888	20.47	60.160	890	2055	810	2015	870	20.45	950	-	2005	.407.5
with steel door frame*	90	988	2047	68/69	990	2055	910	2015	970	2045	1050	-	2085	±10/±5
	100 60	1088 644			1090 750		1010 602		1070 722		1150 824	864		
	70	744			850	-	702		822		924	964	1	
EI 30 with MDF door frame	80	844	2030	44 / 45	950	2090	802	2014	922	2077	1024	1064	architrave (6) / (8)	±10/±5
LI 30 WILLI WIDT GOOT HAITE	90	952	2030	44745	1060	2090	910	2014	1030	20//	1132	1172	2128 / 2148	110713
	100	1044			1150	1	1002		1122		1224	1264	1	
	60	644			675	İ	596		656		706	-		
El 30,	70	744		44 / 45	775	1	696		756		806	-	1	
Rw=27 dB,	80	844	2030	40/41	875	2055	796	2013	856	2043	906	-	2068	±10/±5
Rw=32 dB	90	952		44 / 45	985	1	904		964		1014	-	1	
with a steel door frame*	100	1044			1075	1	996		1056		1106	-		
Rw = 27 dB,	60	644			685		596		680		706	-		
RW = 27 dB, RW = 32 dB	70	744		40/41	785		696		780		806	-		
with a steel door frame for plaster-	80	844	2030	44 / 45	885	2058	796	2013	880	2058	906	-	2068	+10/+5
board walls	90	952			993	_	904		988		1014	-	_	
	100	1044			1085		996		1080		1106	-		
	60	644			675	4	596		656		706	-	-	
FNDUDO	70	744	2020	40	775	2055	696	2016	756	2046	806	-	2071	.10 / . 5
ENDURO	80 90	844 952	2030	40	875 985	2055	796 904	2016	856 964	2046	906 1014	-	2071	±10/±5
	100	1044			1075	1	996		1056		1106	_	1	
	60	618			750	1	638		728		728	_	1	
ENDURO	70	718			850	0	738		828		828	-	0.5	
with a swinging door frame	80	818	2017	40	950	2085	838	2030	928	2075	928	-	2075	±10/±5
	90	918		<u></u>	1050	<u>l</u>	938		1028		1028	-	<u>l</u>	<u></u>
Strength performance Class 4	70	752			783		704		764		814	-		
with corner profiledoor frame	80	852	2030	40	883	2055	804	2016	864	2046	914	-	2071	±10/±5
LARGE for concrete walls	90	952	2030	70	983	ررںے	904	2010	964	2040	1014	-	20/1	±10/±3
	100	1052		ļ	1083		1004		1064		1114	-	ļ	ļ
Strength performance Class 4	70	752		1	793		704		788		814	-		1
with corner profiledoor frame	80	852	2030	40	893	2055	804	2016	888	2046	914	-	2071	±10/±5
LARGE for plasterboard walls	90	952			993	4	904		988		1014	-	4	1
	100	1052			1093	1	1004		1088		1114	-	1	
Chromoth monforms	70	752		1	798	-	704		778		824		4	1
Strength performance Class 4 with ADJUSTABLE steel door frame	80 90	852 952	2030	40	898 998	2063	804 904	2016	878 978	2053	924 1024	_	2076	±10/±5
WILL ADJUSTABLE Steel GOOT ITAME	100	1052		1	1098	1	1004		1078		1124		1	1
	70	752			784	<u> </u>	704		754		844	-	<u> </u>	
Strength performance Class 4	80	852		1	884	1	804		754 854		944		1	1
with steel PORTA SYSTEM	90	952	2030	40	984	2056	904	2016	954	2041	1044	_	2086	±10/±5
	100	1052			1084	1	1004		1054		1144	_	1	
	70	715		 	760	1	700		739		796	-	1	
Multipurpose doors for utility	80	815	2017	40***	860	2050	800	2018	839	2038	896	_	2066	±10/±5
rooms	90	915	2017	10	960	2000	900	2010	939	2000	996	_	2000	1.0713
Steel BASIC and Steel BASIC PLUS	80	852			857	2043 - Basic	804		837		914	-	2071 - Basic	
with a corner profile door frame -	90	952	2030	40	957	2043 - Basic 2047 - Basic	904	2016	937	2033	1014	_	2071 - Basic 2075 - Basic	±10/±5
SMALL PLUS	100	1052			1057	PLUS	1004		1037		1114	-	PLUS	
	.50	1002					1001		. 557					

Project (BIS and Premium) requires enlarging the wall opening S₀ by 30 mm and H₀ by 15 mm (dimension tolerance +-10 mm/ +-5 mm)
 Other Project door frame sizes, see drawing on page 190.
 Steel threshold decreases given dimension by 16 mm.
 Door leaf thickness is measured on vertical edges (door leaf without infill, opened from closing side).

POLISH NORM (PN)

■ TECHNICAL DOORS TABLE 5

DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	\mathbf{H}_{s}	\mathbf{D}_{s}	S _o	H _o	O _s	O_{w}	$\mathbf{S}_{_{\mathrm{B}}}$	$H_{\scriptscriptstyle B}$	S _z (6)	S _z (8)	H _z (8)	T _{sjw}
	60	668			775		628		747		858	-		
El 60	70	768	2030	60 / 61	875	2090	728	2017	847	2077	958	-	2133	±10/±5
with a wooden door frame	80	868	2030	00701	975	2090	828	2017	947	20//	1058	-	2133	±107±3
	90	968			1075		928		1047		1158	-		
	60	668			700		618		678		732	-		
EI 60	70	768	2030	60 / 61	800	2055	718	2011	778	2041	832	-	2068	±10/±5
with a steel door frame*	80	868	2030	00701	900	2033	818	2011	878	2041	932	-	2000	±107±3
	90	968			1000		918		978		1032	-		
	60	720			745		660		730		780	-		
	70	820			845		760		830		880	-		
EI30 PLUS, EI60 PLUS	80	920	2040	62	945	2065	860	2023	930	2057	980	-	2083	±10/±5
	90	1020			1045		960		1030		1080	-		
	100	1120			1145		1060		1130		1180	-		
	90+30**	1423			1445		1363		1431		1483			
	90+40**	1523			1545		1463		1531		1583			
	90+50**	1623			1645		1563		1631		1683	-		
EI30 PLUS, EI60 PLUS double	90+60	1723	2040	62	1745	2065	1663	2023	1731	2057	1783	-	2083	±10/±5
	90+70	1823			1845		1763		1831		1883	-		
	90+80	1923			1945		1863		1931		1983	-		
	90+90	2023			2045		1963		2031		2083	-		
	60	644			680		602		650		746	786		
INDIOVO 27 dp	70	744			780		702		750		846	886	architrave	
INNOVO 37 dB with PORTA SYSTEM door frame	80	844	2030	44	880	2060	802	2016	850	2040	946	986	(6) / (8)	+20/+10
WILLI FOR IA 3131 EWI GOOF ITAINE	90	968			1005		926		974		1070	1110	2088 / 2108	
	100	1044			1080		1002		1050		1146	1186		
	60	644			675		596		656		706	-		
	70	744			775		696		756		806	-		
INNOVO 37 dB with steel door frame	80	844	2030	44	875	2055	796	2013	856	2043	906	-	2068	+10/+5
with steer door frame	90	968			1000		920		980		1030	-		
	100	1044			1075		996		1056		1106	-		
	80	888			990		822		966		1068	1008	architrave	
INNOVO 42 dB with MDF door frame	90	988	2047	62	1090	2105	922	2021	1066	2093	1168	1108	(6) / (8)	±10/±5
with MD1 Goof frame	100	1088			1190		1022		1166		1268	1208	2144/2164	
	80	888			925		822		894		990	1030	architrave	
INNOVO 42 dB with PORTA SYSTEM door frame	90	988	2047	62	1025	2075	922	2020	994	2056	1090	1130	(6) / (8)	+20/+10
with Skin State and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state and the state	100	1088			1125		1022		1094		1190	1230	2104/2124	
unique se la	80	888			890		810		870		950	-		
INNOVO 42 dB with steel door frame	90	988	2047	62	990	2055	910	2015	970	2045	1050	-	2085	±10/±5
with steel door frame	100	1088			1090		1010		1070		1150	-		

^{**} passive leaf - flush door (without glass)

APARTMENT ENTRANCE DOORS

TABLE 6

DOOR FRAME TYPE	SIZE	S _s	H _s	D_s	S _o	H _o	O_s	O_w	S_B	H _B	S _z (6)	S _z (8)	H_z	$T_{s/w}$
AGATE, OPAL,	80	844		40 / 41	876		796		856		906	-		
QUARTZ, GRANITE kl. C	90	952	2030*	44 / 45	986	2056	904	2016***	964	2046	1014	-	2071	±10/±5
with a steel door frame**	100	1044		48 / 49	1076		996	1	1056		1106	-		
EXTREME RC2,	80	844			876		796		856		906	-		
EXTREME RC 3	90	968	2032	50	1000	2056	920	2016	980	2046	1030	-	2071	+10/+5
with a steel door frame**	100	1044			1076		996		1056		1106	-		
EVEDEME DC 2	80	844			880		802		850		-	986		
EXTREME RC 3 with PS frame	90	968	2032	50	1005	2060	926	2018	974	2042	-	1110	2110	+20/+10
with F3 hame	100	1044			1080		1002		1050		-	1186		
EXTREME RC 4	80	844			880		798		858		908	-		
with a steel door frame**	90	968	2032	54	1005	2060	922	2016***	982	2046	1032	-	2071	±10/±5
with a steel door frame	100	1044			1080		998		1058		1108	-		
	80	868			900		820		880		930	-		
Steel SECURE	90	968	2040	54	1000	2065	920	2025	980	2055	1030	-	2080	±10/±5
	100	1068			1100		1020		1080		1130	-		
1	80	868			900		820		880		930	-		
Steel SAFE	90	968	2037	54	1000	2065	920	2023***	980	2053	1030	-	2078	±10/±5
	100	1068			1100		1020		1080		1130	-		

EXTERNAL DOORS TABLE 7

	SIZE	\mathbf{S}_{s}	H_s	\mathbf{D}_{s}	S _o	H _o	O_s	$O_{\rm w}$	$S_{_{\rm B}}$	$H_{\scriptscriptstyle B}$	$\mathbf{S}_{\mathbf{z}}$	H_z	$T_{\rm s/w}$
	80	868			900		820		880		930		
Steel SAFE	90	968	2037	54	1000	2065	920	2023*	980	2053	1030	2078	
	100	1068			1100		1020		1080		1130		
	80	868			900		822		882		932		
Steel SAFE with Thermo door frame	90	968	2037	54	1000	2065	922	2023*	982	2053	1032	2078	±10/±5
	100	1068			1100		1022		1082		1132		
	80	868			900		822		882		932		
Steel ENERGY PROTECT	90	968	2037	66	1000	2065	922	2023*	982	2053	1032	2078	
	100	1068			1100		1022		1082		1132		

^{*} Steel threshold decreases given dimension by 16 mm.

^{*} for Granite class C Hs=2032

** Project (8|S and Premium) requires enlarging the wall opening So by 30 mm and Ho by 15 mm (dimension tolerance +-10 mm/ +-5 mm)

Other Project door frame sizes, see drawing on page 190.

*** Steel threshold decreases given dimension by 16 mm.

POLISH NORM (PN)

SLIDING SYSTEMS, FOLDING DOORS

TABLE 8

	SIZE	\mathbf{S}_{s}	Н	5	\mathbf{D}_{s}	S ₀	ı	H ₀	\mathbf{O}_{s}		$\mathbf{O}_{\mathbf{w}}$	${\sf H}_{\sf z}$	М	_s (6)/(8	B) N	I _G	\mathbf{B}_{G}	$\mathbf{T}_{\mathrm{s} \mathrm{w}}$
	60	644				680			602					1413				
	70	744				780			702					1613				
PORTA sliding system	80	844	203	80	40	880	20	060	802		2016	2119		1813	10)3	60	+20/+10
	90	944				980			902					2013				
	100	1044				1080			1002					2213				
	SIZE	S _s	н	5	D _s	S ₀ (6)/(8) i	H ₀	O _s (6)		O _s (8)	O _w		H _z	M _s (6	5)/(8)	$M_{\scriptscriptstyle G}$	$T_{s w}$
	60	744				680/640)		602		560				14	48		
	70	844				780/740)		702		660				16	48		
	80	944				880/840)		802		760				18	48		
	90	1044			40	980/940)		902		860	2046			20	48		00/40
ALU sliding system	110	2 x 644	203	30	40	1220/118	10)60	1145		1104	2016		2114	24	52	68	+20/+10
	130	2 x 744				1420/138	O		1345		1304				28	52		
	150	2 x 844				1620/158	O		1545		1504				32	52		
	170	2 x 944				1820/178	_	-	1745		1704				36	_		
	SIZE			•	_	5 (6)(0)									(6)	F (0)	H ₂ (6)/(8)	
	SIZE	S _s	H _s		D _s	S ₀ (6)/(8)	H _o	O _s		O _w	S _B		l _B	Sz	(6)	S _z (8)	11 _Z (0)/(0)	T _{s w}
	60	644	_			680		460			646		- 1		46	786	ļ	
	70	744	_			780		560			746		- 1	84		886	ļ	
ALFA system	80	844	2000		40	880	2060	660		2016	846	20)43	94	46	986	2088/210	3 +20/+10
	90	944				980		760			946		1	10	46	1086	l	
	100	1044				1080		860			1046	5		11	46	1186		
	60	588				680		450			646		1	74	46	786	l	
ALFA system	70	688	1990		40	780	2070	550		2016	746	20)50	84	46	886	2088/210	3 +20/+10
ALIA System	80	788	1990		40	880	2070	650		2010	846		130	94	46	986	2000/2100	7207 +10
	90	888				980		750			946			10	46	1086		
	SIZE	S _s	H_s	D _s	S	H ₀ *	O _s	0,	ı	S _B	H _B	S _z (6)	S _z	(8)	H _z (6)/(8)	\mathbf{S}_{c}	H _c	$\mathbf{T}_{\mathrm{s w}}$
	60	644			66)	600			654		744	7	34		1355		
	70	744			76)	700			754		844	8	34		1555		
COMPACT pocket door system - single	80	844	2030	40	86	2065	800	201	8	854	2040	944	9.	34	2090 /2110	1755	2130	+5/+10
system - single	90	944			96)	900			954		1044	10	184	/2110	1955		
	100	1044			106	0	1000			1054		1144	11	84		2155		
	2 x 60	644			126	5	1214	T		1258		1358	13	98		2610		
	2 x 70	744			146	5	1414	7		1458		1558	15	98		3010		
COMPACT pocket door	2 x 80	844	2030	40	166	5 2065	1614	201		1658	2040	1758		'98	2090	3410	2130	+5/+10
system - double	2 x 90	944			186		1814		_	1858		1958		198	/2110	3810	_	
	2 x 100	1044			206	_	2014	_		2058		2158		98		4210	_	
L	27.100	10-1-1			200	_	2019			-050		2130		,,,		7210	1	

^{*} For COMPACT pocket door system, H_0 and S_0 sizes refer to opening dimension of steel cassette to be installed with wood-based door frame.

	SIZE	\mathbf{S}_{s}	\mathbf{H}_{s}	\mathbf{D}_{s}	\mathbf{S}_{o}	${\rm H_o}$	M_{s}	$T_{s/w}$
	70	744			680			
BLACK sliding system*	80	844	2090	40	780	2060	2000	±10/±5
BLACK sliding system	90	944	2090	40	880	2000	2000	±10/±3
	100	1044			980			
	70	744			680			
SLIDE sliding system	80	844	2200	40	780	2060	2010	±10/±5
SLIDE Sliding System	90	944	2200	40	880	2000	2010	±10/±3
	100	1044			980			
	90	944			680		1665	
EFEKT sliding system	100	1044	2230	40	780	2060	1865	-10/±50
	110	1144			880		2065	

^{*} In case of installing different door leaf than PORTA BLACK, wall opening should be decreased by 60 mm

	SIZE	\mathbf{S}_{s}	\mathbf{H}_{s}	\mathbf{D}_{s}	S_0	H _o	\mathbf{O}_{s}	\mathbf{O}_{w}	\mathbf{S}_{B}	$H_{\scriptscriptstyle B}$	$\mathbf{S}_{\mathbf{z}}$	$\mathbf{H}_{\mathbf{z}}$	S _c	${\bf H_c}$	$T_{S/W}$
	70	744			1580		726		823		1560		1580		
Frameless system	80	844	2030	40	1780	2110	826	2036	923	2067	1760	2101	1780	2110	+10/+10
	90	944	1		1980	Ì	926		1023		1960		1980		

Door dimensions tables - height '220'

POLISH NORM (PN)

INTERNAL DOORS WITH WOODEN DOOR FRAMES

TABLE 9

DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	\mathbf{H}_{s}	\mathbf{D}_{s}	S_0	H _o	\mathbf{O}_{s}	O_{w}	$S_{_{B}}$	$H_{\scriptscriptstyle B}$	S _z (6)	S _z (8)	H_z	$T_{s w}$
	60	644			680		602		646		746	786		
	70	744			780		702		746		846	886		
PORTA SYSTEM	80	844	2230	40	880	2260	802	2216	846	2238	946	986	architrave (6) / (8)	+20/+10
FORTASTSTEW	90	944	2230	40	980	2200	902	2210	946	2230	1046	1086	2288 / 2308	+207 +10
	100	1044			1080		1002		1046		1146	1186		
	110	1144			1180		1102		1146		1246	1286		
	60	618			690		602		646		-	786		
	70	718			790		702		746		-	886		
PORTA SYSTEM ELEGANCE	80	818	2217	40	890	2260	802	2216	846	2238	-	986	2308	+10/+10
	90	918			990		902		946		-	1086		
	100	1018			1090		1002		1046		-	1186		
	60	618	[690		602		646		-	786		
	70	718			790		702		746		-	886		
PORTA SYSTEM ELEGANCE 90 degrees	80	818	2217	40	890	2260	802	2216	846	2238	-	986	2308	+10/+10
	90	918			990		902		946		-	1086		
	100	1018			1090		1002		1046		-	1186		
	60	639			720		626		691		-	831		
DODTA CVCTTAA	70	739			820		726		791		-	931		
PORTA SYSTEM with reversed rebate	80	839	2227	40	920	2280	826	2228	891	2261	-	1031	2330	±10/±5
	90	939	1		1020		926		991		-	1131		
	100	1039			1120		1026		1091		-	1231		

NOTE: Sz and Hz dimensions of dooor frame in Natural veneers ae given with tolerance -1 mm/ + 3 mm.

INTERNAL DOORS WITH STEEL DOOR FRAMES

TABLE 10

DOOR FRAME TYPE	SIZE	\mathbf{S}_{s}	$H_{\rm s}$	D_s	S_0	H _o	O_s	O_w	$S_{_{\rm B}}$	$H_{\scriptscriptstyle B}$	$\mathbf{S}_{\mathbf{z}}$	H_z	$T_{s w}$
	60	644			675		596		646		736		
	70	744			775		696		746		836		
steel PORTA SYSTEM	80	844	2230	40	875	2255	796	2216	846	2241	936	2286	±10/±5
	90	944			975		896		946		1036]	
	100	1044			1075		996		1046		1136		
	60	618			675		596		646		736		
	70	718			775		696		746		836]	
steel PORTA SYSTEM ELEGANCE*	80	818	2217	40	875	2255	796	2216	846	2241	936	2286	±10/±5
	90	918			975		896		946		1036		
	100	1018			1075		996		1046		1136		

^{*}If the back of the hinge does not fit in a wall opening, a little wall chasing has to be made.

HEIGHT, 220' IS AVAILABLE IN CHOSEN COLLECTIONS:

- 4 Elements
- PORTA VECTOR
- PORTA ART DECO
- PORTA DESIRE
- PORTA OSLO
- Nature OSLO
- Nature CLASSIC
- Nature LINE
- Nature VECTOR

- Dimensions tolerance according to PN: to 1 m +=1mm, above 1 m +-2mm.
- Side door panels for rebated door sets are available in Natural veneer in size '40', S_c=444, H_c=2030.
- Door frames are designed to be installed on finished floor level. For steel door frames there is a possibility to order them in lengthen option + 30 mm (to be mounted under floor level). In this case sizes $\rm H_{\rm g}$ and Hz are enlarged by 30 mm (level -30). Given dimension refers to internal door leaves, both rebated and sliding

- PORTA SYSTEM integrated with an upper transom. Dimensions H_o, H_g, H_z +302 mm.

 Project (BIS and Premium) requires enlarging the wall opening S0 by 30 mm and H0 by 15 mm (dimension tolerance +-10 mm/ +-5 mm)

^{*}Dimension Sz and Hz measured on the wider side of the door leaf. They are the same as dimensions of doors with PSE

CZECH NORM/GERMAN NORM (CN/DIN)

■ INTERNAL DOORS TABLE 11

CN/DIN	SIZE	SS	HS	DS	S0	H0	os	ow	SB	НВ	SZ (6)	SZ (8)	HZ (6) / (8)	TS W
	60	648/610			715/680		606/569		694/657		804/767	-		
Minimax 60 mm Minimax 100 mm	70	748/735			815/805		706/694		794/782		904/892	-		
MDF in Natural	80	848/860	1985	40	915/930	2030	806/819	1971	894/907	2015	1004/1017	-	2070	+20 / +10
veneer	90	948/985 1048/ –			1015/1055 1115/-		906/944 1006/-		994/1032 1094/ –		1104/1142 1204/ –	-		
	100 60	648/610			685/650		606/567		650/611		750/711	790/751		
	70	748/735			785/775		706/692	1	750/736	ł	850/836	890/876		
PORTA SYSTEM	80	848/860			885/900		806/817		850/861		950/961	990/1001	profile	
door frame	90	948/985	1985	40	985/1025	2015	906/942	1971	950/986	1993	1050/1086	1090/1126	(6) / (8) 2043/2063	+20 / +10
	100	1048/-			1085/-		1006/-		1050/-		1150/-	1190/-		
	110	1148/-			1185/-		1106/-		1150/-		1250/-	1290/-		
	60 70	622/584 722/709			695/660 795/785		606/567 706/692		650/611 750/736		-	790/751 890/876	-/2063/ LEVEL	
PORTA SYSTEM ELEGANCE / LEVEL	80	822/834	1972	40	895/910	2015/	806/817	1971	850/861	1993/		990/1001	2183/2983	+20 / +10
door frames	90	922/959	1372		995/1035	LEVEL 2025	906/942	.,,,	950/986	LEVEL 2001	-	1090/1126	Upper panel (20)/(100)	1207110
	100*	1022/-			1095/-		1006/-		1050/-	İ	-	1190/-	(20)/(100)	
	60	622/584			695/660		606/567		650/611		-	790/751		
PORTA SYSTEM	70	722/709	4070		795/785		706/692		750/736		-	890/876	10.04	
ELEGANCE 90° door frames	80 90	822/834 922/959	1972	40	895/910 995/1035	2015	806/817 906/942	1971	850/861 950/986	1993	-	990/1001 1090/1126	-/2065	+20/+10
	100	1022/-			1095/-		1006/-	•	1050/-	ł		1190/-		
	60	643/-			725/-		630/-		695/-		-	835/-		
se zárubní	70	743/-			825/-		730/-		795/-	İ	-	935/-		
PORTA SYSTEM with	80	843/-	1982	40	925/-	2035	830/-	1983	895/-	2015	-	1035/-	-/2085	±10/±5
a reversed rebate*	90	943/-			1025/-		930/-		995/-		-	1135/-		
	100	1043/- 648/ -			1125/-		1030/-		1095/-		750/	1235/-		
	70	648/ – 748/ –			600/561 700/686		562/ – 662/ –	1	588/ – 688/ –	+	750/ – 850/ –	-		
RENOVA** door	80	848/ -	1000		800/811		762/ –		788/ –		950/ –	-	22.5	+15*
frame	90	948/-	1985	40	900/936	1971	862/ –	1949	888/ –	1962	1050/ –	-	2043	-6
	100	1048/ –			1000/ –		962/ –		988/ –		1150/ –	-		
	110	1148/ –			1100/ –		1062/-		1088/ –		1250/ –	-		
	60	648/610			655/615		600/561		633/594		710/671	-		
Corner profile door frame	70 80	748/735 848/860	1985	40	755/740 855/865	1995	700/686 800/811	1968	733/719 833/844	1985	810/796 910/921	-	2023	±10/±5
- SMALL PLUS	90	948/985	1903	40	955/990	1993	900/936	1900	933/969	1905	1010/1046	_	2023	±107±3
	100	1048/ –			1055/ –		1000/-		1033/ –	İ	1110/-	-		
Corner profile door	60	648/610			680/640		600/561		660/621		710/671	-		
frame -LARGE	70	748/735			780/765		700/686		760/746	ļ	810/796	-		
for concrete walls and stainless	80	848/860	1985	40	880/890	2010	800/811	1968	860/871	1998	910/921	-	2023	±10/±5
steel LARGE folding	90 100	948/985 1048/ –			980/1015 1080/ –		900/936 1000/ –	-	960/996 1060/ –	l	1010/1046 1110/-	-		
	60	648/610			685/645		600/561		684/645		710/671	-		
Corner profile door	70	748/735			785/770		700/686		784/770	İ	810/796	-		
frame - LARGE	80	848/860	1985	40	885/895	2010	800/811	1968	884/895	1998	910/921	-	2023	+10/+5
for plasterboard walls	90	948/985			985/1020		900/936		984/1020		1010/1046	-		
	100	1048/-			1085/-		1000/-		1084/-		1110/-	-		
	60 70	648/610 748/735			695/655 795/780		600/561 700/686		674/635 774/760		720/681 820/806	_		
ADJUSTABLE	80	848/860	1985	40	895/905	2015	800/811	1968	874/885	2005	920/931	-	2028	-10/-5
door frame	90	948/985			995/1030		900/936		974/1010	İ	1020/1056	-		
	100	1048/ –			1095/-		1000/ –		1074/ –		1120/-	-		
	60	622/584			695/655		600/561		675/635	ļ	740/701	-		
Adjustable steel	70	722/709	1072	40	795/780	2017	700/686	1070/1069	775/760	1995/1993	840/826	-	20/0/2020	-10/-5
door frame, non-rebated	90	822/834 922/959	1972	40	895/905 995/1030	2017	900/936	1970/1968	975/1010	1993/1993	940/951 1040/1076		2040/2038	-10/-3
	100	1022/-			1095/-		1000/ -	1	1075/-	İ	1140/ -	-		
	60	622/584			680/640		600/561		650/611		740/701	-		
Steel PORTA SYS-	70	722/709			780/765		700/686	4077	750/736		840/826	-		
TEM ELEGANCE***	80 90	822/834 922/959	1972	40	880/890 980/1015	2010	800/811 900/936	1970/1968	850/861 950/986	1995/1993	940/951 1040/1076	-	2040/2038	±10/±5
	100	1022/-			1080/-		1000/ -	1	1050/-	ł	1140/ -	-		
	60	622/584			680/640		600/561		660/620		740/701	-		
Corner profile -	70	722/709			780/765		700/686]	760/745	[840/826	-		
LARGE, non-rebated,	80	822/834	1972	40	880/890	2010	800/811	1970/1968	860/870	2000	940/951	-	2040/2038	±10/±5
for concrete	90 100	922/959 1022/ -			980/1015 1080/-		900/936		960/995 1060/ -		1040/1076 1140/ -	-		., ==
walls***	110	1022/ -			1080/ -		1100/ -	1	1160/ -	†	1140/ -	-		
	60	622/584			685/646		600/561		684/645		740/701	_		
Corner profole	70	722/709			785/771		700/686]	784/770	I	840/826	-		
LARGE,	80	822/834	1972	40	885/896	2010	800/811	1970/1968	884/895	2012	940/951	-	2040/2038	+10/+5
non-rebated for plasterboard walls	90	922/959			985/1021		900/936		984/1020		1040/1076	-		,
, your wans	100 110	1022/- 1122/-			1085/ – 1185/ –		1000/ -	1	1084/ -	}	1140/ - 1240/ -	-		
	60	648/610			705/665		600/561		684/645		740/701	-		
Gentlan	70	748/735			805/790		700/686]	784/770	İ	840/826	-		
Steel Adjustable PS with sharp edges*	80	848/860	1985	40	905/915	2023	800/811	1968	884/895	2010	940/951	-	2038	-10/-5
p cages	90	948/985			1005/1040		900/936		984/1020		1040/1076	-		
	100	1048/ -			1105/-		1000/-		1084/ -		1140/ –	-		
	60 70	648/610 748/735			680/640 780/765		600/561 700/686	1	650/611 750/736	+	740/701 840/826	-		
Steel PORTA	80	848/860	1985	40	880/890	2010	800/811	1970/1968	850/861	1995/1993	940/951	-	2040/2038	±10/±5
SYSTEM	90	948/985			980/1015		900/936		950/986	I	1040/1076	-		
	100	1048/1110			1080/1140		1000/1061		1050/1111		1140/1201	-		
· · · · · · · · · · · · · · · · · · ·							·	· · · · · · · · · · · · · · · · · · ·	·			· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·

^{*} only PORTA SYSTEM ELEGANCE ** S_0/H_0 width/height of clear opening of old steel frame. Ts/w - tolerance +15 mm depends on a construction of the old door frame

CZECH NORM/GERMAN NORM (CN/DIN)

EXTERNAL DOORS	TABLE 12
----------------	----------

CN	SIZE	S _s	H _s	D_s	S _o	H _o	O _s	O _w	S _B	H _B	S _z (6)	S _z (8)	H _z	$T_{s/w}$
	80	848			880		800		860		910	-		
Steel SAFE	90	948	1985	53	980	2010	900	1969**	960	1999	1010	-	2024	±10/±5
	100	1048	1		1080		1000	1	1060		1110	-	1	1

■ FOLDING DOORS TABLE 13

CN/DIN	SIZE	\mathbf{S}_{s}	H_s	D_s	S_0	H _o	O_s	\mathbf{O}_{w}	S_B	$H_{\scriptscriptstyle B}$	S _z (6)	S _z (8)	H _z (6), (8)	$T_{s/w}$
	60	647/609			685/650		465/425		650/611		750/711	790/751		
	70	747/734			785/775		565/550		750/736		850/836	890/876	profile	
ALFA	80	847/859	1955	40	885/900	2015	665/675	1971	850/861	1993	950/961	990/1001	(6) / (8)	+20/+10
	90	947/985			985/1025		765/800		950/986		1050/1086	1090/1126	2043/2063	
	100	1047/-			1085/ -		865/-		1050/ -		1150/-	1190/-		
	60	592/554			685/650		455/415		650/611		750/711	790/751		
DETA	70	692/680	1945	40	785/775	2005	555/540	1971	750/736	2004	850/836	890/876	profile (6) / (8)	+20/+10
BETA	80	792/806	1945	40	885/900	2005	655/665	19/1	850/861	2004	950/961	990/1001	2043/2063	+207 +10
	90	892/930			985/1025		755/790		950/986		1050/1086	1090/1126		

■ SLIDING SYSTEMS TABLE 14

CN/DIN	SIZE	\mathbf{S}_{s}	H_s	D_s	S_0	H _o	O_s	$O_{\rm w}$	H_z	$M_s(6), (8)$	$M_{\scriptscriptstyle G}$	\mathbf{B}_{G}	$T_{s/w}$
	60	644			684		606			1413			
PORTA sliding system	70	744			784		706			1613			
PORTA	80	844	1985	40	884	2015	806	1971	2074	1813	103	60	+20/+10
	90	944			984		906			2013			
	100	1044			1084		1006			2213			

CN	SIZE	\mathbf{S}_{s}	\mathbf{H}_{s}	\mathbf{D}_{s}	S_0	$H_{_0}$	\mathbf{O}_{s}	O_w	$S_{_{\rm B}}$	H _B	S _z (6)	S _z (8)	H _z (6),(8)	\mathbf{S}_{c}	$H_{\rm c}$	T _{s/w}
	60	644			660		600		654		744	784		1355		
	70	744			760		700		754		844	884		1555		
COMPACT sliding system - single	80	844	1985	40	860	2020	800	1973	854	1995	944	984	"2045 / 2065"	1755	2085	+10/+5
- single	90	644			960		900		954		1044	1084	2003	1955		
	100	1044			1060		1000		1054		1144	1184		2155		
	2x60	2x 644			1300		1249		1293		1393	1433		2845		
	2x70	2x 744			1500		1449		1493		1593	1633		3045		
COMPACT sliding system -double	2x80	2x 844	1985	40	1700	2020	1649	1973	1693	1995	1793	1833	"2045 / 2065"	3445	2085	+10/+5
-double	2x90	2x 644			1900		1849		1893		1993	2033	2003	3845		
	2x100	2x 1044			2100		2049		2093		2193	2233		4245		

^{*} For COMPACT pocket door system, H_0 and S_0 sizes refer to opening dimension of steel cassette to be installed with wood-based door frame.

CN	SIZE	\mathbf{S}_{s}	H_s	D_s	So	H_{o}	M _s	$T_{s/w}$
	70	744			680			
BLACK sliding system/	80	844	2045 Black/	40	780	2015	2000	+10/+5
SLIDE sliding system	90	944	2155 Slide	40	880	2015	2000	+10/+5
	100	1044			980			

CN	SIZE	\mathbf{S}_{s}	\mathbf{H}_{s}	\mathbf{D}_{s}	S_0	H _o	\mathbf{O}_{s}	O_w	$S_{_{\rm B}}$	$H_{\scriptscriptstyle B}$	$\mathbf{S}_{\mathbf{z}}$	H_z	s _c	\mathbf{H}_{c}	$T_{s,w}$
	70	744			1580		726		823		1560		1580		
Frameless sliding system	80	844	1985	40	1780	2070	826	1991	923	2022	1760	2056	1780	2070	+20/+10
	90	944			1980		926		1023		1960		199980		

PORTA HIDE DOORS TABLE 15

CN	SIZE	\mathbf{S}_{s}	$H_{\rm s}$	D_s	S _o	H_{o}	O_s	$O_{\rm w}$	$S_{_{\rm B}}$	$H_{\scriptscriptstyle B}$
	70	722			804		707		791	
PORTA HIDE non-rebated (opening outward)	80	822	1972	40	904	2025	807	1972	891	2014
outward,	90	922			1004		907		991	
	70	722			804		707		791	
PORTA HIDE with reversed rebate (inward opening)	80	822	1982	40	904	2035	807	1982	891	2024
(inward opening)	90	922	1		1004	1	907		991	1

CZECH NORM/GERMAN NORM (CN/DIN)

■ TECHNICAL DOORS TABLE 16

CN	SIZE	S_s	H_s	D_{s}	S ₀	$\rm H_{\rm o}$	O _s	O _w	$S_{_{\rm B}}$	H _B	S _z (6)	S _z (8)	H _z (6)	H _z (8)	$T_{S/W}$
PORTA SILENCE Rw=37 dB adjustable rebated	80	848			885		806		854		951	991			
	90	948	1985	49÷50	985	2015	906	1971	954	1995	1051	1091	2044	2064	+20/+10
	100	1048	<u> </u>		1085		1006	<u> </u>	1054	<u></u>	1151	1191			
PORTA SILENCE Rw=37 dB adjustable non-rebated	80	822			885		806		854		951	991			
	90	922	1972	49÷50	985	2015	906	1971	954	1995	1051	1091	2044	2064	+20/+10
	100	1022			1085		1006		1054		1151	1191			
PORTA SILENCE Rw=37 dB fixed, rebated	80	848			955		806		926		1031	1071			
	90	948	1985	49÷50	1055	2045	906	1971	1026	2031	1131	1171	2080	2100	±10/±5
	100	1048			1155		1006		1126		1231	1271			
PORTA SILENCE Rw=37 dB fixed, non-rebated	80	822			955		806		926		1031	1071			
	90	922	1972	49÷50	1055	2045	906	1971	1026	2031	1131	1171	2080	2100	±10/±5
	100	1022			1155		1006		1126		1231	1271			
PORTA SILENCE Rw=37dB rebated, with a steel door frame	80	848			880		800		860		910	-			
	90	948	1985	49÷50	980	2010	900	1968	960	1998	1010	-	2023	-	±10/±5
	100	1048			1080		1000		1060		1110	-			
PORTA SILENCE Rw=37dB non-rebated, with a steel door frame	80	822			880		800		860		910	-			
	90	922	1972	49÷50	980	2010	900	1968	960	1998	1010	-	2023	-	+10/+5
	100	1022			1080		1000		1060		1110	-			
EI30 s (fixed) MDF	60	648			755	_	606		726		831	871			
	70	748			855		706		826		931	971			
	80	848	1985	44÷45	955	2045	806	1971	926	2031	1031	1071	2080	2100	±10/±5
	90	948			1055		906		1026		1131	1171			
	100	1048			1155		1006		1126		1231	1271			
EI 30 wooden, with corner	60	648			680		600		660		710	-			
	70	748			780		700		760		810	-			
	80	848	1985	44÷45	880	2010	800	1968	860	1998	910	-	2023	-	±10/±5
	90	948			980		900		960		1010	-			
	100	1048			1080		1000		1060		1110	-			
AGAT, OPAL*	80	848			880		800		860		910	-			
	90	948	1985	44÷45	980	2010	900	1968**	960	1998	1010	-	2023	-	±10/±5
	100	1048			1080		1000		1060		1110	-			
QUARTZ GRANITE cl. C	80	848]		880		800		860		910	-	4		
	90	948	1985	44÷45	980	2010	900	1968	960	1998	1010	-	2023	-	±10/±5
	100	1048			1080		1000		1060		1110	-			
GRANITE RC3,	80	848			880		800		860		910	-			
EXTREME - steek door frame	90	948	1985	50	980	2010	900	1968	960	1998	1010	-	2023	-	+10/+5
- steek door frame	100	1048			1080		1000		1060		1110	-			
GRANITE RC3, EXTREME - PS	80	848			885		806	1	854		951	991	.		
	90	948	1985	50	985	2015	906	1971	954	1995	1051	1091	2044	2064	+20/+10
	100	1048			1085		1006	-	1054		1151	1191			
Steel BASIC and Steel	60	648			653		600	1	633		710	-	.		
BASIC PLUS with corner	70	748			753	1997- Basic	700	1	733		810	-	2025- Basic		
profile steel door frame -	80	848	1985	40	853	2001- Basic PLUS	800	1970	833	1987	910	-	2029- Basic PLUS	-	±10/±5
SMALL PLUS	90	948			953	1 103	900	4	933		810	-	1 503		
	100	1048	1		1053	l	1000		1033		1010	-			

^{*} Project (BIS and Premium) requires enlarging the wall opening S_0 by S_0 by 30 mm and H_0 o 15 mm (dimension tolerance ± 10 mm / ± 5 mm). Other Project door frame sizes, see drawing on page 188. ** Steel threshold decreases given dimension by 16 mm.

Durability levels of PORTA finishes

CHECK THE NUMBER OF STARS NEXT TO EVERY FINISH

You can find six groups in below classification of PORTA finishes. Finishes were grouped considering quality, durability and resistance to external conditions. We hope that this classification will help you to make the best possible choice. You can find the information about durability level next to each product.

ECONOMIC

The most advantageous combination of cost,

STANDARD

Basic durability level which provides the possibility of long-term use in household.

★★★☆☆☆

STANDARD PLUS

Improved STANDARD class with enhanced parame-

PREMIUM

and quality.

A perfect combination of design and guaranteed high quality. Indications for use: residential buildings and offices.



PROFESSIONAL

Durability level that combines great practicality and elegance in any place where doors are directly exposed to long-term external factors. Suggested indications for use: hotels, public buildings and offices.



EXTREME High durability level which guarantees door

protection from intensive usage. Indications for use - places with heavy foot traffic, where hundreds of people pass daily.



ECONOMIC



places with high foot traffic

hotels, offices, public buildings

living compartments, buildings with a wide range of uses



Detailed veneer data, see webpage: www.porta.com.pl/kartyoklein

Especially for you, basing on European standards, we have developed a classification of finishes (durability levels). We took into account various external factors which directly affects the durability of the door surface. Durability levels depends on the resistance to the following factors which make an impact on doors and finishes in everyday use.

ABRASION



Unavoidable during any door usage. Every day doors are exposed to lots of abrasions, caused by people walking through and opening doors inappropriately because of their hands occupied with documents or





The factor which changes the colour shade in long term use. We have checked all types of veneer for you. Especially their reaction to daylight during long year use. We are proud to emphasize that the finishes we chose, achieve very good results throughout the entire time of use.

DETERGENTS

Housekeeping, both at home and in a workplace involves the use of detergents which make an impact on surface durability.

HUMIDITY



Direct exposure to highly humid air influences veneer. Its resistance to this factor guarantees constancy of shape and solid surface throughout the whole time of use.

GLASS PANEL TYPES



Frosted glass panel



'Chinchilla' glass panel



Frosted glass panel 'frame'



transparent glass panel

Glass panels dimensions are available at www.porta.com.pl/do-pobrania

RAL colours

Standard paint ★★★☆☆☆




Premium UV Paint ★★★☆☆



Premium Plus UV paint ★★★★☆



Premium Plus UV paint ★★★★☆




WHITE COLOUR IS COMPARABLE WITH RAL 9003

Due to technology and use of various materials for door frames and door leaves, there might appear slight difference between them.

GREY COLOUR IS COMPARABLE WITH RAL 7035

This finish is available only for PORTA GRANDE collection and for door frames with Premium Plus UV paint finish

Premium lacquered veneer ★★★★☆☆



SUPER MATT veneer ★★☆☆☆



This finish is available in selected products.

Portasynchro 3D veneer ★★★☆☆☆
















At PORTA we do our best to create a perfect colour match of offered doorsets. However due to technology and materials slight differences may appear.

Portadecor veneer ★★★☆☆☆



Fiord** - DRF

Portadur veneer ★★★☆☆



* until stocks last

Portalamio veneer ★★★☆☆






Matt lacquered veneer ★★★★☆☆




COLOUR GREY PLATINUM MATT COMPARABLE TO RAL 7037 / NCS S5502-G GRAPHITE MATT COLOUR COMPARABLE TO RAL 7024 / NCS S8000-N

^{*} until stocks last GREY FINISH IS COMPARABLE WITH RAL 7047/ NCS S 2000-N


Portaperfect 3D veneer ★★★★☆☆



Gladstone/Halifax board ★★★★★









Natural veneer - Oak ★★★☆☆



Natural veneer - Oak Matt ★★★☆☆



Finishes key: N-,striped' wood grain K-'flower' wood grain

Certain veneer pattern is received thanks to proper wood selection, appropriate veneer leaf processing and its folding technique. Striped - veneer with a consistent WOOD TEXTURE. Flower (flader) - veneer with a Natural, clear and patterned wood grain.

Due to the characteristc of Natural veneers, differences in colour and graining, might appear on a door leaf.
These differences cannot be grounds for complaints.

Natural veneer - Walnut ★★★☆☆



Natural veneer - Ash ★★★☆☆



Natural veneer - Select ★★★☆☆






BLACK COLOUR IS COMPARABLE WITH RAL 9017

Natural veneer 'Select' - is a specially prepared and selected Natural veneer characterized by high repeatability of the wood grain and colour. Products finished with this type of veneer meet the high quality standards.

Natural veneers: Oak Ash, Walnut and Satin Oak - are characterized by a variety of colorus, graining, etc. Their properties are the result of: Natural environment of trees, climate, habitat conditions. These morphological properties of wood, which are characteristic for a Natural material, distinguish it from synthetic finishes and aren't defective in any way.

material, distinguish it from synthetic finishes and aren





223

Dark Walnut - EQX



Natural veneer - Oak Satin ★★★☆☆















Due to the characteristc of Natural veneers, differences in colour and graining, might appear on a door leaf. These differences cannot be grounds for complaints.

COLOUR WHITE OAK COMPARABLE TO RAL 9016

Laminated steel sheet (PVC) ★★★★☆










Galvanized steel sheet ★★★☆☆



Stainless steel ★★★★★



Due to type of used material, products colour are comparable to RAL colours. White colour is comparable with RAL 9010 / Grey is comparable with RAL 7035 Anthracite is comparable with RAL 7024 / Brown is comparable with RAL 8017

At PORTA we do our best to create a perfect colour match of offered doorsets. However due to technology and materials slight differences may appear.

Coated steel sheet ★★★☆☆ White - 0BI Grey - 0PO Prime paint ★★★☆☆ Anthracite - 0NT Grey - LBP Premium polyester paint ★★★★☆ Prime paint - Grey (LBP) is comparable with RAL 7035 Grey MAT - LPM White MAT - LBM Brown MAT - LRM Anthracite HPL/CPL - LNC * Structured anthracite - LNT Structured black - LCS White - LBI Grey - LPO Brown - LBR Black MAT - LCM

White colour (LBM) is comparable with RAL 9003 / White (LBI) is comparable with RAL 9016 Grey (LPM, LPO) is comparable with RAL 7047/ Brown (LRM, LBR) is comparable with RAL 8028 Beige (LKM) is comparable with RAL 1019/ Black (LCM) is comparable with RAL 9017 Structured anthracite (LNT) is comparable with RAL 7024

225

^{*} HPL/CPL marking was introduced considering dedicated veneer Anthracite HPL/CPL



5 YEAR*

WARRANTY ON ALL PRODUCTS

24 MONTHS

FOR DOOR LEAVES AND DOOR FRAMES

+ ADDITIONAL 36 MONTHS

WHEN USING AUTHORIZED ASSEMBLY GROUPS

IF YOU ARE LOOKING FOR:

- HIGH QUALITY DOORS
- INNOVATIVE DESIGN
- PRODUCTS WITH CERTIFICATES AND TECHNICAL APPROVALS
- TESTED INVESTMENT SOLUTIONS
- EXTENSIVE DISTRIBUTION NETWORK IN POLAND AND ABROAD
- PROFESSIONAL AFTER-SALES SERVICE





WWW.HIGHENDHOMEMIAMI.COM 2771 SW 27 AV, MIAMI FL 33133 786 401 7654 customerservice@highendhomemiami.com